QC
925.1
C3
056
2011

Evaluation of Lake Simcoe Watershed Rainfall Characteristics

by

Rabi C Gautam, B. Tech. Civil Engineering

University of Calicut, India 1994

A Project

presented to Ryerson University

in partial fulfillment of the

requirements for the degree of

Master of Engineering

in the program of Civil Engineering

Toronto, Ontario, Canada

© Rabi C Gautam, 2011

Author's Declaration

I hereby declare that I am the sole author of this project.

I authorize Ryerson University to lend this project to other institutions or individuals for the purpose of scholarly research.

Rabi C Gautam

I further authorize Ryerson University to reproduce this project by photocopying or by other means, in total or in part, at the request of other institutions or individuals for the purpose of scholarly research.

Rabi C Gautam

Abstract

Lake Simcoe Region Conservation Authority is monitoring the phosphorous loading in Lake Simcoe and to understand the changes in phosphorous loading due to runoff, it is prudent to characterize the rainfall data of the watershed contributing to Lake Simcoe. In this project, hourly and daily rainfall data from 13 different raingage stations surrounding Lake Simcoe was analyzed to identify event, monthly, seasonal and annual statistics and their trend and thereby to identify the driest and wettest and average annual rainfall. After initial analysis, daily rainfall data from only 4 stations with consistent data for an approximate period of 20 years were chosen for further analysis. The results showed that hydrological year 1995-1996 was the wettest and hydrologic year 1991-1992 was the driest year. Similarly summer season and the month of June were the wettest and winter season and month of February were the driest for the watershed. No significant trend was observed in the yearly and monthly rainfall data while an increasing trend was observed at 3 stations for the winter season.

Acknowledgements

I owe my deepest gratitude to my project supervisor Dr. Darko Joksimovic for selecting me for this project and providing his supervision, guidance and support throughout. His constant directions and encouragements enabled me to fulfill this project. I would also express my deepest gratitude to Dr. James Li, who co-supervised the project and provided guidance and support throughout the work.

I am heartily thankful to Dr. Grace Luk for her support, guidance, suggestions and encouragements throughout my Master's program. I would extend my thanks to Mary Neelands for providing administrative support throughout my program. I'm also indebted to my colleagues at work who supported me and allowed me to take time off for my studies.

Special credit goes to my wife Rachana without whose support it would have been impossible for me to complete this work.

Thank you all for providing your support to make my project and program a success.

Table of Contents

1. Introduction and Objective	1
2. Theoretical Framework	3
2.1. Background	3
2.2. Data Analysis	4
2.3. Calculation over an Area.....	7
Station-average method	7
Theissen Polygon Method	8
Isohyetal Method	9
2.4. Estimating Missing data.....	11
Station Average method.....	11
Normal Ratio Method	11
Quadrant Method	12
Inverse Distance Weighting Method (IDWM)	13
Kriging estimation method	14
2.5. Gage Consistency.....	15
2.6. Trend Analysis by Mann-Kendall Test	17
2.7. Previous Similar Studies	19
3. Data Sources and Summary of Received Data	21
4. Data Analysis and Results	30
4.1. Analysis of hourly data	30
4.2. Analysis of Daily Data.....	34
Data Conversion and Filling in Missing data	34
Analysis for Yearly Statistics	36
Analysis for Seasonal Statistics	44
Analysis for Monthly Statistics.....	47
5. Conclusion	53

List of Tables

Table 1 – Minimum density of precipitation network

Table 2 – Number of years of records required for precipitation

Table 3 – Verified daily record of hourly data

Table 4 – Unverified daily record of hourly data

Table 5 – Verified monthly record of daily data

Table 6 – Unverified monthly record of daily data

Table 7 – Summary of received data

Table 8 – Example of data analysis with 12 hour IETD for Egbert station for the year
1997

Table 9 – Example of calculation of event statistics with 12 hour IETD for Egbert station

Table 10 – Summary of received verified monthly records of daily data

Table 11 – Summary of yearly rainfall data

Table 12 – Ranking of Yearly rainfall data

Table 13 – Result of Mann-Kendall test on yearly rainfall data

Table 14 – Summary of seasonal rainfall data

Table 15 – Ranking of seasonal rainfall data

Table 16 – Result of Mann-Kendall test on seasonal rainfall data

Table 17 – Summary of monthly data

Table 18 – Ranking of monthly rainfall data

Table 19 – Result of Mann-Kendall test on monthly rainfall data

List of Figures

Fig 1 – Presentation of yearly data with moving averages

Fig 2 – Graphical representation of IETD

Fig 3 – An example of Theissen Polygon diagram

Fig 4 – An example of isohyetal map

Fig 5 – An example of Quadrant

Fig 6 – Double Mass Curve

Fig 7 – Location of raingage stations

Fig 8 – Graphical representation of received data

Fig 9 – Hydrological yearly rainfall data

Fig 10 – Yearly rainfall data with mean annual rainfall

Fig 11 – Graphical presentation of Mann-Kendall test, Coldwater Warminster

Fig 12 – Graphical presentation of Mann-Kendall test, Shanty Bay

Fig 13 – Graphical presentation of Mann-Kendall test, Udora

Fig 14 – Graphical presentation of Mann-Kendall test, Barrie WPCC

Fig 15 – Seasonal Rainfall Data

Fig 16 – Monthly rainfall data

Appendices

Appendix A - Excel VBA Program for analysis of 24 hour Inter-event time definition

Appendix B - Verified Daily Rainfall Arranged per Hydrological Year

Appendix C - Verified Daily Rainfall Arranged per Hydrological Year

Appendix D - Verified Daily Rainfall Arranged per Hydrological Year

1. Introduction and Objective

Analysis and characterization of rainfall data is fundamental to the rainfall–runoff process. Runoff is primarily generated by rainstorms. Rainfall characteristics including, quantity, intensity, duration of rainfall is identified by analyzing available rainfall data. Rainfall data have been collected in many regions for a long period of time and are readily available. The analysis of these data is of importance not only for storm water management and design of runoff conveyance but also to establish a relationship of runoff with the source of water pollution of the receiving water body.

Phosphorous loading in the lakes has been identified as one of the problems for the health of the lakes. Lake Simcoe Region Conservation Authority is monitoring the phosphorous loading in Lake Simcoe. Lake Simcoe is located in south central Ontario and covers a surface area of 722 sq. Km. [1].

Climate change has also been a growing area of concern in the health of the lakes. Climate change is a natural process of the climate system. However, the recent changes have been attributed to human activities creating greenhouse gas emissions [2]. The effect of climate change is being translated into changes not only to temperature but also to precipitation pattern. Intergovernmental panel on climate change (IPCC) reports that an increase in the average global temperature creates changes in atmospheric circulation and increases in evaporation and water vapor which in turn changes the pattern of precipitation and atmospheric moisture. IPCC predicts that there will be an increase in global average annual precipitation during the 21st century but predicts that it varies from region to region. [3]. Ontario Ministry of Natural Resources through its research and modeling predicts that in 2011-2040, almost all of southern Ontario south of a line from Owen Sound to Pembroke will receive up to 10% less rainfall. [4] This includes the watershed contributing to Lake Simcoe.

To understand the changes in phosphorous loading or any other parameter loading due to runoff; effects of climate change on rainfall pattern etc. it is prudent to characterize the

rainfall data of the watershed contributing to Lake Simcoe. An effort has been made in this study to analyze the characteristics of rainfall collected from rainfall gage stations that are located on the Lake Simcoe watershed. Data from 13 different raingage stations surrounding Lake Simcoe has been provided for analysis. The primary objective of this study and the report is to

- a. analyze the available data and characterize the rainfall to event, monthly, seasonal and annual statistics and their trend, and;
- b. identify the driest and wettest and average annual rainfall.

2. Theoretical Framework

2.1. *Background*

Rainfall in general is defined as liquid form of deposition of water from the atmosphere to the surface. Rainfall is the result of condensation of moisture and its aggregation that fall. The following conditions must be fulfilled for rainfall to occur: [5]

- A sufficient supply of moisture, generally in the form of water vapour, must be available in the atmosphere;
- The air containing the water vapour must be cooled to below its condensation point.
- The water vapour must aggregate or condense into water or ice particles.
- These particles must grow to such a size that they fall.

Depending on the size of the drops, liquid precipitation with drop size less than 0.5mm diameter are termed as drizzle while those larger than 0.5 mm is termed as rain [5]. In some weather reports, liquid precipitation due to convective cloud is sometimes distinguished as showers. Showers are generally characterized by short duration and rapid fluctuation of intensity. [6]. Depending on the intensity, rainfall can be termed as slight with accumulation less than 0.5mm/h; moderate with accumulation of 0.5 to 4 mm/h and heavy for accumulation greater than 4 mm/h. Similarly showers can be classified as slight for accumulation of about 0 to 2 mm/h, moderate for accumulation of 2 to 10 mm/h, heavy for accumulation of 10 to 50 mm/h and violent for accumulation of 50 mm/h. [6].

The other classification of rainfall is based on the mode of lifting mechanism which induces condensation and aggregation of moisture. In general there are three lifting processes: convectional, orographic and cyclonic (frontal) and as such rainfall is classified as convectional, orographic and cyclonic rainfall. [7]. Convectional lifting of the air mass is due to the localized heating of the earth's surface. Orographic lifting occurs when air is blown over mountains. Cyclonic lifting occurs when warm light-air mass collides with and rides up over a heavier cold air mass.

Traditionally rainfall is measured using raingages which measures the rainfall in just one point. The estimation of rainfall in an area comes from network of raingages. To obtain a reliable estimate of rainfall data from the network of gages it is necessary to establish a suitable network density. Factors including topography, climate, and state of development of the area play a key role in determining the suitable network of raingages. The world meteorological organization in its 1965 publication “Guide to hydrometeorological practices” has established a standard for optimum and minimum networks as given in the following table to serve as a guide. [5]

Table 1: Minimum density of precipitation network

Type of Region	Normal Tolerance (Area of 1 Station)	Tolerance under Difficulties (Area for 1 Station)
Flat areas of temperate, Mediterranean and tropical zones	600 -900 sq. km	900-3000 sq. km
Mountainous regions as above	100-250 sq. km	250 -2000 sq. km
Small mountainous islands with irregular precipitation	25 sq. km	
Arid and polar zones	1500 – 10000 sq. km	

Precipitation is measured in terms of depth. To each precipitation depth corresponds a time period which may be a year, month, day, hour or minute. [5]

2.2.Data Analysis

The importance of rainfall/precipitation data in hydrology arises from the fact that in many regions they have been kept for a long period of time and are readily available. Precipitation depths can be converted to stream flows and hydrographs can be derived from it. With the application of appropriate analysis methodology, precipitation can be extrapolated to an extreme or limiting values such as probable maximum precipitation which in turn can be used for flood estimations, design of sewer systems etc.

Due to the variation of precipitation with time and space, its analysis demands a diversity of techniques. To obtain reliable and stable information from the available data, usually a long period of data is required. The length of data required depends on the variability of the precipitation which in turn depends upon locality and many other meteorological factors, however, 30 yrs is considered a minimum period. [5]. As a guide for the length of data required, Weather Information Branch Report 558 titled 'Studies of length of record needed to obtain satisfactory climatic summaries for various meteorological elements' published by Army Air Forces Headquarters, Washington DC in 1943 specifies the following time period for precipitation data for different areas:

Table 2: Number of years of records required for precipitation

Climatic Element	Extra Tropical Regions				Tropical Regions			
	Islands	Coast	Plains	Mountains	Islands	Coast	Plains	Mountains
Precipitation	25	30	40	50	30	40	40	50

The analysis of precipitation data requires ordering of precipitation with time. The simplest form of presentation of precipitation data in terms of time is the bar chart in which the total precipitation during a period is plotted as a height and the time of record as the width of the bar chart with equal period as the width.

The simplest form of analysis of precipitation data is to find the average rainfall, either annual or monthly. It is expressed as the arithmetic mean of number of years or months. To minimize the effect of extreme values, median is often used instead of the arithmetic mean.

In order to damp out short term fluctuations and in an attempt to highlight the trend, moving averages are sometimes used. For the moving averages, if the smoothing period chosen is n year, then the n year average $\sum_1^n P/n$ is plotted at the $(n+1)/2$ year and the next year average $\sum_2^{n+1} P/n$ is plotted at the $(n+1)/2 + 1$ year and so on. In the moving average all the record years do not contribute equally, with the first and the last having

the least effects an very high and low records affect all the averages into which they are incorporated. However trends occurring over considerable part of the record provide a significant understanding of the data trend.

Fig 1: Presentation of Yearly Data with Moving Average

The data can also be analyzed for rainfall events by separating into individual storm events. [8] To isolate an individual storm event from a long range of available data it is required to apply suitable criteria to establish when an event starts and when it ends. A typical way of establishing the criteria for start and end is to identify a minimum period without rainfall also termed as inter event time definition (IETD). Rainfall pulses are separated by the minimum time of no rainfall. If the period of time between the rainfall pulses are greater than the inter event time then the rainfall pulses are categorized as two separate events and if the period of time is shorter than IETD, then the pulses are categorized as a single event[8].

Fig 2: Graphical representation of IETD [8]

The isolated events then can be further statistically analyzed to determine different characteristics within a time period such as annual statistics. Factors such as number of events, average event volume, peak event rainfall, event shape such as standard deviation and skewness, average duration of antecedent period etc. per annum or period can then be determined from such isolated events[9]. From the analyzed data it is then possible to identify a typical year/period and utilize the records for the data for that period for further studies.

2.3.Calculation over an Area

Rainfall information collected at raingage stations represents conditions at a particular point. To utilize the data in various hydrological calculations rainfall volume over an area is required and the point data from a network of raingages needs to be transformed into information pertaining to an area. Some of the methods utilized are:

Station-average method

It is the simplest and most easily used method of estimating areal averages. In this method the each rain gage is given equal weight and average is taken from all the observed values. So the average precipitation over an area is computed as follows [10]

$$P_{avg} = \sum_{i=1}^n P_i / n$$

where,

P_i = precipitation depth at station i

n = the total number of stations

As this method simply takes an average of all the values without considering any topographical and meteorological condition of the raingage stations and their distribution, the average obtained does not give a true representation of the spatial distribution of the rainfall if the raingages are not uniformly distributed over the entire area. This method will provide reasonably accurate estimate of average rainfall over an area where the raingages are uniformly distributed throughout the area and the rainfall depth over the entire area is more or less constant.

Theissen Polygon Method

In the situations where the raingages are not uniformly distributed throughout the watershed, Theissen polygon method provides an alternative by assigning areal weightage to the point rainfall data. This method assigns weights to the rain gages according to the proportions of the total watershed area that are geographically closest to each of the raingages [10]. This method, however, does not take into consideration the topography or meteorological factors of the proportional areas. [7]

To draw the theissen polygon lines are first drawn to join the adjoining raingage stations. Perpendicular bisectors are then drawn for each line. The polygon bound by these perpendicular bisectors and the boundary of the watershed represents the area proportional to each stations; eg. in the following figure, area A1, A2, A3, A4 are the proportional areas represented by raingages S1, S2, S3 and S4 respectively.

Fig 3. An example of Thiessen Polygon diagram

The average precipitation is then determined by the equation [7]

$$P_{avg} = \frac{\sum_{i=1}^n P_i \cdot A_i}{\sum_{i=1}^n A_i}$$

where,

P_i = precipitation depth at station i

n = the total number of stations

A_i = Area assigned to station i

Isohyetal Method

To overcome the shortcoming of non-consideration of topography and meteorological factors in the theissen polygon method, isohyetal method is utilized. Data from the network of raingage stations can be used to construct isohytes ie. lines of equal rainfall depth. Construction of isohyets is subjective and requires great amount of personal knowledge and skill in interpolating data. Considerations for factors such as topography, rainfall pattern, frequency etc. are made while constructing the isohytes. Average

precipitation between isohyets is calculated as the numerical average of the two adjacent isohyets and the average precipitation of the entire area can be calculated as [7]:

$$P_{\text{avg}} = \sum_{j=1}^m [(P_j + P_{j+1})(A_j / 2)] / \sum_{j=1}^m A_j$$

where,

P_j = precipitation depth at station j

m = the total number of isohytes

A_j = Area between isohyete j and $j+1$

Factors influencing the rainfall catch at each gage can be effectively implemented in this method with experience; however, the accuracy of this method depends on the knowledge and skill of the hydrologist. It is also difficult to accurately delineate the isohyets when the raingage network is not dense enough [11].

Fig 4: An example of isohyetal map [11]

2.4. Estimating Missing data

Estimation of missing data is one of the most important tasks required in rainfall analysis. Often the problems of missing data are encountered due to various reasons like instrumentation problem or techniques used in measuring the rainfall amounts. Missing data may also be encountered due to systematic errors like water loss during measurements, adhesion loss on the surface of the gage, raindrop splash from the collector etc. Missing data due to these errors are critical as they affect the continuity of rainfall data and which in turn affects the result of analysis carried out on basis of these rainfall as input. [12]

Several methods have been developed to estimate the missing data:

Station Average method

This method estimates the point average of a station based on the average of surrounding stations in the region. The equation to estimate the missing data is given by [10]:

$$P_x = \sum_{i=1}^n P_i / n$$

where,

P_x = missing point rainfall at station x

P_i = relative point rainfall at station i

n = number of stations

This method gives equal weight to all the catches within the region and estimation by this method may not be accurate if the annual catch at any of the n gages differ from the station of interest by 10% or more. [10]

Normal Ratio Method

This method overcomes the shortcoming of giving equal weight to all the raingages. It uses the average annual catch of individual station to derive a weight for the rainfall depth of the station. [10].

$$P_x = \sum_{i=1}^n w_i P_i$$

w_i = weight for the rainfall depth P_i at gage i and is calculated as

$$w_i = A_x / nA_i$$

where

A_x = annual average rainfall at station X ,

A_i = annual average rainfall at station i

n = number of stations

Quadrant Method

Quadrant method is an alternative method to station average and normal-ratio method. It also uses the weighted average of gages from other stations within the region. However it does not use all the stations within the region and gives weight to the station based on its distance from the station of concern. This method is based on two assumptions [10]

- Rainfall depth at gages that are located close to each other are not independent estimates of the missing rainfall depth; and,
- The weight assigned to a gage used to estimate the missing value should decrease as the distance between the gage and the point where an estimate is required increases.

To use this method, the region is divided into four quadrants with the origin being the data station with missing information. The surrounding stations are drawn based on their coordinates with respect to the station with missing information and distance from the centre is calculated. Only the stations in each quadrant that is closest to the centre is selected and the weights for those stations are calculated as a function of the reciprocal of the square of the distance between the gage and the centre location. The

Thus the equation for the weight of station i is given by [10]

$$w_i = \frac{1/d_i^2}{\sum_{j=1}^4 (1/d_j^2)}$$

where,

d_i = distance between gage i and the centre location

Fig 5: An example of Quadrant

And the equation to find the missing data is again

$$P_x = \sum_{i=1}^n w_i P_i$$

Inverse Distance Weighting Method (IDWM)

It is the most commonly used method for estimation of missing data in rainfall analysis. It is also referred to as national weather service (NWS) method in operational hydrology literatures published in the United States [12]

It is again the weighting method based on the distance of the neighboring stations to the station with missing data. The equation for the missing data is given by [12]

$$P_x = \frac{\sum_{i=1}^n P_i d_{ix}^{-k}}{\sum_{i=1}^n d_{ix}^{-k}}$$

where,

P_x = missing data at station x

P_i = corresponding data at station i

d_{ix} = distance between station i and x

k = friction distance that ranges from 1 to 6 (most common value 2)

Some of the issues with this method is the choice of weighting factor is arbitrary and the definition of neighboring station is not clear. Several modified IDWM methods have been suggested and tested by Ramesh et al (2005):

- Thiessen polygon approach and inverse distance method
- Coefficient of correlation weighting method
- Inverse exponential weighting method
- Nearest neighbor weighting method

Kriging estimation method

This is a stochastic interpolation method which is also based on the principle of using the weighted average of surrounding stations to derive a missing value at the station of concern [13]. Ordinary kriging is the most widely used method.

To apply the principle of kriging two tasks are to be performed:

- i. Establish the degree of spatial dependence.

The degree of spatial dependence is established using a semi-variogram model and weights are optimized. Semi-variogram is computed as [14]

Semivariogram (distance h) = $0.5 \times [\text{average (value at location } i - \text{value at location } j)^2]$

ii. Estimation of missing value

The missing value is then calculated from the equation [12]

$$P_x = \sum_{i=1}^n \lambda_i P_i$$

where,

λ_i = weight obtained from fitted semi-variogram.

In this method the observed value is used twice, the first time to estimate the semi-variogram and the second time to interpolate the values. [12]

2.5. *Gage Consistency*

Another problem encountered during the analysis of long term rainfall record is the consistency of the data. A consistent data is the data for which the characteristics such as change in observation procedure, exposure of the gauge, change in location etc. is the same throughout the record period of the data [10]. Adjustment to the data needs to be made if the data are inconsistent over a period of time.

The consistency of the data is checked by the method of double mass curve. A double mass curve is a graph of the cumulative rainfall at the rain gage where the data is to be verified for consistency versus the cumulative rainfall of one or more gages in the region that have similar hydro-meteorological condition and are known to be consistent [10].

Double mass curve plotted from consistent data will yield a constant slope. A change in the slope of the double mass curve suggests that the data is inconsistent and adjustment needs to be made. To adjust the data and obtain consistency, the value has to be changed

to obtain the constant slope of the double mass curve. The values of the double mass curve can be adjusted either at the bottom section or at the top section. [10]

Fig 6: Double Mass Curve

2.6. Trend Analysis by Mann-Kendall Test

The Mann-Kendall test is one of the statistical methods to identify trends in a time series data that do not belong to any distribution (nonparametric). This test is based on testing the null hypothesis of no trend, H_0 , which means that the observed data sets are randomly ordered in time against the alternative hypothesis, H_1 , which means that the observed data sets have an increasing or decreasing trend. [24] In this test, the relative magnitudes of the data are considered instead of the absolute value of the data. Each data value is compared to all the preceding data to obtain Mann-Kendall statistic, S . A normalized test statistic Z is calculated based on the Mann-Kendall statistics (S) and number of data sets (n) and probability associated with this normalized test statistic is computed. Hypothesis H_0 , meaning the data sets have no trend, is rejected in favour of hypothesis H_1 , meaning that there is a certain increasing or decreasing trend in the observed data sets when the probability associated with the normalized test statistics Z is greater than the selected probability level of significance.[25]

The Mann-Kendall Statistics (S) for a time series $x_1, x_2, x_3, \dots, x_j$ where x_j represents the data at time j , is given by:

$$S = \sum_{k=1}^{n-1} \sum_{j=k+1}^n \text{sign}(x_j - x_k)$$

where,

$$\begin{aligned} \text{sign}(x_j - x_k) &= 1 \text{ if } x_j - x_k > 0 \\ &= 0 \text{ if } x_j - x_k = 0 \text{ and} \\ &= -1 \text{ if } x_j - x_k < 0 \end{aligned}$$

The first value of Mann-Kendall statistic, S , is assigned a value of 0. If the subsequent data value is greater than the earlier values then S value is incremented by 1. If the data value is lower than the earlier values, then the S value lowered by 1 and if it is equal to

any of the earlier values then the S value remains same. The summation of all the values gives the final S. [25]

The normalized test statics Z is obtained by [25]:

$$Z = \frac{S - 1}{[VAR(S)]^{1/2}} \text{ if } S > 0$$

$$Z = 0 \text{ if } S = 0$$

$$Z = \frac{S + 1}{[VAR(S)]^{1/2}} \text{ if } S < 0$$

Where VAR(S) is calculated as [25]:

$$VAR(S) = \frac{1}{18} [n(n-1)(2n+5) - \sum_{p=1}^g t_p(t_p-1)(2t_p+5)]$$

where,

n = number of data

g = number of tied group (set of data having the same value)

t_p = number of data in the pth group

The probability associated with Z is computed as [25]:

$$f(Z) = \frac{1}{\sqrt{2\pi}} e^{-\frac{z^2}{2}}$$

The level of significance is selected and compared with this probability. If this probability is greater than the level of significance and if the Z value is positive, then it is an increasing trend where as if the Z value is negative, it is a decreasing trend.[25]

2.7. Previous Similar Studies

Studies and reports of similar nature were studied to better understand the methods utilized in analyzing the data. Several research papers were studied and synopsis of 2 researches which are closely related to the current study being undertaken is presented here.

Daily precipitation data for a period of 30 years from 1964 to 1993 from 3366 raingage stations for the Spanish Mediterranean regions were analyzed by R. Romero et.al and the results were presented in their paper titled “A 30-year (1964-1993) Daily Rainfall Data Base for the Spanish Mediterranean Regions: First Exploratory Study” published in 1997. After preliminary data analysis only stations with at least 90% available data for the period of 30 years were selected which reduced the number of stations to 410. The period of 30 years were divided into three decades i.e. 1964-1973, 1974-1983 and 1984-1993. After the preliminary selection of the raingages the first step taken was to fill in the missing data. Weighted average method was utilized to interpolate the missing data as:

$$P_{in} = \sum_{i=1}^j \alpha_{ij} (P_{jn}) / \sum_{i=1}^j \alpha_{ij}$$

Where P_{in} = missing data at station i on day n

α_{ij} = weighting factor

P_{jn} = data at other stations on day n

The j reference stations were chosen within a radius of 5⁰ around the target station with missing data such that the chosen stations have at least a 1000 daily values with station i and have no missing data at the particular day of n. The weighting factor was calculated based on both correlation coefficient and distance between station i and j.

$$\alpha_{ij} = r_{ij}^2 / d_{ij}^2$$

Where r_{ij} is the correlation coefficient and d_{ij} is the distance between stations i and j .

The data were then divided into seasonal and yearly records and mean of seasonal and yearly precipitation were calculated for each selected stations to identify the accumulated amount of rainfall per station and presented as such.

In the second study, Kwarteng et. al analyzed the characteristics of rainfall in the Sultanate of Oman using 27 years data recorded for 31 raingage stations from 1977 to 2003. This was presented in their paper as “Analysis of a 27-year rainfall data (1997-2003) in the Sultanate of Oman, published in 2009. To obtain the characteristics the average yearly and monthly rainfall was calculated for all the stations and Mann-Kendall statistical test was performed to establish a trend. Other parameters calculated were average number of rainy days, maximum daily rainfall and rainfall intensity. Rainfall intensity was investigated in two ways, first by dividing the total yearly rainfall is divided by the number of rainy days and second by dividing the rainfall events into four groups: light rainfall for less than 10mm, moderate for rainfall between 10 to less than 25mm, heavy for rainfall 25 to less than 50mm and extreme for rainfall greater than 50mm.

3. Data Sources and Summary of Received Data

The rainfall data was provided by Ontario Climate Centre, Environment Canada. Archived data for 13 different raingage stations were provided in the standard record format. Standard record format has been adopted by Environment Canada to archive the climatological data that were recorded at minutely, fifteen minute, hourly, daily or monthly interval. "Documentation for the Digital Archive of Canadian Climatological Data (Surface) Identified by Element" provided in Environment Canada website was referred for the interpretation of the provided data. According to the document, five (5) different record formats are being used by Environment Canada to archive the rainfall data which are recorded for different time intervals. The record formats are:

- i. Daily record of Hourly Data;
- ii. Monthly record of Daily Data;
- iii. Annual record of Monthly Data;
- iv. Daily record of 15 minute Data; and,
- v. Hourly record of minutely Data.

It is explained in the document that each record consisted of station identification, date and element number followed by the data repeated for each time interval. The datum for each time interval is recorded as 5 digit integer plus a leading sign field and a following flag field. An explanation of the element and flag is also provided in the document. The relevant flags for the obtained data were:

E = Estimated

A = Accumulated

C = Precipitation occurred, amount uncertain

L = Precipitation may or may not have occurred

F = Accumulated and estimated

T = Trace

The units and decimal position of the data is to be determined by the assigned element number.

The data received were translated based on the decoding process described in the document "Documentation for the Digital Archive of Canadian Climatological Data (Surface) Identified By Element". Different time interval data for a total of 13 raingage stations were received and decoded. From the decoding it is observed that the time interval and period of received data are not consistent among all the raingage stations. Primarily the data obtained were in the following categories:

- i. Verified Daily record of Hourly Data;
- ii. Unverified Daily record of Hourly Data;
- iii. Verified Monthly record of Daily Data; and,
- iv. Unverified Monthly record of Daily Data

Verified Daily record of Hourly Data

Verified record of Hourly Data is categorized as element 123 in the standard record format. It consists of hourly record starting 01 to 24 hours of a day. The missing hourly data are recorded as -99999M. The hourly data is in the unit of 0.1mm. Verified daily record of hourly data was available for 4 raingage stations. The stations and the period of data is shown in Table 3.

Table 3 – verified daily record of hourly data

Stations	Station Code	Starting Date	End Date
Lagoon City	6114295	1998/05/05	2003/11/01
Barrie WPCC	6110557	1968/05/01	2003/11/01
Egbert	611e001	1997/04/01	2003/11/01
Toronto Buttonville	615hmak	1986/05/23	2003/11/01

The verified hourly data for the available 4 stations overlap for a period of approximately 5 years from 1998/05/05 to 2003/11/01.

Unverified Daily record of Hourly Data:

Unverified record of Hourly Data is categorized as element 262 in the standard record format. It consists of hourly record starting 00 to 23 hours of a day. The missing hourly data are recorded as -99999M. Unverified daily record of hourly data was available for 2 raingage stations. The stations and the period of data are shown in Table 4.

Table 4 – unverified daily record of hourly data

Stations	Station Code	Starting Date	End Date
Barrie Oro	6117700	2004/03/27	2010/01/21
Lagoon City	6114295	2004/04/19	2010/01/21

The unverified record of hourly data available for the 2 stations overlaps for a period of approximately 6 years.

Verified Monthly record of Daily Data:

The verified monthly record of Daily Data is categorized as element 010 in the standard record format and the file system is identified by a system number 04. The monthly data is recorded from 1 to 31 days. The records for the remaining days of the months that have less than 31 days are recorded as -99999M. Similarly the missing data are also recorded as -99999M. The hourly data is in the unit of 0.1mm. The verified monthly data is available for 11 different raingage stations. The stations and the period of data available are shown in Table 5.

Table 5 – verified monthly record of daily data

Stations	Station Code	Starting Date	End Date
Lagoon City	6114295	1997/06/01	1999/10/31
Orillia	6115818	1957/02/01	1965/01/31
Barrie WPCC	6110557	1977/09/01	2006/12/31
Shanty Bay	6117684	1973/01/01	2006/12/01

Coldwater Warminster	6111769	1971/08/01	2006/12/31
Blackstock	6150398	2003/06/01	2006/10/31
Marsh Hill	6150790	2003/07/01	2006/10/31
Sonya	6155000	2001/06/01	2006/12/31
Udora	6119055	1989/09/01	2006/12/31
Baldwin	6110480	2004/12/01	2006/12/31
Toronto Buttonville	615hmak	1986/05/01	2009/10/01

The available data period varies considerably with the stations. The overlapping period for a maximum of 5 stations is approximately about 17 years from 1989/09/01 to 2006/12/31.

Unverified Monthly record of Daily Data

The unverified monthly record of Daily Data is also categorized as element 010 in the standard record format but the file system is identified by a system number 02. Similar to the verified monthly record of daily data, the monthly data is recorded from 1 to 31 days and the record for the remaining days of the months that have less than 31 days are recorded as -99999M. Similarly the missing data are also recorded as -99999M. The unverified monthly data is received for 3 different raingage stations. The stations and the period of data received is shown in the following table:

Table 6 – unverified monthly record of daily data

Stations	Station Code	Starting Date	End Date
Barrie Oro	6117700	2004/03/01	2009/03/31
Egbert	611e001	2004/11/01	2010/01/31
Toronto Buttonville	615hmak	2003/11/01	2010/01/31

The verified hourly data for the available for the 3 stations overlap for a period of approximately 4.5 years from 2004/03/05 to 2009/03/31.

The location of all the stations with the received data was also obtained from Ontario Climate Centre, Environment Canada. The latitude, longitude and elevation of each of the station were noted from the Environment Canada website. The location of the stations is shown in figure 7. A graphical representation of the data received to date is presented in figure 8. A summary table of all the data available is presented in Table 7.

Fig 7: Location of raingage stations (provided by Ontario Climate, Environment Canada)

Fig 8 – Graphical representation of received rainfall data

Table 7– Summary of received data

Station Name	Station Code	Latitude	Longitude	Elevation m	Received Rainfall Data			
					Element 262_ unverified hourly rainfall	Element 123_ verified hourly rainfall	Element 02_ unverified daily rainfall	Element 04_ verified daily rainfall
Barrie Oro	6117700	44° 28.800' N	79° 33.000' W	289	2004/03/27 to 2010/01/21		2004/03/01 to 2009/03/31	
Lagoon City (Beaverton)	6114295	44° 33.000' N	79° 13.200' W	220.7	2004/04/19 to 2010/01/21	1998/05/05 to 2003/11/01		1997/06/01 to 1999/10/31
Orillia	6115818	44° 34.800' N	79° 24.000' W	224				1957/02/01 to 1965/01/31
	6116811							
Barrie WPCC	6110557	44° 22.800' N	79° 41.400' W	221		1968/05/01 to 2003/11/01		1977/09/01 to 2006/12/31
Shanty Bay	6117684	44° 24.000' N	79° 37.800' W	250				1973/01/01 to 2006/12/31
Coldwater Warminster	6111769	44° 37.800' N	79° 32.400' W	285				1971/08/01 to 2006/12/31
Egbert	611E001	44° 13.800' N	79° 46.800' W	251		1997/04/01 to 2003/11/01	2004/11/01 to 2010/01/31	
Blackstock	6150790	44° 6.000' N	78° 49.800' W	291				2003/07/01 to 2006/10/31
Marsh Hill	6115500	44° 9.000' N	79° 4.200' W	285				2001/06/01 to 2006/12/31

Station Name	Station Code	Latitude	Longitude	Elevation m	Received Rainfall Data			
					Element 262_ unverified hourly rainfall	Element 123_verified hourly rainfall	Element 02_ unverified daily rainfall	Element 04_verified daily rainfall
Sonya	6168100	44° 13.200' N	78° 57.000' W	275				2001/06/01 to 2006/12/31
Udora	6119055	44° 15.600' N	79° 9.600' W	262				1989/09/01 to 2006/12/31
Baldwin	6110480	44° 16.200' N	79° 19.200' W	229				2004/12/01 to 2006/12/31
Toronto Buttonville	615hmk	43° 51.600' N	79° 22.200' W	198.1		1986/05/23 to 2003/11/01	2003/11/01 to 2010/01/31	1986/05/01 to 200/10/31

4. Data Analysis and Results

The intent of the data analysis is to determine the event, monthly, seasonal and annual statistics of all the stations and their spatial distribution and to determine the driest, wettest years and average annual rainfall. The process of data analysis was carried out in two phases: a. Analysis of hourly data, and b. Analysis of daily data.

4.1. *Analysis of hourly data*

The process of data analysis was started with the verified daily records of hourly data. A program in Excel VBA was developed to separate the data into different inter event time definition (IETD). The data were separated into IETDs of 6 hours, 12 hours and 24 hours and the whole rainfall data was divided into different rainfall events. For simplicity and preliminary data analysis, the missing data were converted to a zero value i.e. no rainfall. For each rainfall events, duration of rainfall, volume of the rainfall and peak value of the rainfall was calculated. The antecedent time of each rainfall event was also evaluated from the program. An example of data analysis with 12 hour IETD for Egbert station for the year 1997 is presented in Table 8. The Excel VBA program is presented in Appendix A.

From the identified independent rainfall events, various rainfall event statistics were then calculated for the whole period on record as well as for each separate year. The approach was to identify a typical year representing all the data. A typical year is the year for which the characteristics match the closest to the long term record. The statistics characteristics calculated were:

- a. No. of events
- b. Maximum event depth
- c. Event standard deviation
- d. Event skeweness
- e. Geometric mean event depth
- f. Log-transformed event standard deviation

- g. Log-transformed event skew
- h. Total annual rainfall
- i. Maximum antecedent period
- j. Average antecedent period
- k. Antecedent period standard deviation

An example of this calculation for 12 hour IETD for Egbert Station is presented in Table 9.

Due to insufficient number of raingage stations and only a few years of data further analysis of hourly data was not conducted. However, the program and framework for the analysis of the data has been established with this project work and the same can be adopted to analyze the data when sufficient data is available.

Table 8– Example of data analysis with 12 hour IETD for Egbert station for the year 1997

Start Time				End Time				Duration	Event No.	Volume of Rainfall	Antecedent Time	Peak Rainfall
Year	Month	Day	Hour	Year	Month	Day	Hour	hr		mm	hr	mm
1997	4	5	16	1997	4	5	20	4	1	2.5		0.7
1997	4	6	21	1997	4	6	21	0	2	0.4	25	0.4
1997	4	12	8	1997	4	12	20	12	3	1.2	131	0.3
1997	4	16	12	1997	4	16	18	6	4	1.9	88	0.5
1997	4	19	10	1997	4	20	8	22	5	3.9	64	1.2
1997	4	27	21	1997	4	28	11	14	6	12.1	181	2.5
1997	5	24	21	1997	5	24	23	2	7	2.2	634	1.4
1997	5	29	15	1997	5	30	6	15	8	6.1	112	2.3

Table 9– Example of calculation of event statistics with 12 hour IETD for Egbert station

Description	All (1997 to 2003)	1997	1998	1999	2000	2001	2002	2003
No. of events	46.857	9	35	48	58	62	47	44
Maximum event depth (volume) mm	70.000	12.100	25.400	53.000	70.000	41.300	44.300	26.600
Average Event depth (volume) mm	7.748	3.367	5.143	9.496	10.495	6.492	8.398	6.827
Event Standard Deviation	10.492	3.651	6.823	11.884	14.902	8.991	9.818	6.892
Event Skewness	2.347	2.095	1.694	1.710	2.123	2.116	1.756	1.084
Geometric Mean Event Depth	3.036	2.198	2.015	3.404	4.028	2.404	3.539	3.440
Log-transformed event standard deviation	1.525	0.979	1.479	1.703	1.529	1.576	1.526	1.347
Log-transformed event skew	-0.188	0.109	0.132	-0.338	-0.195	-0.130	-0.312	-0.381
Total Annual Rainfall	138.167	30.300	180.000	455.800	608.700	402.500	394.700	300.400
Maximum Antecedent period	8082.000	634.000	8082.000	4081.000	3802.000	3862.000	3911.000	3664.000
Average Antecedent Period	170.591	156.125	348.143	171.208	141.362	131.984	180.660	166.909
Antecedent Period Standard deviation	657.826	200.743	1377.58	582.357	493.402	487.677	562.943	544.417

4.2. Analysis of Daily Data

Verified Monthly records of Daily Data were analyzed to obtain the yearly, monthly and seasonal variations in rainfall in the region. The analysis was done in the following steps:

- a. Data conversion and filling in missing data
- b. Analysis for Yearly Statistics
- c. Analysis for Seasonal Statistics
- d. Analysis for Monthly Statistics

Data Conversion and Filling in Missing data

Available data from all the 11 stations were converted into excel format and studied for available and missing data. The flagged data from these stations were converted to the value represented by these data. For this the trace data represented by 00000T was converted to 0. The estimated amount of rainfall such as 00013E was converted to 13. Data with flag 'L' such as 00000L meaning "precipitation may or may not have occurred" was converted to 0. Data with flag 'C' such as 00000C meaning "precipitation occurred amount uncertain" was converted to zero. "Accumulated and estimated" data represented by flag 'F' such as 200F was converted to 200 and similarly data represented by flag 'A' such as 200A meaning "accumulated" was converted to 200.

Table 10 summarizes the received data and missing data information after all the conversion.

Table 10: Summary of received verified monthly records of daily data

Stations	Station Code	Starting Date	End Date	Total No. of Data	Missing Data
Aurora	6150398	2003/7/01	2006/12/31	1280	0
Lagoon City	6114295	1997/06/01	1999/10/31	791	251
Orillia	6115818	1957/02/01	1965/01/31	2908	86
Barrie WPCC	6110557	1977/09/01	2006/12/31	10743	26

Stations	Station Code	Starting Date	End Date	Total No. of Data	Missing Data
Shanty Bay	6117684	1973/01/01	2006/12/01	12418	9
Coldwater Warminster	6111769	1971/08/01	2006/12/31	12770	274
Blackstock	6150398	2003/07/01	2006/10/31	1280	0
Marsh Hill	6150790	2003/07/01	2006/10/31	2040	0
Sonya	6155000	2001/06/01	2006/12/31	2040	101
Udora	6119055	1989/09/01	2006/12/31	6331	33
Baldwin	6110480	2004/12/01	2006/12/31	761	12
Toronto Buttonville	615hmak	1986/05/01	2009/10/01	8586	24
Unknown	6115811	1957/02/01 and 1992/08/01	1965/01/01 and 2006/12/01	5174 and 5174	39 and 7
Unknown	6163360	2001/06/01	2006/12/01	2040	226
Unknown	6168100	2001/06/01 and 2006/10/01	2006/03/31 and 2006/12/01	1765 and 92	0 and 0
Unknown	611Kbeo	1998/08/01	2006/12/01	6727	0

The initial evaluation of data revealed that only four stations namely Barrie WPCC, Coldwater Warminster, Shanty Bay and Udora had data for an approximate period of 20 years and all the other stations had insufficient data for further analysis. Based on the available data only these 4 stations were chosen for further analysis.

The received data for these 4 stations were only up to the year 2006. Available data from Environment Canada website was then used to supplement these data to the year 2010. Data for Coldwater Warminster, Shanty Bay and Udora were available on the website and were extracted till March 2010. However, for Barrie WPCC station, data for 2007 were completely missing and only fragmented data was available for 2008 and 2009 so this was discarded and only data up to 2006 was used for further analysis.

Missing data were then filled for these stations. Station average method was used for filling in the missing data. All the remaining 3 stations were used for the filling in the missing data from 1991 to 2006 while only 2 remaining stations were used for filling in the data for the years 2007 to 2010 and for years 1973 to 1990. The missing data where it was missing from all the stations were left to zero value.

Analysis for Yearly Statistics

For the yearly statistics of rainfall data and to be consistent past studies for Lake Simcoe such as “Report on the Phosphorous Load on Lake Simcoe, 2004-2007”, the yearly data was first separated into hydrological year starting from 1st June to 31st March. The rainfall amount for each hydrological year was summed up to obtain the total yearly rainfall for that year for each raingage station. Station Average method was then used to obtain the mean yearly rainfall for that hydrological year and the average of the mean yearly rainfall was calculated to obtain overall average annual rainfall for the watershed. The hydrological yearly data for all 4 stations is presented in Appendix B. Graphical representation of the yearly rainfall is presented in the following figure.

Fig 9: Hydrological Yearly Rainfall Data

Table below presents a summary of the hydrological yearly rainfall data for the region.

Table 11: Summary of Yearly Rainfall data

YEAR	Total Rainfall (mm)				Average (mm)	Geometric Mean	Standard Deviation
	Coldwater	Shanty Bay	Udora	Barrie WPCC			
1972-1973	684.5				684.5		
1973 - 1974	720.1	712.7			716.4	716.4	5.23
1974 - 1975	672.6	672.9			672.8	672.7	0.21
1975 - 1976	507.6	592.0			549.8	548.2	59.68
1976 - 1977	557.1	650.2			603.7	601.9	65.83
1977 - 1978	689.8	741.6			715.7	715.2	36.63
1978 - 1979	700.4	568.0		594.3	620.9	618.3	70.09
1979 - 1980	811.3	670.1		665.0	715.5	712.4	83.03
1980 - 1981	904.5	790.4		713.7	802.9	799.1	96.01
1981 - 1982	747.4	616.6		610.2	658.1	655.2	77.43
1982 - 1983	912.8	850.8		823.1	862.2	861.4	45.93
1983 - 1984	696.4	607.8		571.5	625.2	623.1	64.25
1984 - 1985	740.4	663.4		642.0	681.9	680.7	51.75
1985 - 1986	776.1	721.8		725.7	741.2	740.8	30.26
1986 - 1987	798.8	802.0		862.8	821.2	820.7	36.06
1987 - 1988	658.0	701.2		766.6	708.6	707.2	54.68
1988 - 1989	716.8	655.2		705.5	692.5	692.0	32.79
1989 - 1990	776.1	694.9		658.8	709.9	708.3	60.08
1990 - 1991	794.2	775.4	829.1	768.2	791.7	791.4	27.24
1991 - 1992	568.6	525.0	502.2	506.8	525.7	525.0	30.28
1992 - 1993	751.0	669.6	653.8	665.2	684.9	683.9	44.57
1993 - 1994	788.4	708.6	670.9	690.1	714.5	713.1	51.62
1994 - 1995	685.0	599.2	565.5	615.5	616.3	614.8	50.31
1995 - 1996	781.2	893.0	891.3	921.7	871.8	870.1	61.99
1996 - 1997	752.3	850.0	840.0	849.0	822.8	821.8	47.23
1997 - 1998	682.7	587.0	654.7	606.5	632.7	631.6	43.80
1998 - 1999	715.0	642.2	691.5	610.5	664.8	663.5	47.22
1999 - 2000	849.5	775.4	862.7	859.8	836.8	836.1	41.35
2000 - 2001	770.7	735.4	731.9	755.7	748.4	748.3	18.18
2001 - 2002	794.0	803.2	843.9	825.6	816.7	816.5	22.47
2002 - 2003	544.3	558.0	608.6	539.0	562.5	561.8	31.77
2003 - 2004	896.7	739.0	815.8	928.8	845.1	841.8	85.22
2004 - 2005	583.3	555.6	581.6	570.0	572.6	572.5	12.79
2005 - 2006	601.4	745.4	749.9	685.3	695.5	692.8	69.30
2006 - 2007	920.2	818.9	822.1		853.7	852.5	57.59

YEAR	Total Rainfall (mm)				Average (mm)	Geometric Mean	Standard Deviation
	Coldwater	Shanty Bay	Udora	Barrie WPCC			
2007 - 2008	836.6	673.0	560.0		689.9	680.6	139.07
2008 - 2009	752.5	748.0	910.9		803.8	800.4	92.79
2009 - 2010	630.2	640.9	614.8		628.6	628.5	13.12
Average All	730.7	696.1	720.1	704.9	709.5	708.7	

The overall annual average rainfall for all 4 stations is calculated as 709.5 mm. A plot of overall average rainfall over the yearly variation is shown in the following figure.

Fig 10: Yearly Rainfall Data with mean Annual Rainfall

The analyzed yearly data were then ranked in the order of highest to lowest value for all the stations to obtain the wettest and driest year. The following table presents the ranking of the yearly data.

Table 12: Ranking of Yearly Rainfall data

Rank	Coldwater		Shanty Bay		Barrie WPCC		Udora		Average	
	Year	Rainfall	Year	Rainfall	Year	Rainfall	Year	Rainfall	Year	Rainfall
1	2006 - 2007	920.2	1995 - 1996	893.0	2003 - 2004	928.8	2008 - 2009	910.9	1995 - 1996	871.8
2	1982 - 1983	912.8	1982 - 1983	850.8	1995 - 1996	921.7	1995 - 1996	891.3	1982 - 1983	862.2
3	1980 - 1981	904.5	1996 - 1997	850.0	1986 - 1987	862.8	1999 - 2000	862.7	2006 - 2007	853.7
4	2003 - 2004	896.7	2006 - 2007	818.9	1999 - 2000	859.8	2001 - 2002	843.9	2003 - 2004	845.1
5	1999 - 2000	849.5	2001 - 2002	803.2	1996 - 1997	849.0	1996 - 1997	840.0	1999 - 2000	836.8
6	2007 - 2008	836.6	1986 - 1987	802.0	2001 - 2002	825.6	1990 - 1991	829.1	1996 - 1997	822.8
7	1979 - 1980	811.3	1980 - 1981	790.4	1982 - 1983	823.1	2006 - 2007	822.1	1986 - 1987	821.2
8	1986 - 1987	798.8	1999 - 2000	775.4	1990 - 1991	768.2	2003 - 2004	815.8	2001 - 2002	816.7
9	1990 - 1991	794.2	1990 - 1991	775.4	1987 - 1988	766.6	2005 - 2006	749.9	2008 - 2009	803.8
10	2001 - 2002	794.0	2008 - 2009	748.0	2000 - 2001	755.7	2000 - 2001	731.9	1980 - 1981	802.9
11	1993 - 1994	788.4	2005 - 2006	745.4	1985 - 1986	725.7	1998 - 1999	691.5	1990 - 1991	791.7
12	1995 - 1996	781.2	1977 - 1978	741.6	1980 - 1981	713.7	1993 - 1994	670.9	2000 - 2001	748.4
13	1989 - 1990	776.1	2003 - 2004	739.0	1988 - 1989	705.5	1997 - 1998	654.7	1985 - 1986	741.2
14	1985 - 1986	776.1	2000 - 2001	735.4	1993 - 1994	690.1	1992 - 1993	653.8	1973 - 1974	716.4
15	2000 - 2001	770.7	1985 - 1986	721.8	2005 - 2006	685.3	2009 - 2010	614.8	1977 - 1978	715.7
16	2008 - 2009	752.5	1973 - 1974	712.7	1992 - 1993	665.2	2002 - 2003	608.6	1979 - 1980	715.5
17	1996 - 1997	752.3	1993 - 1994	708.6	1979 - 1980	665.0	2004 - 2005	581.6	1993 - 1994	714.5
18	1992 - 1993	751.0	1987 - 1988	701.2	1989 - 1990	658.8	1994 - 1995	565.5	1989 - 1990	709.9
19	1981 - 1982	747.4	1989 - 1990	694.9	1984 - 1985	642.0	2007 - 2008	560.0	1987 - 1988	708.6
20	1984 - 1985	740.4	2007 - 2008	673.0	1994 - 1995	615.5	1991 - 1992	502.2	2005 - 2006	695.5
21	1973 - 1974	720.1	1974 - 1975	672.9	1998 - 1999	610.5			1988 - 1989	692.5
22	1988 - 1989	716.8	1979 - 1980	670.1	1981 - 1982	610.2			2007 - 2008	689.9
23	1998 - 1999	715.0	1992 - 1993	669.6	1997 - 1998	606.5			1992 - 1993	684.9
24	1978 - 1979	700.4	1984 - 1985	663.4	1978 - 1979	594.3			1972-1973	684.5

Table 12: Ranking of Yearly Rainfall data

Rank	Coldwater		Shanty Bay		Barrie WPCC		Udora		Average	
	Year	Rainfall	Year	Rainfall	Year	Rainfall	Year	Rainfall	Year	Rainfall
25	1983 - 1984	696.4	1988 - 1989	655.2	1983 - 1984	571.5			1984 - 1985	681.9
26	1977 - 1978	689.8	1976 - 1977	650.2	2004 - 2005	570.0			1974 - 1975	672.8
27	1994 - 1995	685.0	1998 - 1999	642.2	2002 - 2003	539.0			1998 - 1999	664.8
28	1972-1973	684.5	2009 - 2010	640.9	1991 - 1992	506.8			1981 - 1982	658.1
29	1997 - 1998	682.7	1981 - 1982	616.6					1997 - 1998	632.7
30	1974 - 1975	672.6	1983 - 1984	607.8					2009 - 2010	628.6
31	1987 - 1988	658.0	1994 - 1995	599.2					1983 - 1984	625.2
32	2009 - 2010	630.2	1975 - 1976	592.0					1978 - 1979	620.9
33	2005 - 2006	601.4	1997 - 1998	587.0					1994 - 1995	616.3
34	2004 - 2005	583.3	1978 - 1979	568.0					1976 - 1977	603.7
35	1991 - 1992	568.6	2002 - 2003	558.0					2004 - 2005	572.6
36	1976 - 1977	557.1	2004 - 2005	555.6					2002 - 2003	562.5
37	2002 - 2003	544.3	1991 - 1992	525.0					1975 - 1976	549.8
38	1975 - 1976	507.6							1991 - 1992	525.7

From the ranking table it is observed that highest rainfall was recorded at different raingage stations in different hydrological years. The highest yearly rainfall recorded at Coldwater Warminster was in 2006-2007; at Shanty Bay in 1995-1996; at Barrie WPCC in 2003-2004 and at Udora in 2008-2009. However, the average value obtained from the cumulative data of all the raingage stations showed that overall average highest rainfall was in the hydrological year 1995-1996. Based on the result, it is inferred that hydrological year 1995-1996 was the wettest year for the watershed. The mean yearly rainfall amount for hydrological year 1995-1996 was 871.8 mm.

Similarly, different raingage stations recorded the lowest rainfall in different hydrological years. Based on the average data of all the stations, it is seen that hydrological year 1991-1992 was the driest year with only 525.7mm of rainfall.

Mann-Kendall test was performed on the data to establish a trend in the rainfall records. The theoretical background of Mann-Kendall test is explained in section 2.6 of this report. MAKESENS version 1.0 (2002), an excel program developed by Finnish Metrological Institute – “Conduct Mann-Kendall test and Sen’s Slope Estimate for the Trend of Annual Data” was used to conduct the test. A 95% level of significance was chosen to conduct the test. The test was then performed for all 4 stations. Table below summarizes the result obtained from the test.

Table 13: Result of Mann-Kendall test on yearly rainfall data

Station	Starting Hydrological Year	Last Hydrological Year	Number of readings	Normalized Test Statistics Z	Computed Probability	Trend at 95% Level of significance
Coldwater	1972-1973	2009-2010	38	1.08	0.860	No Trend
Shanty Bay	1973-1974	2009-2010	37	0.65	0.743	No Trend
Udora	1990-1991	2009-2010	20	0.36	0.639	No Trend
Barrie Wpcc	1978-2005	2005-2006	28	0.61	0.730	No Trend

Graphical representation of the test for the 4 stations are presented in the following figures.

Fig11: Graphical presentation of Mann-Kendall test, Coldwater Warminster

Fig12: Graphical presentation of Mann-Kendall test, Shanty Bay

Fig13: Graphical presentation of Mann-Kendall test, Udora

Fig14: Graphical presentation of Mann-Kendall test, Barrie WPCC

Normalized test statistics Z and probability associated with Z were calculated for the yearly data for all the 4 stations. None of the values of the probability were exceeding the selected level of significance (95%). Based on the results of the Mann-Kendall test no trend is established on the yearly rainfall data.

Analysis for Seasonal Statistics

Analysis of data was done to obtain the seasonal variation of the rainfall. Data were separated into four seasons based on climatologic condition of the region. Winter season comprised of December, January and February; spring comprised of March, April and May; summer comprised of June, July and August and fall comprised of September, October and November. Rainfall for each year per season was added and averaged to obtain average seasonal rainfall for each raingage station. Seasonal average for the watershed was then obtained by Station Average method. The analyzed data for the seasonal variation is presented in appendix D. Graphical representation of the seasonal rainfall is presented in the following figure.

Fig 15: Seasonal Rainfall Data

Table below presents a summary of the analyzed seasonal rainfall data for the 4 raingage stations.

Table 14: Summary of Seasonal Rainfall Data

Season	Rainfall (mm)				Average (mm)	Geometric Mean	Standard Deviation
	Shanty Bay	Udora	Coldwater	Barrie WPCC			
Winter (Dec, Jan, Feb)	60.8	67.0	67.5	52.2	61.89	61.57	7.12
Spring (Mar, Apr, May)	162.2	169.7	176.7	168.6	169.27	169.19	5.94
Summer (Jun, July, Aug)	246.8	264.8	248.5	249.2	252.35	252.25	8.37
Fall (Sep, Oct, Nov)	224.5	207.7	239.9	233.0	226.26	225.94	13.87

The analyzed seasonal data were then ranked in the order of highest to lowest value for all the stations to obtain the wettest and driest season. The following table presents the ranking of the seasonal data

Table 15: Ranking of Seasonal Rainfall data

Rank	Shanty Bay		Udora		Coldwater		Barrie Wpcc		Average	
	Season	Rainfall	Season	Rainfall	Season	Rainfall	Season	Rainfall	Season	Rainfall
1	Summer	246.8	Summer	264.8	Summer	248.5	Summer	249.2	Summer	248.88
2	Fall	224.5	Fall	207.7	Fall	239.9	Fall	233.0	Fall	236.43
3	Spring	162.2	Spring	169.7	Spring	176.7	Spring	168.6	Spring	172.61
4	Winter	60.8	Winter	67.0	Winter	67.5	Winter	52.2	Winter	59.84

From the ranking table it is observed that highest and lowest rainfalls were recorded in the same season for all the raingage stations. It is observed that the summer season is the wettest season with an average rainfall of 248.9 mm. However, fall season also has comparable amount of rainfall with an average of 236.4 mm. Winter is the driest season with only an average of 59.8 mm rainfall.

Mann-Kendall test was performed on the seasonal data of all years to establish a trend in seasonal variation over the years. The same program, MAKESENS version 1.0 (2002) was used for the test. Similar to the test for yearly data, a 95% level of significance was chosen to conduct the test. The test was performed for all 4 stations and for all the years of available data. Table below summarizes the result obtained from the test.

Table 16: Result of Mann-Kendall test on seasonal rainfall data

Station	Starting Year	Last Year	Number of readings	Normalized Test Statistics Z	Computed Probability	Trend at 95% Level of significance
Coldwater						
Winter	1972	2008	37	2.26	0.988	Increasing
Spring	1972	2008	37	1.22	0.888	No Trend
Summer	1972	2008	37	-1.22	0.112	No Trend
Fall	1972	2008	37	-0.51	0.305	No Trend
Shanty Bay						
Winter	1973	2009	36	2.34	0.990	Increasing
Spring	1973	2009	36	0.80	0.789	No Trend
Summer	1973	2009	36	-0.40	0.346	No Trend
Fall	1973	2009	36	-0.18	0.430	No Trend
Udora						
Winter	1990	2008	19	0.00	0.500	No Trend
Spring	1990	2008	19	0.21	0.583	No Trend
Summer	1990	2008	19	0.14	0.556	No Trend
Fall	1990	2008	19	-0.07	0.472	No Trend
Barrie WPCC						
Winter	1978	2004	27	1.79	0.964	Increasing
Spring	1978	2004	27	-0.21	0.417	No Trend
Summer	1978	2004	27	1.13	0.870	No Trend
Fall	1978	2004	27	-0.63	0.266	No Trend

Based on the results of the test, an increasing trend was seen for the winter season rainfall data at 3 of the 4 stations, Coldwater Warminster, Shanty Bay and Barrie WPCC. No trend was observed for other seasonal rainfall data.

Analysis for Monthly Statistics

Analysis of data was further done to obtain the monthly variation of the rainfall. Data were separated individual months for all the years per raingage station. Total precipitation for each month from all the available data was calculated and averaged to obtain the monthly rainfall for the particular station. Mean monthly rainfall for the region was then calculated by Station Average method. The analyzed monthly rainfall data is presented in the Appendix C. Graphical representation of the monthly rainfall is presented in the following figure.

Fig 16: Monthly Rainfall Data

Table below presents a summary of the analyzed monthly mean rainfall data for all 4 stations.

Table 17: Summary of monthly rainfall data

Month	Total Rainfall (mm)				Average (mm)	Geometric Mean	Standard Deviation
	Shanty Bay	Udora	Coldwater	Barrie WPCC			
January	17.93	23.67	22.69	15.83	20.03	19.76	3.76
February	18.64	17.02	20.20	13.01	17.22	16.99	3.09
March	31.58	27.55	39.14	30.10	32.09	31.82	4.99
April	54.72	58.55	56.06	57.76	56.77	56.75	1.72
May	75.86	83.61	81.46	80.69	80.40	80.35	3.27
June	84.01	103.35	81.26	83.91	88.13	87.71	10.23
July	77.22	85.47	81.88	74.84	79.85	79.75	4.75
August	85.61	76.01	85.37	90.49	84.37	84.20	6.05
September	89.42	76.01	92.77	92.10	87.57	87.29	7.84
October	75.70	70.23	86.39	76.40	77.18	76.97	6.73
November	61.11	61.49	60.71	64.48	61.95	61.93	1.72
December	24.28	26.34	24.58	23.39	24.65	24.62	1.24

The analyzed monthly data were then ranked in the order of highest to lowest value for all the stations to obtain the wettest and driest month. The following table presents the ranking of the monthly data.

Table 18: Ranking of Monthly Rainfall data

Rank	Shanty Bay		Udora		Coldwater		Barrie Wpcc		Average	
	Month	Rainfall	Month	Rainfall	Month	Rainfall	Month	Rainfall	Month	Rainfall
1	September	89.42	June	103.35	September	92.77	September	92.10	June	88.13
2	August	85.61	July	85.47	October	86.39	August	90.49	September	87.57
3	June	84.01	May	83.61	August	85.37	June	83.91	August	84.37
4	July	77.22	September	76.01	July	81.88	May	80.69	May	80.40
5	May	75.86	August	76.01	May	81.46	October	76.40	July	79.85
6	October	75.70	October	70.23	June	81.26	July	74.84	October	77.18
7	November	61.11	November	61.49	November	60.71	November	64.48	November	61.95
8	April	54.72	April	58.55	April	56.06	April	57.76	April	56.77
9	March	31.58	March	27.55	March	39.14	March	30.10	March	32.09
10	December	24.28	December	26.34	December	24.58	December	23.39	December	24.65
11	February	18.64	January	23.67	January	22.69	January	15.83	January	20.03
12	January	17.93	February	17.02	February	20.20	February	13.01	February	17.22

From the ranking table it is observed that highest average rainfall was recorded in the month of September in three of the 4 stations while it was recorded in the month of June in one of the stations. The highest value for the overall average for all the 4 stations was identified in the month of June. From the results it can be inferred that the month of June is the wettest month for the watershed. This is in line with the seasonal rainfall statistics where summer season was identified as the wettest season followed comparably by the fall season. The average rainfall amount for the month of June was identified to be 88.1 mm.

Similarly, lowest average rainfall was recorded in the month of February in three of the 4 stations while it was recorded in the month of January in one of the stations. The lowest value for the overall average for all 4 stations was identified in the month of February and is considered to be the driest month for the watershed. The average rainfall amount for the month of February was identified to be 17.22 mm.

Mann-Kendall test was performed on the monthly data of all years to establish a trend in monthly variation over the years. The same program, MAKESENS version 1.0 (2002) was used for the test. Similar to the test for yearly and seasonal data, a 95% level of significance was chosen to conduct the test. The test was performed for all 4 stations and for all the years of available monthly data. Table below summarizes the result obtained from the test.

Table 19: Result of Mann-Kendall test on monthly rainfall data

Station	Starting Year	Last Year	Number of readings	Normalized Test Statistics Z	Computed Probability	Trend at 95% Level of significance
Coldwater						
Jan	1973	2009	37	2.46	0.993	Increasing
Feb	1973	2009	37	1.03	0.850	No Trend
Mar	1973	2009	37	-0.82	0.205	No Trend
Apr	1973	2009	37	0.55	0.709	No Trend
May	1973	2009	37	1.40	0.919	No Trend
June	1973	2009	37	-0.14	0.443	No Trend
July	1973	2009	37	-0.03	0.490	No Trend
Aug	1973	2009	37	-2.33	0.010	No Trend
Sept	1973	2009	37	-1.45	0.073	No Trend
Oct	1973	2009	37	0.44	0.672	No Trend

Station	Starting Year	Last Year	Number of readings	Normalized Test Statistics Z	Computed Probability	Trend at 95% Level of significance
Nov	1973	2009	37	-0.33	0.372	No Trend
Dec	1973	2009	37	1.58	0.943	No Trend
Shanty Bay						
Jan	1974	2009	36	1.94	0.974	Increasing
Feb	1974	2009	36	1.05	0.853	No Trend
Mar	1974	2009	36	-0.95	0.170	No Trend
Apr	1974	2009	36	0.68	0.752	No Trend
May	1974	2009	36	0.79	0.785	No Trend
June	1974	2009	36	0.59	0.721	No Trend
July	1974	2009	36	1.02	0.847	No Trend
Aug	1974	2009	36	-2.36	0.009	No Trend
Sept	1974	2009	36	-0.99	0.160	No Trend
Oct	1974	2009	36	0.40	0.654	No Trend
Nov	1974	2009	36	0.08	0.533	No Trend
Dec	1974	2009	36	1.39	0.918	No Trend
Udora						
Jan	1991	2009	19	-0.81	0.210	No Trend
Feb	1991	2009	19	1.23	0.890	No Trend
Mar	1991	2009	19	0.81	0.790	No Trend
Apr	1991	2009	19	-0.14	0.444	No Trend
May	1991	2009	19	1.61	0.946	No Trend
June	1991	2009	19	0.70	0.758	No Trend
July	1991	2009	19	0.14	0.556	No Trend
Aug	1991	2009	19	-1.12	0.131	No Trend
Sept	1991	2009	19	-1.12	0.131	No Trend
Oct	1991	2009	19	0.28	0.610	No Trend
Nov	1991	2009	19	0.00	0.500	No Trend
Dec	1991	2009	19	1.47	0.929	No Trend
Barrie Wpcc						
Jan	1979	2005	27	1.26	0.895	No Trend
Feb	1979	2005	27	1.14	0.872	No Trend
Mar	1979	2005	27	-0.75	0.226	No Trend
Apr	1979	2005	27	-0.79	0.214	No Trend
May	1979	2005	27	0.71	0.761	No Trend
June	1979	2005	27	0.96	0.831	No Trend
July	1979	2005	27	0.21	0.583	No Trend
Aug	1979	2005	27	-0.46	0.323	No Trend
Sept	1979	2005	27	-0.38	0.354	No Trend
Oct	1979	2005	27	-1.04	0.149	No Trend
Nov	1979	2005	27	-0.44	0.331	No Trend
Dec	1979	2005	27	0.58	0.720	No Trend

Based on the results of the test, an increasing trend was seen for the month of January in two of the 4 raingage stations. Coldwater Warminster and Shanty Bay showed an increasing trend in the rainfall data for the month of January. No trend was observed for other monthly rainfall data.

5. Conclusion

Hourly and Daily rainfall data from 13 raingage stations around Lake Simcoe area were analyzed to characterize the rainfall contributing to Lake Simcoe watershed. Analysis was done to characterize the data into event, monthly, seasonal and annual statistics and thereby to determine the driest, wettest and average annual rainfall. The available data ranged from May 1968 to November 2003 for hourly data and February 1957 to May 2010 for daily rainfall data. However it was observed that the time interval for the available data was not consistent among the raingage stations. The analysis was started with hourly data to characterize the rainfall event. A program was developed in Excel VBA to separate the rainfall into different events with 6hr, 12hr and 24hr inter-event time definition. Due to insufficient amount of available data the characterization of rainfall event was discontinued. Nevertheless a program and framework of analysis has been developed under this project work which can be utilized when the data are available.

Daily data were analyzed for monthly, seasonal and yearly mean rainfall values and to obtain the driest, wettest and average annual rainfall statistics. The analysis of data revealed that only 4 stations contained data for an approximate period of 20 years and only these 4 stations were chosen for analysis of the rainfall. For the analysis of yearly data, the data were first separated into hydrological year which is from 1st June to 31st March. The hydrological year was chosen to be consistent with the past studies on phosphorous loading for Lake Simcoe such as “Report on the Phosphorous Load on Lake Simcoe, 2004-2007”. For the seasonal analysis the yearly data were separated into 4 seasons. Winter season comprised of December, January and February; spring comprised of March, April and May; summer comprised of June, July and August and fall comprised of September, October and November. For the monthly analysis, the obtained data were separated into 12 calendar months.

Mann-Kendall test was performed on the data to establish a trend in the rainfall records. MAKESENS version 1.0 (2002), an excel program developed by Finnish Metrological Institute – “Conduct Mann-Kendall test and Sen’s Slope estimate for the Trend of Annual

Data” was used to conduct the test. A 95% level of significance was chosen to conduct the test.

The following conclusions were derived based on the analysis of verified daily data –

Hydrological year

- Highest rainfall was recorded at different raingage stations in different hydrological year. However, the average value obtained from the cumulative data of all the raingage stations showed that overall highest rainfall for the watershed was in the hydrological year 1995-1996 and is considered to be the wettest hydrological year. The mean yearly rainfall amount for hydrological year 1995-1996 was 871.8 mm.
- Different raingage stations recorded the lowest rainfall in different hydrological years. However, based on the average data of all the stations, it is seen that hydrological year 1991-1992 was the driest year for the watershed with only 525.7mm of rainfall.
- The average annual rainfall for the watershed is identified as 709.5mm.
- Based on Mann-Kendall test results no trend was observed for the hydrological yearly rainfall.

Seasonal

- Highest rainfall was recorded in the summer season for all the 4 raingage stations. The summer season is considered the wettest season for the watershed with an average rainfall of 248.9 mm. However, fall season also has comparable amount of rainfall with an average of 236.4 mm.
- Lowest rainfall was recorded in the same season for all the 4 raingage stations. Winter is the driest season for the watershed with only an average of 59.8 mm rainfall.
- Based on Mann-Kendall test results, an increasing trend was seen for the winter season rainfall data at 3 of the 4 stations, Coldwater Warminster, Shanty Bay and Barrie WPCC. No trend was observed for other seasonal rainfall data.

Monthly

- Highest average rainfall was recorded in the month of September in three of the 4 stations while it was recorded in the month of June in one of the stations. However, the highest value for the overall average for all the 4 stations was identified in the month of June and is considered to be the wettest month for the watershed. This is in line with the seasonal rainfall statistics where summer season was identified as the wettest season followed comparably by the fall season. The average rainfall amount for the month of June was identified to be 88.1 mm.
- Lowest average rainfall was recorded in the month of February in three of the 4 stations while it was recorded in the month of January in one of the stations. The lowest value for the overall average for all 4 stations was identified in the month of February and is considered to be the driest month for the watershed. The average rainfall amount for the month of February was identified to be 17.22 mm.
- Based on the results of the Mann-Kendall test, a slight increasing trend was seen for the month of January in two of the 4 raingage stations. Coldwater Warminster and Shanty Bay showed an increasing trend in the rainfall data for the month of January. No trend was observed for other monthly rainfall data.

Appendix A

Excel VBA Program for analysis of 24 hour Inter-event time definition

Option Explicit
Sub method()

Sheets(Array("s1")).Select
Sheets("s1").Activate
Range("A1").Select
Dim i As Integer
Dim hourofוןrainfall As Integer
Dim count As Integer
Dim zerofallcount As Integer
Dim starthour As Integer
Dim endhour As Integer
Dim j As Integer
Dim syear As Integer
Dim smonth As Integer
Dim sday As Integer
Dim eyear As Integer
Dim emonth As Integer
Dim eday As Integer
Dim volume As Integer
Dim peakIntensity As Integer
Dim writeline As Integer
Dim k As Integer
Dim m As Integer

writeline = 2
j = 5
starthour = 0
endhour = 0
count = 0
hourofוןrainfall = Range("A1").Offset(0, 5).Value
zerofallcount = 0
peakIntensity = 0
volume = 0
k = Range("A1").Offset(0, 8).Value
m = 0
For i = 1 To 24

 If (Range("A1").Offset(j, i + 2).Value) > 0 Then
 count = count + 1
 If (peakIntensity < Range("A1").Offset(j, i + 2).Value) Then
 peakIntensity = Range("A1").Offset(j, i + 2).Value
 End If
 volume = volume + Range("A1").Offset(j, i + 2).Value
 zerofallcount = 0
 If (count = 1) Then
 starthour = i
 syear = Range("A1").Offset(j, 0).Value
 smonth = Range("A1").Offset(j, 1).Value
 sday = Range("A1").Offset(j, 2).Value
 End If
 Else
 zerofallcount = zerofallcount + 1
 If (zerofallcount = hourofוןrainfall) Then


```

If (count >= 1) Then
    endhour = i
    eyear = Range("A1").Offset(j, 0).Value
    emonth = Range("A1").Offset(j, 1).Value
    eday = Range("A1").Offset(j, 2).Value
    ' MsgBox (endhour & " " & eyear)
End If

```

```

If (endhour <= (hourofonrainfall - 1)) Then

    endhour = 24 - (hourofonrainfall - (endhour))

    If eday = sday + 1 Then
        eyear = syear
        emonth = smonth
        eday = sday
    ElseIf eday > sday + 1 Then
        eday = eday - 1
        m = j - 1
        emonth = Range("A1").Offset(m, 1).Value
        eyear = Range("A1").Offset(m, 0).Value
    ElseIf eday < sday Then
        m = j - 1

        eyear = Range("A1").Offset(m, 0).Value
        emonth = Range("A1").Offset(m, 1).Value
        eday = Range("A1").Offset(m, 2).Value
    End If

```

```

Else
    endhour = endhour - hourofonrainfall
End If
'If (starthour = endhour And sday = eday) Then
'endhour = endhour + 0
'End If

```

```

If (count >= 1) Then
    Dim x As Integer
    x = 27
    Range("A1").Offset(writeline, x) = syear
    Range("A1").Offset(writeline, x + 1) = smonth
    Range("A1").Offset(writeline, x + 2) = sday
    Range("A1").Offset(writeline, x + 3) = starthour
    Range("A1").Offset(writeline, x + 4) = syear & "/" & smonth & "/" & sday & " " & starthour

```

& ":00"

```

    Range("A1").Offset(writeline, x + 5) = eyear
    Range("A1").Offset(writeline, x + 6) = emonth
    Range("A1").Offset(writeline, x + 7) = eday
    Range("A1").Offset(writeline, x + 8) = endhour
    Range("A1").Offset(writeline, x + 9) = eyear & "/" & emonth & "/" & eday & " " & endhour

```

& ":00"

```

    Range("A1").Offset(writeline, x + 10) = DateDiff("h", Range("A1").Offset(writeline, x + 4).

```

```

Value, Range("A1").Offset(writeline, x + 9).Value)
    'Range("A1").Offset(writeline, x + 11) = ""
    Range("A1").Offset(writeline, x + 12) = volume / 10
    'Range("A1").Offset(writeline, x + 13) = ""
    Range("A1").Offset(writeline, x + 14) = peakIntensity / 10
    writeline = writeline + 1
    ' MsgBox (syear & "," & smonth & "," & sday & "," & starthour & "volume" & volume &
"peakIntensity" & peakIntensity)
    ' MsgBox (eyear & "," & emonth & "," & eday & "," & endhour)
    volume = 0
    peakIntensity = 0
    count = 0
    End If

    End If

    End If

    If i = 24 And j < k Then

        i = 0
        j = j + 1
        ' MsgBox ("j=" & j)
        ' MsgBox ("i=" & i)

    End If
Next i

End Sub

```

Appendix B

Verified Daily Rainfall Arranged Per Hydrological Year

Barrie WPC

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Year	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
6110557	1978	6	0	19	0	140	0	0	10	0	0	0	238	0	0	0	26	220	0	0	0	14	0	0	0	0	0	0	0	0	0	0		
6110557	1978	7	0	0	0	0	0	0	0	2	0	0	0	0	3	0	0	0	0	3	115	40	23	0	0	0	62	2	26	20	0	0		
6110557	1978	8	0	290	0	0	0	0	3	20	34	0	0	0	0	270	150	0	0	82	0	0	0	60	122	0	0	0	64	0	0	0		
6110557	1978	9	0	70	0	5	0	0	20	0	0	8	64	0	0	115	134	0	2	294	0	32	30	0	0	0	0	80	0	0	80	0		
6110557	1978	10	0	0	221	0	103	100	122	0	0	0	4	0	0	0	0	0	3	56	0	0	13	0	0	99	10	0	2	0	0	0		
6110557	1978	11	0	0	0	0	0	0	0	0	0	0	0	186	0	0	0	93	3	0	0	0	0	18	23	0	0	0	0	0	0	0		
6110557	1978	12	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	100	0		
6110557	1979	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40		
6110557	1979	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	23	0	0	0	0	0	0	0	0	0		
6110557	1979	3	0	0	36	40	0	0	0	44	0	0	0	0	0	0	0	0	0	0	0	0	0	140	0	0	0	0	18	62	2	0		
6110557	1979	4	20	86	0	0	10	0	0	0	0	0	158	59	12	0	0	0	0	0	0	24	0	0	11	12	143	6	30	0	33	0		
6110557	1979	5	0	14	80	0	40	51	0	0	0	88	70	135	0	92	22	0	0	0	0	4	0	0	0	176	0	10	0	20	0	0		
6110557	1979	6	0	0	0	3	29	0	39	0	45	4	0	0	0	0	0	0	0	0	4	462	0	0	0	0	30	0	0	72	33	0		
6110557	1979	7	4	0	0	0	0	0	0	8	0	0	0	0	0	98	0	0	0	0	0	0	0	78	53	2	0	0	0	11	0	0		
6110557	1979	8	119	2	0	40	0	0	166	0	211	6	0	0	17	28	0	86	2	0	0	0	2	84	2	0	20	0	10	18	2	0		
6110557	1979	9	46	56	0	0	0	20	8	0	104	0	0	100	70	0	0	0	0	0	8	0	0	0	0	0	0	0	0	0	2	0	0	
6110557	1979	10	3	10	10	128	32	161	28	210	0	49	81	64	47	21	0	13	23	338	40	0	74	28	0	0	62	28	0	0	0	0	0	
6110557	1979	11	72	0	21	2	0	56	0	26	120	0	0	0	0	16	0	0	0	34	0	30	101	229	0	108	6	80	0	0	0	0	0	
6110557	1979	12	0	0	0	0	0	0	0	0	0	0	30	4	0	0	0	0	0	0	0	0	147	26	286	0	0	0	0	0	0	0	0	
6110557	1980	1	0	0	0	0	0	0	0	0	0	0	40	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1980	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1980	3	0	0	0	0	0	0	0	0	10	0	0	0	0	0	44	0	0	0	156	140	0	0	0	0	0	0	0	0	0	0	33	0
6110557	1980	4	3	0	82	62	0	0	20	71	36	14	22	12	0	110	36	0	0	2	0	0	0	0	8	66	0	46	218	40	14	0	0	
6110557	1980	5	0	3	0	0	0	20	0	0	0	0	0	0	73	0	0	0	144	34	0	0	0	0	0	0	0	0	0	0	15	0	0	
6110557	1980	6	154	4	0	0	0	155	4	18	34	0	0	0	0	20	0	0	10	176	124	17	0	0	0	0	0	12	34	162	0	0	0	
6110557	1980	7	22	0	0	0	0	0	90	0	0	0	0	0	0	46	40	0	0	16	750	4	64	13	0	10	140	100	368	0	0	0	0	
6110557	1980	8	0	18	0	0	20	0	0	60	0	0	22	0	3	0	10	0	15	0	0	120	46	0	0	0	30	0	0	0	44	6	0	
6110557	1980	9	32	122	0	0	0	0	0	4	60	0	0	4	60	2	0	16	60	0	0	0	210	0	0	118	83	0	0	0	0	0	0	
6110557	1980	10	160	0	91	10	10	5	0	0	20	20	64	50	2	0	52	0	28	12	22	6	0	2	298	12	2	0	0	0	0	10	0	
6110557	1980	11	0	0	8	42	0	82	56	0	0	0	0	0	0	90	0	0	0	0	0	22	0	8	22	0	0	0	0	0	0	0	0	
6110557	1980	12	0	150	0	0	0	0	76	120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1981	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1981	2	0	0	0	0	0	0	0	0	0	2	0	0	0	18	0	0	0	54	3	8	80	20	0	0	10	6	0	21	126	0	0	
6110557	1981	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	0	0	0	0	0	0	
6110557	1981	4	30	0	3	0	0	0	0	20	8	42	0	0	108	5	0	44	150	0	6	0	0	23	9	0	10	40	0	0	0	0	0	
6110557	1981	5	0	0	0	0	75	0	0	0	76	315	214	8	0	47	16	0	0	0	0	0	0	6	44	2	62	0	110	0	0	0	0	
6110557	1981	6	0	2	33	0	0	0	38	0	100	0	14	6	8	16	4	0	0	0	0	115	164	0	8	6	0	0	6	176	20	0	0	
6110557	1981	7	0	0	0	140	0	0	0	0	0	0	0	0	0	0	38	6	58	0	0	0	0	0	0	0	0	325	10	0	0	0		
6110557	1981	8	0	18	28	96	0	0	94	0	276	0	0	0	140	70	0	0	0	0	0	0	100	0	0	0	12	274	143	2	11	0	0	
6110557	1981	9	40	0	111	241	16	110	12	30	4	0	0	0	0	0	0	8	0	11	20	20	0	0	10	84	30	20	0	0	0	0	0	
6110557	1981	10	71	5	0	12	150	179	62	0	0	0	0	0	41	14	0	68	40	0	21	0	20	0	8	0	48	0	0	0	0	0	0	
6110557	1981	11	0	0	0	0	11	42	0	0	16	28	0	0	0	18	126	14	37	59	180	0	0	0	0	150	0	0	0	0	0	0	0	
6110557	1981	12	28	0	0	0	0	0	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1982	1	0	0	0	118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1982	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1982	3	0	0	0	0	0	0	0	0	0	3	40	10	0	0	80	0	23	0	0	0	0	0	0	0	0	0	0	0	144	0	0	
6110557	1982	4	0	23	60	0	0	0	0	0	0	0	26	11	0	0	60	19	0	50	86	0	0	0	0	0	88	0	0	0	0	0	0	
6110557	1982	5	0	0	0	0	20	0	42	28	0	0	0	0	0	0	2	0	14	80	0	10	130	0	0	6	10	54	2	28	42	0	0	
6110557	1982	6	28	0	0	0	120	8	0	0	0	72	0	14	12	22	349	0	2	81	100	210	0	58	0	30	48	0	44	0	0	0	0	
6110557	1982	7	0	0	0	0	0	0	0	0	8	108	0	0	0	0	0	70	101	0	0	0	0	0	0	0	8	292	0	0	100	0	0	
6110557	1982	8	28	224	14	0	0	0	32	0	0	0	0	0	0	0	0	0	0	27	11	2	176	0	380	12	0	25	25	8	11	8	0	
6110557	1982	9	2	41	2	0	12	2	0	0	0	0	12	48	176	8	0	216	0	0	8	2	0	0	70	10	40	80	0	0	0	0	0	
6110557	1982	10	34	0	6	0	0	38	31	0	0	5	0	0	11	71	112	0	12	6	0	38	16	18	0	0	0	0						

Station	V	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
1978-1979																																		
6110557	1984	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1984	2	0	0	0	0	5	0	0	0	0	0	0	0	106	0	0	0	2	2	12	0	0	0	0	0	0	0	0	0	0	0	0	0
6110557	1984	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	138	54	0	0	0	22	58	10	0	0	0	0	0	0	0	0	0	0
6110557	1984	4	0	0	0	0	138	46	0	0	0	0	0	0	26	92	10	144	3	0	0	0	0	6	22	16	0	0	0	0	0	16	0	0
6110557	1984	5	0	0	0	71	20	0	0	48	128	26	10	121	0	11	0	0	0	0	0	0	26	104	2	56	100	2	0	168	40	20	0	0
1979-1980																																		
6110557	1984	6	0	2	0	0	0	22	0	0	2	0	0	8	0	0	0	0	102	0	0	0	0	0	50	2	0	0	260	0	0	0	0	0
6110557	1984	7	0	0	38	0	58	124	10	0	0	165	0	0	0	2	4	0	3	0	0	0	0	0	0	0	0	2	0	0	0	0	2	
6110557	1984	8	72	11	2	0	0	2	0	0	0	0	0	10	20	0	0	0	245	0	0	0	120	0	0	0	0	0	11	160	122	56	5	0
6110557	1984	9	72	240	0	0	8	0	0	0	130	150	50	240	40	42	0	11	0	0	0	6	11	10	148	11	0	8	0	0	0	0	0	
6110557	1984	10	0	18	34	8	0	0	0	22	2	3	2	3	0	0	0	140	2	60	50	12	0	0	0	22	20	25	0	0	8	0	0	
6110557	1984	11	46	0	0	120	18	8	0	0	119	190	0	0	0	0	68	0	20	0	0	0	0	3	0	0	0	0	22	0	0	0	0	
6110557	1984	12	0	21	0	0	0	0	0	0	0	0	0	71	0	0	0	51	10	0	0	0	123	0	0	0	0	0	50	70	0	0	0	
6110557	1985	1	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1985	2	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	21	131	250	10	0	0	0	0	0	0	0	0	
6110557	1985	3	0	0	0	29	0	0	0	0	0	0	64	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	182	6	0	14	
6110557	1985	4	0	0	10	120	74	24	0	0	0	0	0	8	16	0	0	82	20	46	6	0	0	0	0	0	0	19	0	0	0	0	0	
6110557	1985	5	0	0	0	60	110	100	0	0	0	0	0	0	0	0	24	0	4	5	0	120	0	0	0	0	13	290	42	0	0	21	60	
1980-1981																																		
6110557	1985	6	4	0	0	0	0	0	3	2	0	0	0	0	0	0	60	6	70	9	0	0	0	270	10	0	0	0	0	6	3	0	0	
6110557	1985	7	51	94	0	0	2	52	14	0	0	3	0	0	134	432	71	0	0	3	0	0	0	0	0	0	40	0	24	0	0	0	8	
6110557	1985	8	0	0	0	0	0	24	168	0	0	50	0	0	2	72	126	0	0	114	10	2	0	0	64	160	10	509	14	6	246	14	0	
6110557	1985	9	18	0	86	30	170	2	0	11	29	0	0	6	0	0	0	0	0	0	0	10	10	0	54	0	6	132	0	0	0	65	0	
6110557	1985	10	4	0	0	90	7	8	0	30	60	8	8	229	0	28	48	18	0	100	10	0	0	6	36	0	58	0	0	0	0	0	0	
6110557	1985	11	0	80	80	110	0	12	14	6	0	0	0	218	8	55	0	60	18	98	40	0	0	0	0	0	0	0	0	0	13	0	0	
6110557	1985	12	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1986	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	28	27	62	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1986	2	0	0	2	92	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1986	3	0	0	0	0	0	0	0	0	0	32	0	46	32	55	8	0	74	14	0	0	0	0	0	0	44	0	0	0	0	0	0	
6110557	1986	4	30	0	0	10	40	8	142	26	10	0	0	0	0	12	154	31	0	0	0	111	23	0	0	0	0	0	0	0	2	0	0	
6110557	1986	5	12	0	0	2	192	24	0	0	0	0	0	0	0	18	48	84	0	300	76	72	6	54	0	0	0	0	0	0	0	10	30	
1981-1982																																		
6110557	1986	6	20	0	0	0	0	0	72	0	0	290	42	62	0	0	24	10	0	0	34	0	118	102	142	8	0	0	44	0	2	0	0	
6110557	1986	7	0	0	0	150	4	0	0	10	0	0	0	120	12	12	0	0	89	26	0	0	0	0	0	250	10	0	6	42	0	0	30	
6110557	1986	8	6	5	0	0	80	8	370	14	48	9	0	0	100	26	0	0	0	0	28	0	10	75	0	0	406	10	54	0	0	0	0	
6110557	1986	9	0	0	0	350	0	20	0	8	470	800	10	0	10	156	0	0	0	190	20	0	340	96	0	350	34	0	2	150	24	0	0	
6110557	1986	10	22	8	74	110	90	0	0	40	0	0	0	90	184	14	10	20	0	0	0	0	0	0	0	2	6	60	0	38	0	0		
6110557	1986	11	40	0	20	0	10	0	0	0	0	0	6	0	0	0	0	28	0	0	0	0	0	26	0	0	80	0	0	0	0	0		
6110557	1986	12	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1987	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1987	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0	
6110557	1987	3	192	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	32	6	0	102	56	0	
6110557	1987	4	0	0	0	124	20	10	0	0	0	0	0	0	0	58	2	0	0	0	0	0	10	0	0	0	90	30	60	0	0	0	0	
6110557	1987	5	0	0	0	0	0	0	0	0	0	0	70	0	0	100	0	0	0	0	0	120	2	0	0	0	100	10	0	0	10	180	0	0
1982-1983																																		
6110557	1987	6	230	30	0	0	10	156	184	0	2	0	60	60	0	0	0	0	0	0	0	0	10	166	0	0	30	0	272	10	46	0	0	
6110557	1987	7	0	0	72	0	0	70	150	210	0	20	0	74	300	40	0	0	0	0	470	0	0	20	0	0	0	0	0	24	0	0	0	
6110557	1987	8	4	268	0	0	0	12	4	176	0	0	0	0	0	18	0	0	0	0	0	14	20	76	0	0	0	60	0	150	60	0	0	
6110557	1987	9	0	0	0	0	0	0	0	20	0	0	0	10	0	0	16	40	6	96	20	240	2	0	0	0	10	0	150	60	0	0	0	
6110557	1987	10	20	0	0	0	0	90	160	30	0	0	0	0	0	0	66	0	0	30	10	80	0	170	0	50	120	40	0	0	0	0	0	
6110557	1987	11	0	80	50	110	102	0	0	150	0	0	0	6	10	0	0	40	30	0	0	0	0	0	0	0	0	0	10	58	0	0	0	
6110557	1987	12	0	0	0	0	0	0	0	60	20	0	44	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1988	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	170	40	30														

Station	Year	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
6110557	1989	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	28	0	0	0	0	
6110557	1989	8	0	180	0	0	128	0	0	10	10	0	250	0	0	110	102	0	0	0	24	0	14	0	0	0	0	0	0	0	0	128	
6110557	1989	9	80	0	0	0	12	0	0	100	60	6	0	0	20	0	46	0	0	0	0	56	286	65	0	0	20	0	0	0	0	0	
6110557	1989	10	0	4	6	0	60	26	36	10	0	130	0	0	230	142	22	45	0	52	38	32	0	0	0	0	0	0	0	0	0	70	
6110557	1989	11	10	0	0	0	50	0	80	52	10	0	0	0	10	60	270	50	0	10	40	0	0	0	0	0	0	130	0	0	0	0	
6110557	1989	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	1990	1	0	0	30	40	0	0	0	0	30	0	0	0	0	0	0	30	10	0	0	0	0	0	20	0	0	0	0	0	0	0	0
6110557	1990	2	10	0	0	0	0	0	0	20	0	0	0	0	20	30	0	0	0	0	0	0	100	0	0	0	0	0	0	0	0	0	0
6110557	1990	3	0	0	0	0	0	0	0	0	0	0	430	50	20	0	12	0	0	0	0	0	30	0	0	0	0	0	0	0	0	0	0
6110557	1990	4	10	90	60	0	0	0	0	0	112	0	0	0	30	10	40	0	0	0	66	0	0	0	0	0	0	0	0	0	0	0	0
6110557	1990	5	0	0	0	56	0	10	20	0	80	80	10	12	0	50	40	100	190	30	70	150	0	0	0	0	0	0	0	0	0	0	0
6110557	1990	6	0	46	28	0	20	0	0	10	0	0	0	30	0	146	0	10	20	0	20	0	60	40	20	0	0	0	0	110	104	148	0
6110557	1990	7	0	0	0	0	0	0	0	120	0	0	0	0	190	40	0	0	0	160	20	0	26	0	0	0	0	0	0	0	0	108	0
6110557	1990	8	0	0	0	30	0	0	0	0	0	0	50	50	0	0	0	190	0	0	0	0	0	0	0	0	0	30	0	0	0	0	0
6110557	1990	9	40	0	0	110	0	20	0	0	28	10	0	0	250	30	0	0	0	40	0	48	10	110	0	56	0	0	10	240	50	0	0
6110557	1990	10	70	50	50	110	0	0	50	230	170	50	0	70	0	24	0	40	10	84	0	10	0	0	8	0	0	20	38	0	0	0	0
6110557	1990	11	0	0	10	26	310	30	0	0	20	20	0	0	0	0	16	0	0	0	160	60	70	0	30	80	20	10	0	0	0	0	
6110557	1990	12	0	0	50	0	0	0	0	0	0	0	0	0	0	0	50	10	0	0	82	0	0	0	0	0	0	0	50	90	0	0	0
6110557	1991	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6110557	1991	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6110557	1991	3	110	10	0	0	114	0	0	0	0	0	0	0	0	0	0	20	0	0	0	20	50	20	0	20	220	0	0	0	0	0	0
6110557	1991	4	0	0	0	8	0	20	50	330	152	6	0	0	140	130	20	0	130	100	112	44	0	0	0	0	0	0	6	0	0	0	0
6110557	1991	5	40	10	0	0	44	6	2	20	7	0	0	0	0	0	70	40	0	0	0	0	16	130	70	100	0	0	0	0	152	2	0
6110557	1991	6	0	0	20	0	0	0	0	0	30	20	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	250	0	0
6110557	1991	7	0	0	4	324	120	54	130	0	0	0	20	0	0	0	0	92	0	20	30	0	42	0	0	26	0	0	0	184	90	4	0
6110557	1991	8	0	56	20	20	0	0	0	0	50	0	0	0	10	0	60	116	0	0	0	18	0	12	0	0	0	0	0	0	0	0	0
6110557	1991	9	0	0	98	0	0	0	0	0	24	30	0	0	90	36	4	0	14	20	0	110	12	10	0	10	32	12	10	70	0	0	0
6110557	1991	10	12	190	10	40	70	20	0	0	20	0	30	10	18	2	0	58	16	0	0	0	50	50	60	0	0	0	0	0	0	0	0
6110557	1991	11	0	0	0	0	0	0	0	0	0	0	0	12	0	56	134	0	0	84	24	0	0	0	0	0	0	0	0	120	0	0	0
6110557	1991	12	0	10	0	0	0	0	0	10	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	10	0	0	0
6110557	1992	1	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	0	0	0	0	0	0	0	0	0	0	0
6110557	1992	2	0	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0	20	30	0	0	0	0	0	0	0	0	0	0	0	0	0
6110557	1992	3	0	0	0	0	30	34	6	10	20	100	0	0	0	0	0	0	0	0	0	0	0	0	0	10	20	20	0	0	0	0	0
6110557	1992	4	0	0	0	0	40	40	4	0	0	10	0	0	0	0	220	0	0	16	60	11	60	20	0	0	0	0	0	20	0	0	0
6110557	1992	5	41	96	0	0	16	0	0	80	30	0	0	0	20	0	0	60	0	0	0	0	20	0	0	0	0	0	0	0	50	140	0
6110557	1992	6	0	0	0	20	40	10	30	0	0	0	0	0	0	0	44	130	10	30	12	0	0	0	0	0	0	0	0	0	0	0	0
6110557	1992	7	0	80	38	60	0	0	38	0	72	0	102	48	30	0	38	116	6	4	0	0	6	10	0	0	0	0	12	8	0	195	0
6110557	1992	8	0	288	0	0	0	0	188	10	18	0	10	0	0	34	12	0	115	20	0	0	0	0	0	0	0	174	190	16	10	0	0
6110557	1992	9	0	60	0	0	8	0	88	40	64	0	0	0	0	0	62	170	134	0	10	165	10	0	0	16	14	34	16	66	0	0	0
6110557	1992	10	0	0	0	0	0	0	20	0	0	10	44	0	62	150	52	26	24	0	35	0	4	0	0	20	2	0	0	0	0	0	0
6110557	1992	11	40	310	10	30	56	0	0	0	42	84	0	316	0	0	0	0	0	0	0	160	62	40	6	0	0	0	0	0	0	0	0
6110557	1992	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	98	40	0	0	
6110557	1993	1	0	0	24	170	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0	0	0	0	0	0	0	0	0
6110557	1993	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6110557	1993	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6110557	1993	4	10	0	0	0	0	0	6	98	14	0	0	0	6	60	0	2	2	270	56	0	0	0	70	50	0	0	28	0	0	0	0
6110557	1993	5	0	0	0	32	146	0	0	0	0	0	0	0	56	0	0	60	10	0	0	110	148	0	0	40	2	0	0	140	60	0	0
6110557	1993	6	12	0	0	10	70	22	0	164	10	0	0	0	60	0	0	20	86	160	86	0	0	0	233	0	0	0	0	0	0	0	0
6110557	1993	7	0	0	0	0	0	0	140	10	120	0	80	0	10	0	0	192	12	0	0	0	0	0	0	0	0	26	84	36	0	0	
6110557	1993	8	0	0	40	0	200	156	0	0	30	0	0	0	0	85	0	0	15	0	0	0	0	0	0	0	150	10	0	30	50	0	0
6110557	1993	9	0	90	186	0	0	0	0	0	10	182	36	30	0	220	0	0	0	0	0	34	0	0	134	20	238	48	0	0	0	0	0
6110557	1993	10	85	0	40	60	0	0	30	10	40	0	0	0	0	10	114	92	0	96	0	20	0	0	0	0	0	0	0	16	0	0	0
6110557	1993	11	0	8	94	0	0	0	0	0	10	8	14	34	64	0	0	30															

2

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
6110557	2000	8	28	0	0	0	0	60	0	144	0	42	4	0	0	0	249	2	0	56	0	0	0	270	2	0	0	0	66	2	2	40	4	0
6110557	2000	9	0	15	0	6	0	0	0	0	0	256	44	6	0	288	20	4	0	0	0	196	6	50	58	0	0	0	0	0	0	0	0	
6110557	2000	10	0	0	30	20	28	37	30	4	0	0	0	0	22	2	0	0	0	2	30	6	0	0	0	0	0	0	4	52	0	0	0	
6110557	2000	11	0	5	2	62	0	6	2	18	224	178	0	0	44	4	4	24	0	0	0	0	0	0	0	0	0	0	64	6	4	18	0	
6110557	2000	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	84	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	2001	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	
6110557	2001	2	0	0	0	0	0	0	0	26	200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	120	0	0	0	0	0	0	0	0
6110557	2001	3	0	0	0	0	0	0	0	0	0	0	0	0	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	2001	4	0	0	0	6	0	60	78	0	24	0	70	30	0	10	0	0	0	0	0	0	30	6	8	10	0	22	0	0	0	0	0	0
6110557	2001	5	0	0	0	14	0	0	0	8	94	0	0	0	0	0	0	3	81	3	0	0	0	92	352	0	10	64	96	102	41	6	0	0
6110557	2001	6	20	88	48	0	0	0	0	0	0	120	0	0	0	0	10	10	0	2	0	2	332	34	0	0	0	0	0	0	0	0	190	0
6110557	2001	7	17	2	4	46	0	0	0	0	0	0	0	0	0	0	70	6	4	0	0	234	30	4	0	0	0	0	0	0	0	0	0	0
6110557	2001	8	0	40	0	0	0	0	0	0	58	0	0	0	0	0	18	10	0	228	132	4	0	0	0	2	0	110	0	0	0	0	32	0
6110557	2001	9	0	0	148	0	0	0	20	0	72	46	0	138	3	0	0	14	0	111	11	45	14	26	10	128	64	4	2	0	0	0	0	0
6110557	2001	10	4	0	0	80	284	94	78	0	6	0	34	62	0	100	6	230	80	0	2	0	10	30	80	204	22	70	10	0	0	0	60	0
6110557	2001	11	18	90	6	5	0	0	14	74	0	0	0	12	0	5	0	0	4	12	0	0	0	0	88	26	4	54	45	166	24	0	0	
6110557	2001	12	5	4	0	10	24	0	0	0	0	0	75	8	0	0	76	95	84	108	0	0	6	20	0	0	0	0	0	0	0	0	0	0
6110557	2002	1	0	0	0	0	0	0	0	30	6	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6110557	2002	2	0	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	104	59	20	0	0	0	0	80	88	0	0	0	0	0	0
6110557	2002	3	0	40	0	0	0	0	0	12	60	0	0	0	0	4	0	0	0	40	0	10	0	0	0	0	0	0	0	0	110	16	0	0
6110557	2002	4	2	16	8	0	6	0	105	150	5	0	76	4	2	0	0	130	22	0	0	0	0	6	30	14	8	58	168	6	6	0	0	
6110557	2002	5	92	31	8	0	0	20	0	0	90	0	44	50	140	108	0	94	0	0	0	0	0	0	4	0	12	0	0	0	286	273	76	0
6110557	2002	6	20	0	0	6	0	0	0	10	0	0	184	3	0	308	108	36	4	0	0	0	0	0	0	2	0	46	3	0	0	0	0	0
6110557	2002	7	0	0	0	0	0	0	0	50	2	0	0	0	0	0	0	0	0	0	0	0	22	325	4	0	0	33	10	56	134	3	3	
6110557	2002	8	2	0	0	20	0	0	0	0	0	0	0	0	3	205	8	254	4	0	66	0	273	0	0	0	0	0	0	0	0	0	0	0
6110557	2002	9	0	0	0	0	0	0	0	0	44	0	0	0	0	112	0	0	0	22	190	0	16	0	0	0	0	88	0	20	40	0	0	
6110557	2002	10	6	60	4	74	0	10	12	4	0	6	38	22	2	0	0	2	100	68	16	42	44	0	0	108	4	14	0	0	0	0	28	0
6110557	2002	11	0	0	0	0	0	0	0	16	10	183	5	0	0	44	0	0	0	0	0	2	0	0	0	0	0	0	0	0	30	0	0	
6110557	2002	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	66	4	0	0	0	0	0	0	0	0	0	0	8	0	
6110557	2003	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	2003	2	0	0	150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	2003	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	42	88	0	0	3	13	20	0	10	100	22	0	0	0	
6110557	2003	4	0	50	30	0	0	0	0	0	0	0	0	0	0	0	56	0	62	0	15	44	38	0	0	0	0	0	0	0	0	60	0	
6110557	2003	5	16	0	0	0	100	5	0	0	0	40	92	66	0	0	8	76	0	0	0	62	0	156	168	6	0	0	0	0	0	14	0	0
6110557	2003	6	0	0	0	96	14	8	8	256	30	20	0	34	45	6	0	0	0	36	0	0	0	0	0	0	0	52	0	0	28	0	0	
6110557	2003	7	0	0	0	106	10	2	11	0	0	0	4	55	47	2	0	231	0	0	0	0	12	0	176	0	0	0	30	220	0	0	0	0
6110557	2003	8	0	156	10	112	100	180	0	10	40	20	214	0	0	0	146	0	0	0	0	0	100	0	0	0	0	800	0	0	0	0	0	0
6110557	2003	9	0	0	18	16	0	0	0	0	0	0	0	0	0	0	70	0	0	0	70	192	0	0	152	4	88	0	78	50	0	2	26	0
6110557	2003	10	28	8	68	30	68	0	0	0	0	0	0	0	0	370	76	16	64	0	24	20	0	0	64	78	47	36	19	0	0	0	0	
6110557	2003	11	80	130	45	225	0	0	0	0	30	30	54	80	0	0	38	4	84	78	4	0	0	0	0	38	2	0	92	110	0	0	0	0
6110557	2003	12	0	0	0	0	0	0	0	0	56	0	0	0	0	0	82	0	0	0	0	0	6	124	0	0	0	0	0	200	10	0	0	
6110557	2004	1	0	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	2004	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6110557	2004	3	32	2	6	98	158	0	0	0	0	18	0	0	0	0	0	0	0	0	0	50	0	0	10	16	35	0	80	150	20	0	0	
6110557	2004	4	16	0	18	0	0	42	0	10	0	0	10	4	0	0	0	44	92	16	3	14	0	0	0	38	44	0	26	0	0	0	0	0
6110557	2004	5	176	140	0	27	0	50	0	0	28	4	0	56	0	0	84	0	0	16	0	4	6	204	544	18	8	0	6	0	0	0	98	0
6110557	2004	6	4	0	0	0	0	10	0	4	0	0	0	0	122	44	3	0	0	0	0	0	132	0	78	20	0	2	14	0	0	0	0	
6110557	2004	7	36	0	0	170	0	168	460	8	4	0	0	44	12	20	0	252	98	0	134	8	0	0	0	0	4	6	0	0	78	18	0	
6110557	2004	8	0	30	0	0	0	0	0	0	2	0	70	0	7	2	0	0	5	22	0	0	0	0	0	0	0	56	20	184	0	0	0	
6110557	2004	9	0	0	0	0	0	114	74	130	24	0	0	0	0	0	0	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6110557	2004	10	0	80	0	50	0	0	0	48	14	0	0	0	0	0	78	24	58	0	8	0	22	0	10	4	12	16	0	74	52	12	0	
6110557	2004	11	100	25	0	218	6	0	0	0	0	4	0	0	0	0	0	0	0	0	30	20	18	4	0	6	0	0	78	6	0	90	0	
6110557																																		

Barrie WPCC

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
6110557	2006	3	0	0	0	0	0	0	0	34	70	0	16.66667	87.33333	73.33333	0	0	0	0	0	0	0	0	0	0	0	40.66667	0	0	0	0	0	30
6110557	2006	4	0	82	80	2	2	0	70	0	0	0	0	40	0	40	0	0	0	0	0	0	70	12	190	46	0	0	0	0	0	0	0
6110557	2006	5	0	0	0	6	0	0	0	0	0	0	214	0	6	0	14	54	30	48	22	20	40	4	0	0	6	8	0	0	0	0	80

Verified Daily Rainfall arranged per Hydrological Year

* Rainfall Data is 0.1mm

Station	Year	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
1971-1973																																	
6111769	1972	6	33	0	0	0	3	5	3	61	0	0	0	0	8	107	0	0	0	5	61	272	99	36	13	0	0	0	0	8	0	0	
6111769	1972	7	0	33	25	0	0	0	0	0	13	0	0	18	81	13	13	0	25	0	0	0	56	117	64	0	0	0	0	0	0	0	
6111769	1972	8	0	114	0	0	0	79	10	112	8	0	30	0	5	0	0	13	51	0	0	0	13	0	0	102	23	0	0	0	0	0	
6111769	1972	9	0	163	0	0	8	0	114	0	0	0	0	13	0	0	76	0	0	0	0	0	0	33	0	130	8	0	0	180	5	0	
6111769	1972	10	3	0	0	0	229	0	58	0	0	8	0	0	0	0	0	13	0	0	0	30	221	182	5	0	0	0	255	0	0	0	
6111769	1972	11	8	41	0	20	0	206	135	0	3	5	5	0	0	0	0	0	0	0	0	0	0	0	5	76	41	0	0	0	0	0	
6111769	1972	12	178	0	0	0	76	0	0	0	0	0	165	0	0	0	0	0	0	8	0	0	0	0	5	0	0	0	0	211	8	0	
6111769	1973	1	0	0	15	8	0	0	0	0	0	0	0	0	0	0	0	0	0	15	0	0	91	3	0	0	0	0	0	0	0	0	
6111769	1973	2	61	76	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	3	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	1973	3	18	3	10	0	43	0	44	0	13	0	170	48	0	20	5	0	0	0	0	0	0	0	0	0	0	0	53	41	79	74	
6111769	1973	4	18	43	23	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	18	48	0	0	0	0	307	76	0	0	0	
6111769	1973	5	71	43	18	10	0	11	124	71	41	3	0	0	0	0	25	0	0	0	20	0	0	0	48	117	137	61	0	0	0	0	
1973-1975																																	
6111769	1973	6	0	0	0	3	201	56	38	0	0	0	8	0	0	0	48	0	0	25	0	117	196	124	0	0	61	56	0	20	0	0	
6111769	1973	7	0	0	0	0	0	0	0	0	104	0	0	0	0	0	0	0	0	0	0	0	0	155	38	86	25	0	38	221	0	0	
6111769	1973	8	43	84	3	0	23	0	137	124	0	0	0	0	0	0	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	1973	9	0	0	0	13	10	0	0	8	15	3	0	0	0	104	0	96	0	178	53	109	0	0	0	0	0	0	0	0	0	0	0
6111769	1973	10	64	33	18	8	0	0	0	0	0	13	264	15	30	43	36	5	81	0	0	0	0	0	0	0	0	0	112	145	109	0	
6111769	1973	11	61	104	3	0	0	0	0	0	0	3	25	91	36	0	23	0	38	0	0	0	64	0	3	58	226	15	5	0	0	0	
6111769	1973	12	0	0	5	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	43	80	0	3	5	0	0		
6111769	1974	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107	3	0	5	0	0	112	15	0	0	15	0	0	
6111769	1974	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	13	0	3	79	0	0	0	0	43	0	0		
6111769	1974	3	0	0	0	290	0	0	0	0	3	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	18	3	0	
6111769	1974	4	178	0	211	0	3	0	0	0	0	10	94	10	140	0	0	0	0	0	0	18	38	104	0	0	0	0	8	203	41	0	
6111769	1974	5	0	0	28	0	85	38	25	142	8	0	137	147	10	124	46	64	0	0	0	0	1	0	0	8	0	0	18	0	0	0	
1974-1976																																	
6111769	1974	6	0	0	0	8	0	0	0	112	3	23	0	0	13	211	107	8	3	0	0	0	0	0	0	5	0	96	218	0	0	0	
6111769	1974	7	20	813	0	5	0	0	0	5	0	0	0	0	122	0	0	0	0	0	0	0	0	0	8	41	0	135	10	64	0	0	
6111769	1974	8	53	99	10	36	0	0	0	0	5	0	0	0	0	399	0	0	0	0	0	0	0	0	0	330	0	0	0	8	0	0	
6111769	1974	9	0	20	0	0	0	0	0	58	0	41	15	0	13	0	10	0	117	0	15	0	0	145	66	0	38	46	102	0	0	0	
6111769	1974	10	23	8	0	0	89	0	0	0	74	0	157	84	0	5	25	0	0	0	0	18	0	83	0	0	0	0	63	33	0	0	
6111769	1974	11	10	0	102	0	61	0	0	0	127	91	38	0	0	58	0	0	28	147	0	0	38	8	0	0	0	0	0	0	0	0	
6111769	1974	12	0	0	0	0	0	25	25	0	3	10	0	0	0	23	3	0	0	0	0	0	0	0	0	0	0	0	13	0	0	0	
6111769	1975	1	0	0	0	0	102	0	84	0	75	0	0	0	0	0	0	0	0	0	0	0	0	33	0	0	0	0	13	0	0	0	
6111769	1975	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	23	0	0	0	18	82	312	3	0	0	0	0	0	0	0	0	
6111769	1975	3	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	8	84	0	61	0	15	23	0	0	0	0	0	
6111769	1975	4	0	25	0	0	0	0	0	0	0	0	0	0	0	0	269	18	0	0	0	56	0	0	0	0	0	0	0	0	3	0	
6111769	1975	5	3	3	13	99	30	0	0	0	0	0	0	0	10	0	0	0	0	13	112	0	0	0	85	0	0	0	0	25	25	0	
1975-1977																																	
6111769	1975	6	0	0	0	0	36	10	8	10	0	0	53	0	0	23	28	0	25	51	0	0	0	0	0	0	0	0	0	0	0	0	0
6111769	1975	7	0	0	0	0	0	10	0	71	0	0	0	0	0	0	0	0	0	135	107	0	0	102	0	0	104	0	0	0	0	0	0
6111769	1975	8	0	51	97	0	0	0	0	378	0	13	0	0	0	0	0	0	0	0	0	0	0	0	264	0	0	25	239	0	3	0	
6111769	1975	9	5	3	3	0	132	0	30	3	0	272	28	112	0	0	0	0	150	38	33	33	10	0	0	13	0	5	0	8	0	0	
6111769	1975	10	20	0	0	0	0	0	0	25	3	13	5	38	5	10	0	0	13	122	25	15	0	0	0	0	0	0	0	9	43	0	
6111769	1975	11	48	8	8	0	61	0	0	85	48	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	13	0	0	
6111769	1975	12	0	0	0	0	51	0	0	0	0	0	0	13	145	0	0	0	0	0	0	38	0	0	0	0	0	0	0	0	0	0	
6111769	1976	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18	5	0	0	0	0	0	
6111769	1976	2	0	0	0	0	0	0	0	0	51	0	0	0	3	58	3	0	104	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6111769	1976	3	0	10	10	91	23	0	0	0	0	0	76	0	0	0	0	0	5	0	28	0	0	0	30	0	0	41	0	0	23	107	
6111769	1976	4	0	0	0	0	0	0	0	0	20	0	0	0	46	56	0	0	0	0	64	3	0	0	0	0	0	3	0	0	0	0	0
6111769	1976	5	25	53	25	5	99	30	25	0	25	0	0	3	0	0	206	8	13	13	33	3	0	0	0	23	0	0	0	0	3	66	0
1976-1978																																	
6111769	1976	6	0	0	0	0	0	0	0	0	30	0	0	249	0	28	5	0	28	90	0	0	8	10	18	0	64	0	378	5	201	0	
6111769	1976	7	0	0	0	0	3	0	0	8	30	18	0	0	36	5	0	0	0	0	79	0	0	8	0	0	5	0	41	71	64	28	0
6111769	1976	8	5	0	0	0	66	0	53	0	0	0	183	0	348	0	0	0	0	0	0	0	0	0	0	79	0	23	0	0	102	0	0
6111769	1976	9	0	0	66	8	0	0	0	122	84	8	0	0	0	0	447	0	97	119	41	180	53	0	15	0	0	0	0	0	0	0	0
6111769	1976	10	0	0	0	0	117	0	0	33	0	0	89	13	61	0	0	0	0	0	71	10	13	13	5	0	0	0	0	25	0	0	0
6111769	1976	11	0	33	0	0	0	0	0	0	0	0	0	0	0	20	0	18	0	0	0	0	0	20	86	0	3	0	0	0	0	0	
6111769	1976	12	0	0	0	0	0	0	0	0	0	0																					

Rainfall Data in 0.1 mm

5

Verified Daily Rainfall arranged per Hydrological Year
Rainfall Data in 0.1mm

30

Salvage Data in 0.1 mm

11

6111769	1994	11	72	0	0	28	74	98	88	0	8	0	0	0	0	0	2	0	0	0	30	0	6	102	0	0	0	0	0	68	0	0	0	0
6111769	1994	12	0	0	24	20	110	0	0	0	0	0	0	0	0	0	0	0	0	24	4	0	0	0	0	0	0	0	0	14	0	0	0	
6111769	1995	1	0	0	0	0	0	0	0	0	0	0	0	4	24	64	126	134	10	2	4	2	168	10	0	0	0	0	0	0	0	0	0	
6111769	1995	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6111769	1995	3	0	0	0	0	20	18	118	0	0	0	0	0	0	0	0	0	4	0	0	0	32	30	38	4	0	0	0	0	0	0	0	
6111769	1995	4	0	0	66	0	0	0	0	0	0	0	4	54	18	0	0	0	0	0	0	184	0	0	350	0	0	0	46	56	22	14	0	2
6111769	1995	5	0	0	0	0	0	0	0	0	94	190	38	0	0	47	0	62	76	0	0	17	0	0	54	0	0	0	0	64	18	0	0	
6111769	1995	6	4	278	22	0	0	0	76	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	70	138	0	0	4	0	
6111769	1995	7	0	0	42	2	88	34	20	34	0	0	0	4	56	0	222	78	0	4	0	0	78	36	0	4	0	0	310	0	0	0	0	
6111769	1995	8	10	6	394	4	2	0	0	110	20	8	18	10	0	0	0	0	0	0	0	0	0	22	0	0	0	12	0	0	0	12	290	
6111769	1995	9	4	30	12	0	16	10	62	0	0	0	0	16	0	0	200	0	0	48	8	88	50	0	0	0	0	62	0	0	0	0	0	
6111769	1995	10	0	0	40	0	452	26	32	0	0	0	0	122	114	86	0	0	4	250	24	6	0	46	8	0	136	22	18	48	28	0		
6111769	1995	11	100	62	0	0	116	28	0	122	232	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	1995	12	6	20	22	0	2	0	0	0	0	0	0	12	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	1996	1	0	0	0	0	0	0	0	0	0	0	2	0	0	30	40	180	0	0	0	0	0	0	0	0	0	40	30	0	0	0	0	
6111769	1996	2	0	0	0	0	0	0	108	0	6	0	0	0	0	0	0	0	0	0	0	0	6	150	0	0	0	0	20	0	0	0	0	
6111769	1996	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	40	0	0	0	0	0	0	0	
6111769	1996	4	0	0	0	0	0	0	0	0	32	18	192	0	98	6	0	0	44	56	4	116	88	16	56	30	0	0	0	0	140	0	0	
6111769	1996																																	

6111769	2000	6	7	126	4	0	0	10	0	2	0	8	214	80	22	48	12	40	36	8	20	0	14	40	30	0	414	18	40	0	0	104	0
6111769	2000	7	7	0	112	6	0	2	0	0	14	10	0	0	0	0	218	178	46	210	6	0	20	10	0	0	0	0	0	0	360	26	76
6111769	2000	8	26	164	0	0	0	126	0	90	0	0	8	0	0	0	12	4	6	38	0	0	0	186	0	0	0	50	0	0	0	0	0
6111769	2000	9	0	0	0	10	0	0	0	0	0	0	620	0	40	0	239	0	0	0	0	0	172	52	46	54	0	0	0	0	0	0	
6111769	2000	10	0	0	0	16	2	18	108	50	0	0	0	0	0	32	2	0	0	0	10	0	0	0	10	0	0	40	0	0	0	0	0
6111769	2000	11	0	26	10	20	0	0	0	18	132	238	0	0	64	0	20	40	0	0	0	0	0	0	0	0	70	50	2	6	0	0	
6111769	2000	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	82	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	2001	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0	0	0	0	0	0	0	0	0	0	46	26	0	
6111769	2001	2	0	0	0	0	0	0	0	66	298	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6111769	2001	3	0	0	0	0	0	0	0	0	0	0	0	0	7 333333	105.3333	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6111769	2001	4	0	0	0	0	0	38	10	0	0	8	0	18	54	0	2	0	0	0	0	0	0	0	2	8	0	20	0	0	0	0	0
6111769	2001	5	0	0	0	0	0	0	30	62	0	8	50	0	10	0	0	6	80	0	0	0	76	472	0	0	90	50	224	74	4	0	0
6111769	2001	6	40	76	116	0	0	0	0	0	0	54	0	0	0	0	8	2	0	6	0	0	402	74	0	0	0	0	0	0	0	0	54
6111769	2001	7	14	2	2	0	0	30	0	0	0	6	0	0	0	0	118	0	0	0	0	52	0	6	0	0	0	0	0	0	0	0	0
6111769	2001	8	0	0	0	0	0	0	0	0	14	0	0	0	0	0	8	16	0	144	216	0	0	2	0	0	42	144	0	0	50	0	0
6111769	2001	9	0	0	104	0	0	102	0	14	50	0	114	0	0	0	0	20	0	198	6	16	24	22	18	78	128	6	0	0	0	0	0
6111769	2001	10	0	0	56	284	220	0	0	0	0	0	54	0	114	18	246	50	0	10	4	20	20	100	46	46	64	0	0	0	0	46	
6111769	2001	11	40	90	0	32	0	26	50	0	2	0	14	0	0	0	0	0	0	0	0	0	0	0	0	88	14	2	62	62	112	22	0
6111769	2001	12	26	8	0	8	36	2	0	0	0	0	78	4	0	0	2	30	0	200	0	0	0	0	0	0	0	0	0	0	0	0	0
6111769	2002	1	1	0.666667	2.666667	90	108.6667	40.66667	4	12	6.666667	9.333333	0	0	0	0	0	0	0	0	0	0	0	0	0	0.666667	0	0	0	0	0	0	12
6111769	2002	2	50	0	0	0	0	0	0	0	0	16	0	0	0	0	8	0	0	126	104	30	0	0	0	82	60	0	0	0	0	0	0
6111769	2002	3	0	74	4	0	0	0	0	0	74	52	0	0	0	2	0	0	4	0	0	0	0	0	0	0	0	0	0	144	6	0	
6111769	2002	4	0	2	0	0	0	0	78	208	8	0	0	56	2	0	0	0	52	20	0	0	0	0	0	40	0	0	30	122	16	0	0
6111769	2002	5	118	18	0	0	0	32	2	0	140	0	76	18	192	22	24	4	0	0	0	0	0	0	4	0	16	0	0	0	244	194	22
6111769	2002	6	16	0	0	4	2	0	0	4	0	0	124	4	2	224	102	30	0	0	0	0	0	6	8	14	0	54	20	0	0	0	
6111769	2002	7	0	0	0	0	0	0	42	0	0	0	0	0	0	0	0	14	0	0	0	26	436	0	0	2	18	70	68	30	0	2	
6111769	2002	8	128	0	0	18	0	0	0	0	0	0	0	0	2	154	0	150	0	0	60	0	80	60	0	0	0	0	0	0	0	0	
6111769	2002	9	0	0	0	0	0	0	0	0	30	0	0	0	0	6	0	0	0	0	10	368	0	24	0	0	0	0	60	0	0	76	0
6111769	2002	10	0	18	0	138	0	30	46	20	0	4	24	46	0	0	0	0	0	150	40	38	22	20	0	0	94	30	46	0	0	0	
6111769	2002	11	0	0	6	0	16	0	2	200	0	0	0	0	20	0	0	0	2	28	0	0	0	4	0	0	0	0	0	78	6	0	
6111769	2002	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	98	0	0	0	0	0	0	0	0	0	0	12	0	
6111769	2003	1	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	2003	2	4	0	14	13.33333	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	2003	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	60	22	0	0	16	18	0	16	158	12	0	
6111769	2003	4	2	0	0	2	0	0	0	0	0	0	0	0	0	0	32	0	110	0	20	50	52	0	0	0	0	0	0	128	0	0	
6111769	2003	5	16	0	0	0	96	2	0	0	78	222	28	2	0	1	78	0	0	126	0	0	158	54	38	8	0	2	0	18	2	0	
6111769	2003	6	0	0	0	84	30	2	4	182	8	90	0	32	14	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	326	0	
6111769	2003	7	0	0	50	10	0	0	24	0	0	2	106	24	0	8	256	2	0	0	0	66	0	0	0	0	0	26	42	0	0	0	
6111769	2003	8	0	86	26	2	58	2	0	0	26	0	364	0	0	0	12	0	0	0	0	62	0	0	0	252.6667	0	0	0	13.33333	0	0	
6111769	2003	9	0	0	10	10	0	0	0	0	0	0	0	0	0	6	86	0	0	8	178	0	0	234	24	134	4	72	30	2	10	74	
6111769	2003	10	26	4	72	110	52	0	0	0	0	0	2	0	410	58	80	16	68	0	12	24	0	0	30	70	52	102	32	2	0	16	
6111769	2003	11	68	66	70	118	2	0	0	0	0	52	24	162	0	0	18	0	134	78	2	0	0	0	60	0	86	94	0	6	0	0	
6111769	2003	12	0	0	0	0	0	0	2	62	4	0	0	0	0	20	0	0	0	0	0	8	126	0	0	0	0	10	212	0	0	0	
6111769	2004	1	2	122	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	2004	2	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	2004	3	0	0	14.66667	7.333333	0	0	0	0	0	0	0	0	0	1.333333	0	0	0	0	30	0	0	12	10	104	0	0	118	190	18	0	
6111769	2004	4	10	0	32	0	0	0	0	0	0	10	6	0	0	0	56	96	28	6	4	0	0	100	24	0	28	0	0	0	0	0	
6111769	2004	5	148	120	0	12	0	110	0	12	22	0	48	10	30	2	0	18	16	0	94	0	450	746	68	6	0	50	0	0	0	78	
6111769	2004	6	10	0	0	0	0	8	0	10	0	0	0	0	144	36	0	2	2	0	0	170	0	88	16	2	12	6	4	10	0		
6111769	2004	7	42	0	0	92	8	42	118	6	2	0	0	84	12	56	0	0	200	0	20	0	0	0	0	0	0	0	0	22	18	0	
6111769	2004	8	0	408	30	0	0	0	0	92	0	0	0	6	96	0	0	6	8	0	0	0	0	0	0	0	14	68	8	84	0	0	
6111769	2004	9	0	0	0	0	0	140	92	110	30	0	0	0	0	0	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6111769	2004	10	0	72	14	14	0	0	0	0	10	0	0	0	4	74	56	168	0	0	10	0	0	6	12	0	8	18	0	10	98	12	
6111769	2004	11	56	18	0	150	0	0	0	0	0	0	0	0	0	16	2	12	26	0	0	8	10	0	36	80	38	0	10	0	0		
6111769	2004	12	0	0	0	40	0	0	110	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	96	0	
6111769	2005	1																															

Coldwater Warminster
Verified Daily Rainfall arranged per Hydrological Year
*Rainfall Data in 0.1mm

[illegible]

Shanty Bay

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
6117684	1973	6	0	0	3	0	0	150	69	25	0	0	0	15	0	0	0	5	61	0	0	0	0	51	132	94	0	8	79	43	3	25			
6117684	1973	7	0	0	0	51	0	0	0	0	0	13	43	0	0	0	0	0	0	0	0	3	0	0	0	0	10	18	86	163	0	15	526		
6117684	1973	8	46	0	0	0	0	0	0	0	0	122	15	0	0	0	0	0	0	0	117	20	0	25	10	0	0	8	5	0	0	0	25		
6117684	1973	9	0	0	0	0	79	8	3	0	0	10	30	5	0	0	0	0	122	5	46	0	58	18	5	0	0	0	0	0	0	0	0		
6117684	1973	10	107	28	0	10	0	0	0	0	0	0	0	10	99	0	15	119	38	91	104	0	0	0	0	0	0	0	10	99	117	185	104		
6117684	1973	11	43	89	0	0	0	0	0	0	0	0	0	0	13	109	104	0	0	51	0	0	36	0	0	38	0	5	58	231	0	13	0		
6117684	1973	12	0	0	3	56	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	13	66	0	0	0	0	0	0		
6117684	1974	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	91	0	25	0	0	0	107	3	0	0	0	5		
6117684	1974	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25	0	56	38	0	0	0	0	0	25				
6117684	1974	3	0	0	0	0	290	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	15	3		
6117684	1974	4	119	0	163	3	0	5	0	0	0	0	0	10	66	3	89	3	0	0	0	0	0	74	94	0	0	0	0	18	211	71			
6117684	1974	5	0	0	41	0	89	28	0	147	18	0	155	145	15	94	53	112	0	0	0	0	0	3	0	0	0	0	3	48	0	0	38		
6117684	1974	6	0	0	0	3	152	0	0	3	41	0	23	0	5	43	206	64	13	5	0	0	0	0	0	3	145	0	0	165	71	25			
6117684	1974	7	41	325	0	3	0	0	0	0	5	0	0	0	0	5	0	0	8	0	0	0	0	0	0	0	0	3	51	3	33	30	41	5	
6117684	1974	8	94	81	33	38	13	0	0	0	0	0	3	13	0	0	907	3	36	0	0	0	0	483	0	0	508	0	0	0	0	0	0	0	
6117684	1974	9	0	25	0	0	0	0	0	0	0	0	5	23	20	0	36	0	13	0	48	0	15	0	0	79	51	0	30	41	91	0	0		
6117684	1974	10	109	0	0	0	0	74	28	5	0	0	38	20	117	56	0	0	20	0	0	0	0	36	0	41	0	0	0	0	0	81	38	0	
6117684	1974	11	8	0	114	0	114	0	0	0	0	114	81	15	0	0	13	0	0	0	20	234	0	0	36	8	0	0	0	0	0	0	0	0	
6117684	1974	12	0	3	0	0	0	0	23	30	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1975	1	0	0	0	0	0	0	0	48	0	23	0	0	0	0	0	0	0	0	0	0	0	0	0	18	10	0	0	0	5	0	0		
6117684	1975	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	30	3	0	0	0	38	71	254	0	0	0	0	0	0	0		
6117684	1975	3	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0	0	0	13	114	0	0	86	5	53	0	0	0	5	3	0	0		
6117684	1975	4	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	361	20	0	0	0	25	0	0	0	0	0	0	5	0	0	
6117684	1975	5	8	0	20	178	15	5	0	0	0	0	0	0	0	3	53	0	0	0	0	0	5	0	0	15	53	0	0	0	0	30	36		
6117684	1975	6	0	0	5	13	8	13	5	0	0	0	46	41	0	25	30	0	38	84	3	0	0	0	5	0	0	0	0	0	0	0	0	0	
6117684	1975	7	0	0	0	0	0	0	5	0	0	41	0	0	5	0	0	0	0	0	218	343	0	0	61	13	5	0	23	0	0	0	0	0	
6117684	1975	8	0	15	155	0	0	0	0	0	0	221	0	0	15	0	0	0	0	0	0	0	5	0	175	114	25	8	0	5	376	0	5		
6117684	1975	9	10	0	5	0	89	0	25	3	0	3	208	38	122	0	0	0	163	25	41	25	0	0	0	18	10	0	0	0	13	0	0	0	
6117684	1975	10	30	0	0	0	0	0	0	0	18	5	91	0	61	3	0	3	0	18	170	18	3	0	0	15	0	0	0	0	0	0	5	0	
6117684	1975	11	79	15	5	0	0	53	8	51	33	0	0	3	0	0	0	0	0	0	0	46	23	0	0	0	0	5	0	46	30				
6117684	1975	12	0	0	0	0	112	0	0	0	0	0	0	0	15	193	0	0	0	0	0	0	0	0	0	0	0	0	0	3	13	0	0		
6117684	1976	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	5	0	0	0	0	0		
6117684	1976	2	0	0	0	0	0	0	0	0	33	0	0	0	0	0	28	0	5	94	0	0	0	0	0	0	0	0	0	13	0				
6117684	1976	3	0	13	5	91	36	0	0	0	0	0	0	66	0	0	0	0	0	0	33	3	0	0	5	0	0	43	0	0	30	127			
6117684	1976	4	18	0	0	0	0	0	0	0	0	13	0	0	0	163	150	0	0	0	0	0	48	5	0	43	0	0	0	0	0	5	0	0	
6117684	1976	5	18	61	0	0	86	48	13	0	0	20	28	0	0	8	0	137	23	10	8	0	5	0	0	10	16	0	0	0	10	211			
6117684	1976	6	0	0	0	0	0	0	0	0	0	18	0	0	0	0	25	18	0	20	41	0	5	3	0	58	0	259	0	239	5	229			
6117684	1976	7	114	170	33	0	3	84	0	8	117	5	0	0	0	5	28	3	0	0	33	0	0	249	0	0	33	0	56	180	48	66			
6117684	1976	8	0	0	0	28	0	0	20	0	0	0	71	0	0	348	0	0	0	0	0	0	0	0	0	0	79	0	23	0	0	102			
6117684	1976	9	53	0	25	3	0	0	0	107	505	5	0	0	0	0	0	0	531	20	127	150	51	97	38	5	36	0	0	0	0	0	0	0	
6117684	1976	10	0	0	0	0	107	0	0	46	0	0	0	140	15	13	3	0	0	74	79	3	0	0	25	5	0	0	0	0	5	8			
6117684	1976	11	0	13	3	0	0	18	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	20	61	23	0	0	0	0	0	0	
6117684	1976	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38	15	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1977	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1977	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	2	5	15	0					
6117684	1977	3	0	0	0	137	0	0	0	0	0	0	0	185	0	0	8	0	0	0	0	0	0	0	0	0	0	0	20	109	0	30	3		
6117684	1977	4	5	33	0	117	0	0	0	0	0	0	0	0	28	0	0	9	0	0	3	23	43	18	0	23	0	0	3	0	0	0	0	0	
6117684	1977	5	102	0	0	0	10	0	0	0	0	0	0	0	0	0	0	0	3	62	27	0	0	0	0	0	0	0	21	0	0	132			
6117684	1977	6	40	12	0	10	8	0	0	0	0	0	0	0	0	0	0	42	0	62	0	45	0	0	0	144	84	0	0	382	2	58			
6117684	1977	7	5	0	18	0	0	208	31	0	0	0	0	42	0	0	100	0	0	0	0	0	0	0	0	4	0	0	0	0	36	0	190		
6117684	1977	8	0	50	28	166	120	2	22	8	144	4	4	0	90	0	10	464	20	0	22	0	132	0	38	0	0	0	0	0	38	0	42		
6117684	1977	9	116	0	0	0	0	44	0	2	22	0	36	60	0	8	56	124	14	234	252	6	0	0	128	42	78	26	40	26	16				
6117684	1977	10																																	

Shanty Bay

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
6117684	1979	1	6	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	4	0	0	0	74	0	0	0	0	0	0	0
6117684	1979	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	66	0	0	0	0	0	0	0	
6117684	1979	3	0	0	0	50	24	0	0	0	0	20	0	0	0	6	0	0	0	0	0	0	0	0	42	138	0	0	0	0	14	66	0
6117684	1979	4	16	90	0	0	0	0	0	0	0	0	0	4	146	64	6	0	0	0	0	0	22	0	0	10	10	168	2	16	0	28	0
6117684	1979	5	0	10	88	0	0	48	0	0	0	58	8	130	0	70	30	0	0	0	0	0	4	0	0	0	206	0	8	0	8	0	0
6117684	1979	6	0	0	0	10	23	0	32	0	10	36	2	0	0	0	0	0	0	0	0	6	412	6	6	0	0	6	32	0	96	26	0
6117684	1979	7	0	2	0	0	0	0	0	0	8	4	0	0	0	162	0	0	0	0	0	0	0	0	0	84	86	4	0	0	0	10	0
6117684	1979	8	130	0	0	36	0	180	0	164	12	0	0	12	38	0	0	84	4	0	0	0	8	118	0	0	22	0	10	16	0	0	
6117684	1979	9	42	20	0	0	0	16	12	0	0	50	0	0	72	76	0	0	0	0	0	10	0	0	0	0	0	0	0	0	0	0	0
6117684	1979	10	6	8	10	162	22	172	26	176	0	18	70	62	46	24	0	10	22	344	30	0	0	52	8	0	0	58	26	0	0	0	0
6117684	1979	11	88	0	40	6	0	54	0	10	116	0	0	0	0	0	12	0	0	0	32	0	30	84	208	0	100	2	52	0	0	0	0
6117684	1979	12	0	0	0	0	0	0	22	0	0	36	0	0	0	0	0	0	0	0	0	16	164	32	246	2	0	0	0	0	0	0	0
6117684	1980	1	0	0	0	0	0	0	0	0	0	12	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6117684	1980	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	10
6117684	1980	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	52	0	0	0	180	128	0	0	0	0	0	0	0	0	0	0	0
6117684	1980	4	0	0	40	46	0	0	20	60	26	12	20	12	0	276	8	0	0	4	0	0	0	0	0	4	80	0	36	172	38	12	0
6117684	1980	5	0	60	0	0	0	20	0	0	0	0	0	0	58	0	0	136	48	0	0	0	0	0	0	0	0	0	0	0	14	26	6
6117684	1980	6	176	6	0	0	0	196	12	4	66	0	0	0	0	66	2	0	0	0	152	168	6	0	0	0	0	0	2	28	148	0	0
6117684	1980	7	20	0	0	0	0	72	2	0	0	0	0	0	0	100	0	0	0	0	890	0	8	0	0	6	112	230	272	0	0	0	0
6117684	1980	8	0	20	0	0	8	16	40	0	0	20	0	0	8	0	2	0	0	60	0	94	152	0	0	0	0	32	0	0	50	10	0
6117684	1980	9	34	140	0	0	0	0	10	48	0	0	4	60	0	0	10	94	0	0	0	0	0	422	0	0	128	38	4	0	0	0	0
6117684	1980	10	140	0	140	6	4	0	0	0	10	10	20	22	0	0	80	6	46	22	14	4	0	2	312	10	2	0	0	0	0	10	0
6117684	1980	11	0	0	8	32	0	98	92	46	8	0	0	0	78	0	0	0	0	0	0	0	38	0	6	14	0	0	2	12	0	0	0
6117684	1980	12	40	148	0	0	0	98	110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6117684	1981	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24	0	0	0	0	0	0
6117684	1981	2	12	0	0	0	0	0	0	0	0	90	2	0	0	0	18	2	2	8	48	2	6	70	0	0	0	16	0	0	0	0	0
6117684	1981	3	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0	0	0	0	0	0	0	0	0	2	0	42	0	34	134	0	0
6117684	1981	4	30	0	8	2	0	0	14	4	34	0	0	112	8	0	34	110	0	8	0	0	4	32	14	0	0	4	42	0	0	0	0
6117684	1981	5	0	0	0	0	62	0	0	0	20	354	246	8	0	46	32	0	0	0	0	0	0	0	0	4	50	10	60	0	84	0	0
6117684	1981	6	0	4	56	0	0	0	2	38	0	100	0	14	4	26	26	8	0	0	0	2	108	196	0	4	6	0	0	0	114	10	0
6117684	1981	7	0	0	0	62	0	0	0	0	0	0	0	0	0	0	0	100	0	110	0	0	0	0	0	0	0	0	0	304	10	0	0
6117684	1981	8	0	20	28	208	0	120	116	0	286	0	0	0	180	44	0	0	0	0	0	0	0	0	116	0	0	2	22	246	210	0	0
6117684	1981	9	46	4	84	266	4	80	2	50	2	0	0	0	0	0	0	26	0	4	28	20	4	0	0	10	104	38	32	0	0	0	0
6117684	1981	10	68	6	0	12	136	174	64	0	0	0	0	0	26	16	0	72	26	0	0	0	0	0	0	2	0	58	0	0	0	0	0
6117684	1981	11	0	0	0	0	14	14	0	0	0	2	20	0	0	24	116	14	38	0	84	0	0	0	0	0	150	2	0	0	0	0	0
6117684	1981	12	22	0	0	0	0	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0
6117684	1982	1	0	0	42	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6117684	1982	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
6117684	1982	3	0	0	0	2	0	0	0	0	0	0	0	0	4	38	0	0	0	84	0	6	0	4	0	0	0	0	0	0	114	0	0
6117684	1982	4	0	44	40	0	0	0	0	0	0	0	0	28	12	0	54	24	0	56	86	0	0	0	0	0	84	0	0	0	0	0	0
6117684	1982	5	0	0	0	0	24	0	44	24	0	0	0	0	0	0	0	2	0	6	134	0	0	24	94	0	0	4	2	130	2	12	0
6117684	1982	6	90	0	0	0	120	8	0	0	0	46	0	12	116	10	362	0	6	86	90	174	4	22	0	18	40	0	18	10	0	0	0
6117684	1982	7	0	0	0	0	0	0	0	0	0	6	206	0	0	0	0	62	100	0	0	0	0	0	0	0	14	290	6	0	96	0	0
6117684	1982	8	24	218	12	0	0	0	30	0	2	0	0	0	0	0	0	0	0	76	6	0	180	0	410	28	0	16	18	2	12	0	0
6117684	1982	9	2	30	8	0	14	2	0	0	0	0	0	22	26	102	6	0	218	20	0	6	0	0	0	72	2	36	62	0	0	0	0
6117684	1982	10	22	0	2	0	0	86	0	0	0	22	2	0	18	88	86	2	0	24	0	36	20	0	0	0	0	0	0	0	10	0	28
6117684	1982	11	262	122	76	86	0	0	0	0	10	44	42	0	0	0	0	0	0	0	10	120	16	0	140	0	0	0	0	124	40	0	0
6117684	1982	12	0	144	64	6	224	12	0	0	0	0	0	0	0	8	188	0	0	0	0	0	0	0	82	88	16	0	8	10	0	0	
6117684	1983	1	0	0	0	0	0	0	0	0	0	150	8	0	0	0	0	0	0	0	0	0	0	0	6	8	0	0	0	0	10	0	0
6117684	1983	2	2	186	50	0	0	0	0	0	0	0	0	0	0	0	0	8	2	0	0	0	0	0	76	0	0	0	0	0	0	0	0
6117684	1983	3	0	0	36	44	0	4	2	28	32	2	0	0	0	2	0	0	0	64	66	0	0	0	0	0	0	0	6	12	0	0	0
6117684	1983	4	0	0	54	0	0	34	32	0	196	18	0	0	38	82	0	0	0	0	0	0	0	0	0	0	12	0	112	0	126	0	0
6117684	1983	5	140	50	56	6	0	14	202	4	0	0	0	0	0	36	0	0	0	0	180	32	0	44	0	0	82	8					

Shanty Bay

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
6117684	1984	8	74	2	2	0	0	2	0	0	0	0	0	10	2	0	0	0	0	478	0	0	0	84	0	0	0	0	12	88	88	66	2	
6117684	1984	9	80	250	2	0	0	0	0	0	116	104	42	172	86	40	4	2	0	0	0	0	0	8	10	6	122	14	0	10	0	0	0	
6117684	1984	10	0	22	50	6	0	0	58	30	2	0	0	0	0	0	0	0	148	0	64	42	20	0	0	0	20	22	30	0	0	4	0	
6117684	1984	11	50	0	0	148	18	0	0	0	106	174	32	0	0	0	64	0	10	0	0	0	0	6	0	0	0	0	0	25	0	0	0	
6117684	1984	12	0	12	0	0	0	0	0	0	0	0	0	88	0	22	0	4	0	0	0	102	0	0	0	0	0	32	84	12	0	0	0	
6117684	1985	1	10	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1985	2	0	0	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	28	130	342	6	0	4	0	0	0	0	0	0	
6117684	1985	3	6	0	0	0	0	0	0	0	0	0	76	30	0	0	0	4	0	0	0	0	0	0	0	0	0	0	8	190	2	0	104	
6117684	1985	4	0	0	0	10	74	0	0	0	0	0	0	6	20	0	0	0	76	10	40	0	0	0	0	0	0	0	22	0	0	0	0	
6117684	1985	5	0	0	0	66	92	96	4	0	0	0	0	0	0	24	0	0	26	0	118	0	0	0	0	0	20	294	46	0	0	20	78	
6117684	1985	6	0	0	0	0	2	0	6	2	0	0	0	0	0	40	8	68	2	0	0	0	190	2	0	0	0	0	2	10	0	0	0	
6117684	1985	7	78	108	0	4	4	66	22	0	0	0	0	0	148	276	60	0	8	2	0	0	0	0	0	34	0	0	18	0	0	6	0	
6117684	1985	8	0	0	0	0	0	22	92	0	0	84	0	0	6	66	122	0	66	0	10	0	0	48	178	14	422	18	16	268	10	0	0	
6117684	1985	9	10	0	100	20	236	0	0	224	14	0	0	12	0	0	0	0	0	0	0	4	2	0	62	0	0	130	0	0	0	80	0	0
6117684	1985	10	0	0	0	84	50	4	0	32	72	4	2	238	0	28	44	30	0	106	0	0	0	6	34	0	0	54	0	0	0	0	0	
6117684	1985	11	0	50	80	122	0	14	16	4	0	0	0	206	2	50	0	52	14	94	48	0	0	0	0	0	0	0	0	0	0	12	0	
6117684	1985	12	68	0	0	0	0	0	2	4	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	
6117684	1986	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	46	28	72	0	0	2	0	0	0	0	0	0	0	0	0	0	
6117684	1986	2	2	0	0	92	0	0	0	0	0	0	0	0	0	0	0	14	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1986	3	0	0	0	0	0	0	0	0	12	56	0	56	46	50	6	0	74	10	0	0	0	0	0	0	0	38	0	0	0	0	0	
6117684	1986	4	22	0	0	0	34	4	170	22	0	0	0	0	12	136	20	0	0	0	112	16	0	0	0	0	0	0	0	0	0	0	0	
6117684	1986	5	24	0	0	14	192	20	0	0	0	0	0	0	0	16	42	62	0	330	88	88	0	44	0	0	0	0	0	0	6	0	0	
6117684	1986	6	64	0	0	0	0	0	64	0	0	224	36	86	0	0	28	16	0	0	72	0	184	134	84	4	0	0	46	0	8	0	0	
6117684	1986	7	0	0	0	134	18	0	0	2	0	0	0	112	26	10	0	88	10	0	0	0	0	0	0	252	2	0	8	34	2	2	0	
6117684	1986	8	24	4	0	0	94	8	298	0	48	20	0	0	98	26	0	0	0	0	0	30	4	110	0	0	378	0	138	0	0	0	0	
6117684	1986	9	0	0	0	196	0	12	0	0	6	430	736	10	0	10	144	0	0	0	144	24	0	328	52	0	340	28	0	6	142	24	0	
6117684	1986	10	14	0	78	94	74	0	0	36	0	0	0	82	166	8	14	20	0	0	0	0	0	0	0	0	0	14	44	0	26	0	0	
6117684	1986	11	30	0	20	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0	0	86	0	0	0	0	0	0	0	
6117684	1986	12	0	70	8	0	0	0	0	0	50	0	0	0	0	0	0	12	0	0	0	0	0	0	114	0	0	0	0	0	0	0	0	
6117684	1987	1	0	0	0	0	0	0	0	0	0	0	0	0	0	6	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1987	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	0	0	0	
6117684	1987	3	132	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	20	4	0	120	46	0	
6117684	1987	4	0	0	0	102	12	8	0	0	0	0	0	0	0	40	0	0	0	0	0	0	4	0	0	0	0	76	24	30	0	0	0	
6117684	1987	5	0	0	0	0	0	0	0	0	0	66	0	0	0	130	0	0	0	0	0	0	104	0	0	0	98	28	0	0	0	0	94	
6117684	1987	6	374	0	4	0	8	116	164	2	0	0	68	68	0	0	0	0	0	0	0	0	122	0	0	24	2	326	12	50	0	0	0	0
6117684	1987	7	0	0	62	0	0	46	74	176	0	34	0	276	26	0	0	0	0	386	0	0	0	0	0	0	0	0	0	0	16	0	0	
6117684	1987	8	0	168	4	0	0	0	16	0	150	0	0	0	0	0	20	0	0	0	0	32	6	26	0	0	0	0	78	0	160	0	0	
6117684	1987	9	0	2	0	0	0	0	0	14	0	0	0	6	0	0	18	26	18	142	8	150	6	0	8	0	0	166	4	172	42	0	0	
6117684	1987	10	14	2	0	0	6	120	110	18	2	0	0	0	0	0	46	0	2	24	20	66	0	150	0	36	218	34	0	0	0	0	0	
6117684	1987	11	0	60	48	140	0	0	88	100	0	0	0	4	0	0	0	34	18	0	0	0	2	2	0	0	0	50	62	0	0	0	0	
6117684	1987	12	0	0	0	0	0	18	66	36	0	26	0	0	0	4	0	0	0	4	20	0	0	0	74	0	0	0	0	0	0	0	2	
6117684	1988	1	0	0	0	0	0	0	0	0	0	0	16	0	0	0	0	150	36	28	0	0	0	0	0	0	0	0	0	0	0	0	16	
6117684	1988	2	0	0	0	0	0	0	0	0	0	0	0	0	0	38	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1988	3	0	0	0	0	0	0	0	14	2	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	58	46	0	24	0	0	0	
6117684	1988	4	0	60	66	20	0	2	28	0	0	0	0	40	32	0	0	74	0	0	2	0	0	36	2	12	6	74	4	40	0	0	0	
6117684	1988	5	0	0	0	0	0	0	0	0	74	12	0	20	20	0	774	6	0	0	24	70	44	0	0	0	0	0	0	0	0	0	0	
6117684	1988	6	4	0	0	0	0	12	0	0	0	0	0	0	0	6	0	0	0	0	0	210	214	0	4	10	0	0	28	0	0	0	0	
6117684	1988	7	0	0	0	0	0	0	0	0	0	80	38	0	38	0	22	30	2	0	0	0	32	4	6	52	96	0	0					

Shanty Bay

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
6117684	1990	4	8	82	32	10	0	0	0	0	72	78	0	0	0	34	8	20	0	0	0	90	0	0	0	0	0	0	0	0	0	0	0	
6117684	1990	5	0	0	0	52	0	0	0	40	0	74	86	10	12	0	50	10	104	194	38	50	152	0	0	0	0	0	0	0	0	0	0	
6117684	1990	6	10	56	24	0	20	0	0	8	0	0	0	34	0	344	0	0	14	16	0	4	18	64	38	0	0	0	0	0	66	152	192	
6117684	1990	7	32	0	0	0	0	0	0	122	0	0	0	0	0	30	96	0	0	0	162	10	30	0	0	0	0	0	0	0	0	0	146	0
6117684	1990	8	0	0	0	40	4	0	0	0	0	0	0	62	36	0	0	0	0	38	0	0	0	0	0	0	0	0	28	0	0	0	0	
6117684	1990	9	0	0	0	110	0	0	0	0	32	50	0	4	0	302	18	0	0	0	40	0	48	8	72	0	18	0	0	10	206	74	0	0
6117684	1990	10	84	76	28	134	0	0	36	190	156	44	0	82	0	18	6	44	2	66	2	0	4	0	0	24	0	0	18	26	0	0	0	0
6117684	1990	11	0	0	2	20	282	0	16	0	12	0	0	0	0	0	0	18	0	0	0	180	72	16	0	0	66	22	6	0	0	0	0	
6117684	1990	12	0	0	72	0	0	0	0	0	0	0	0	0	0	0	0	0	46	8	0	0	86	12	0	0	0	0	90	102	0	0	0	
6117684	1991	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1991	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	22	0	4	0	0	0	0	0	0	0	0	0	0	
6117684	1991	3	116	40	4	0	0	114	0	0	0	0	0	0	0	0	0	0	10	4	0	8	16	46	12	2	16	228	0	0	0	0	0	
6117684	1991	4	0	0	0	10	0	12	58	376	146	0	0	0	0	178	136	24	0	0	110	88	96	50	0	0	0	0	0	4	4	0	0	
6117684	1991	5	44	12	0	0	46	7	0	16	4	0	0	0	6	0	0	56	44	0	0	0	0	0	0	138	26	158	0	0	2	170	0	0
6117684	1991	6	0	0	18	0	2	0	0	0	0	6	28	0	0	0	48	4	0	0	0	0	0	0	0	0	0	0	0	0	280	0	0	
6117684	1991	7	2	0	4	338	118	68	72	0	0	0	0	18	0	0	0	0	68	0	0	30	4	42	0	0	18	0	0	0	170	120	2	0
6117684	1991	8	0	42	26	14	0	0	0	0	0	28	0	0	0	40	160	64	38	0	0	0	6	0	10	0	0	0	0	0	0	6	0	0
6117684	1991	9	0	0	76	0	0	0	0	0	18	24	0	0	0	116	52	0	0	0	24	16	0	100	10	10	0	8	24	14	6	52	0	0
6117684	1991	10	6	208	6	42	68	34	4	0	12	2	8	0	0	18	6	0	0	56	0	0	0	0	0	18	48	84	60	0	0	0	0	0
6117684	1991	11	30	0	0	0	0	0	0	0	0	0	0	20	0	67	106	0	0	0	82	22	0	0	22	0	0	0	0	118	2	0	0	
6117684	1991	12	0	0	0	2	0	8	0	0	0	0	0	24	0	0	0	0	0	0	0	10	0	0	0	0	0	0	12	18	0	0	0	
6117684	1992	1	0	0	12	54	0	0	2	0	4	0	0	18	2	0	0	0	0	0	0	0	0	42	0	0	0	0	0	0	14	0	0	
6117684	1992	2	0	0	0	2	0	0	0	0	0	0	0	0	0	52	0	0	0	38	54	0	0	0	0	0	0	6	0	2	0	0	0	
6117684	1992	3	0	0	0	0	64	34	4	8	16	108	0	0	0	0	0	0	6	0	0	0	0	0	0	0	6	18	10	0	0	0	0	
6117684	1992	4	0	0	0	0	0	6	34	0	0	0	2	0	0	0	0	0	214	0	0	0	10	68	26	58	12	0	0	0	18	2	0	
6117684	1992	5	50	108	0	0	40	0	0	76	11	0	0	0	20	0	0	0	54	0	0	0	0	0	26	0	0	0	2	0	0	66	108	0
6117684	1992	6	0	0	0	10	38	6	12	0	0	0	0	0	0	0	0	48	140	6	18	4	0	0	2	0	2	0	0	0	2	0	0	
6117684	1992	7	0	70	26	26	0	0	0	54	4	38	0	114	34	32	0	26	116	10	2	0	0	2	6	0	6	0	0	4	4	0	296	0
6117684	1992	8	0	244	0	0	0	0	0	156	10	30	0	6	0	0	12	0	110	8	0	0	0	0	22	0	0	4	170	186	40	4	0	
6117684	1992	9	0	72	0	0	4	4	0	86	42	60	0	0	0	0	54	150	136	0	8	164	18	0	0	0	18	16	42	14	50	0	0	
6117684	1992	10	0	0	0	0	0	0	0	22	0	0	10	50	0	46	162	78	30	64	0	80	0	0	8	0	0	24	6	0	0	0	0	
6117684	1992	11	20	286	4	36	32	0	0	0	0	104	0	348	0	0	0	2	0	0	0	0	140	42	38	2	0	4	0	0	2	0	0	
6117684	1992	12	0	6	0	0	0	0	0	0	0	0	0	0	0	2	0	4	0	4	0	0	0	0	0	0	0	0	0	104	30	0	0	
6117684	1993	1	0	0	36	192	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38	22	20	24	0	0	0	0	0	0	0	6	
6117684	1993	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1993	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
6117684	1993	4	0	12	0	0	0	0	0	6	108	22	0	0	0	4	76	0	2	2	254	76	0	0	0	64	44	0	0	0	26	0	0	0
6117684	1993	5	0	0	0	34	112	0	0	0	0	0	0	0	0	40	0	0	6	48	6	0	0	0	124	162	2	2	28	0	0	154	46	
6117684	1993	6	12	0	0	20	46	20	0	178	18	0	0	0	0	42	0	0	0	20	78	152	96	0	0	0	308	0	0	0	0	0	0	0
6117684	1993	7	0	6	0	0	0	132	102	90	0	106	0	0	0	2	0	0	0	188	6	0	0	0	0	0	0	4	0	22	54	46	0	
6117684	1993	8	2	0	42	0	0	190	86	0	0	32	0	0	0	6	100	0	0	0	74	0	0	0	4	10	0	0	134	0	0	36	38	
6117684	1993	9	0	74	204	0	0	4	8	0	14	164	46	38	0	196	6	0	0	0	0	0	34	4	0	114	28	242	32	2	0	0	0	
6117684	1993	10	100	0	36	76	0	12	30	2	40	0	0	8	0	6	116	168	2	0	108	2	18	0	0	0	0	0	0	0	0	0	0	0
6117684	1993	11	0	0	4	112	94	0	0	0	6	2	12	66	62	6	0	26	0	14	0	0	0	0	0	0	0	26	228	0	0	0	0	
6117684	1993	12	0	22	0	18	0	0	0	0	2	12	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1994	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	104	90	0	0	0	
6117684	1994	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1994	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1994	4	0	18	0	20	30	0	0	0	0	0	0	112	18	0	10	14	0	0	2	0	0	0	10	216	34	4	16	0	76	0	0	
6117684	1994	5	18	0	0	0	60	2	0	0	70	0	178	0	0	10	164	20	0	2	0	0	0	0	0	0	64	370	0	37	0	0	97	
6117684	1994	6	2	0	0	0	0	36	0	0	0	26	6	58	0	0	0	0	0	0	0	0	2	40	164	10	20	0	24	120	28	0	0	
6117684	1994	7	0	0	0	0	76	0	0	12	12	4	0	0	0	0	0	0	128	0	18	48	42	0	44	54	0	2	58	20	18	0	0	
6117684	1994	8																																

Shanty Bay

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
6117684	1995	11	136	60	0	0	0	94	12	0	0	90	208	0	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	1995	12	0	14	24	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	1996	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	36	176	0	0	0	0	0	0	0	0	64	20	0	0	0	0		
6117684	1996	2	0	0	0	0	0	0	0	0	60	0	18	0	0	0	0	0	0	0	0	0	4	0	108	0	0	0	94	0	0	0	0		
6117684	1996	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	34	34	0	0	0	0	0	0		
6117684	1996	4	0	0	0	0	0	0	0	0	0	0	0	0	0	48	10	296	0	64	4	0	68	58	0	128	110	0	32	36	0	0	44	98	
6117684	1996	5	70	0	0	0	0	0	0	2	64	162	48	0	0	0	0	0	100	0	80	196	0	0	76	0	0	0	0	0	0	0	0	0	
6117684	1996	6	0	4	0	142	8	12	166	4	4	272	0	164	0	0	0	2	0	0	8	2	86	4	0	74	0	0	0	0	0	492	0	0	
6117684	1996	7	0	8	10	0	7	0	16	94	0	0	0	118	144	46	26	0	0	244	36	0	88	0	0	156	6	0	0	0	80	4	4	4	
6117684	1996	8	0	0	0	96	0	300	70	26	0	0	0	0	0	0	26	18	0	0	0	8	0	78	0	0	0	246	0	0	0	0	0	0	
6117684	1996	9	0	0	0	0	0	0	368	12	62	0	24	12	168	10	282	8	0	0	0	0	0	20	2	138	0	76	242	58	42	4	4		
6117684	1996	10	0	30	0	0	0	0	88	10	78	0	0	0	0	0	2	0	438	2	26	74	0	26	10	0	0	0	0	8	120	20	0	0	
6117684	1996	11	0	0	0	32	0	0	224	6	18	2	0	0	0	0	0	18	0	0	0	0	0	0	0	0	0	0	0	0	0	26	0	0	
6117684	1996	12	52	0	0	0	14	0	0	0	0	0	84	0	0	14	84	64	0	0	0	0	0	108	0	0	0	0	0	4	0	0	0	0	
6117684	1997	1	0	10	0	86	32	0	0	0	0	0	0	0	0	0	0	0	0	0	44	12	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1997	2	0	0	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	120	296	0	0	0	0	54	82	0	0	0	0	0	0	
6117684	1997	3	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	82	0	0	0	12	60	0	0	0	
6117684	1997	4	0	0	0	0	98	8	0	0	0	0	0	0	0	4	24	0	0	0	0	0	0	0	14	0	0	104	14	0	0	38	0	0	
6117684	1997	5	44	60	216	0	90	0	0	0	16	4	54	14	0	110	28	6	0	34	10	0	0	0	0	6	0	0	0	0	42	0	0	0	
6117684	1997	6	0	0	0	0	0	60	0	2	0	0	0	108	0	0	54	0	4	24	144	148	0	286	144	0	0	0	0	0	0	0	0	0	
6117684	1997	7	0	0	38	2	0	4	102	0	0	0	0	0	6	12	46	0	4	0	18	0	0	0	0	0	6	12	0	0	0	0	0	0	
6117684	1997	8	20	0	0	0	0	0	0	0	32	0	370	0	0	190	2	2	0	0	172	40	2	14	0	0	0	72	0	0	8	10	0	0	
6117684	1997	9	0	2	0	0	14	40	0	2	60	0	0	0	0	0	60	0	0	0	124	10	0	0	10	0	38	0	0	46	36	4	4	4	
6117684	1997	10	0	12	0	98	20	0	0	12	0	0	0	22	0	0	0	0	0	0	16	38	36	0	2	0	0	0	44	0	0	0	122	0	
6117684	1997	11	156	0	4	0	4	0	0	0	4	0	0	0	0	0	0	0	0	0	0	52	0	0	0	0	70	2	0	0	16	0	0	0	
6117684	1997	12	0	0	74	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	66	2	0	0	0	0	0	0	0	0	
6117684	1998	1	0	0	0	148	302	2	188	82	48	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
6117684	1998	2	0	0	0	0	0	0	0	0	0	24	0	0	0	0	0	40	56	2	0	0	0	0	0	0	0	0	10	62	0	0	0	0	
6117684	1998	3	32	16	14	0	0	0	86	174	0	0	0	0	0	0	0	0	128	62	0	0	0	0	0	0	0	0	66	0	70	18	0	0	
6117684	1998	4	62	128	0	0	0	0	26	0	0	0	0	0	20	0	234	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1998	5	0	8	12	0	0	0	0	0	0	168	82	0	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	24	4	44	0	
6117684	1998	6	0	24	0	0	0	0	0	0	0	186	0	0	0	280	104	0	0	0	0	0	0	0	0	80	618	14	0	0	4	38	0	0	
6117684	1998	7	0	34	2	0	34	0	0	4	0	0	0	0	104	190	0	0	4	0	0	0	2	0	0	0	50	20	0	0	8	0	0	0	
6117684	1998	8	0	0	0	0	70	188	24	0	172	4	0	0	0	0	104	0	0	4	0	10	470	0	252	0	0	60	4	0	0	4	0	0	0
6117684	1998	9	4	16	8	0	74	46	8	0	0	0	0	0	70	324	0	0	0	0	0	30	0	0	2	0	192	0	0	12	158	0	0	0	
6117684	1998	10	32	28	0	0	0	56	0	0	0	0	0	6	84	0	28	2	2	58	0	0	0	0	0	2	10	32	12	0	0	0	0	0	
6117684	1998	11	0	0	0	0	14	2	0	102	6	0	30	16	0	0	0	0	0	0	0	0	0	0	26	8	82	62	2	0	2	34	0	0	
6117684	1998	12	0	0	10	14	278	0	0	10	0	0	0	0	0	8	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6117684	1999	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	12	0	0	0	180	48	0	0	0	0	0	0	0	0	0	0	0	0
6117684	1999	2	4	24	0	10	0	0	0	0	0	8	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	72	34	0	0	0	0	0	
6117684	1999	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1999	4	0	36	0	22	82	0	0	0	0	0	0	0	0	120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	1999	5	0	0	0	0	0	4	24	0	0	0	0	0	0	0	0	0	236	0	0	0	0	10	126	106	0	0	0	0	0	0	0	48	0
6117684	1999	6	56	26	0	0	0	0	0	0	0	0	0	204	2	0	0	0	0	0	2	0	0	0	574	0	0	274	50	0	0	0	0	0	
6117684	1999	7	128	0	546	0	0	0	86	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	18	0	0	0	12	0	0	0	124	0	
6117684	1999	8	0	78	32	4	50	90	2	0	26	0	10	64	0	0	28	0	0	0	256	0	0	0	0	12	0	0	0	0	0	0	0	0	0
6117684	1999	9	0	0	0	90	158	2	0	4	2	0	0	76	0	0	0	0	0	0	12	0	0	48	14	0	0	0	0	530	12	0	0	0	
6117684	1999	10	0	102	82	36	0	2	14	0	0	0	22	216	0	0	76	0	0	0	0	8	86	0	14	0	2	0	0	0	18	0	0	0	
6117684	1999	11	4	504	0	0	0	0	0	0	140	0	10	0	8	0	0	0	0	14	0	0	0	30	10	42	64	6	0	0	0	0	0	0	
6117684	1999	12	0	14	50	2	126	6	0	0	30	0	0	6	20	0	0	0	0	0	0	10	0	0	0	0	0	0	0	0	0	0	0	0	0
6117684	2000	1	4	100	38	0	0	0	0	0	76	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6117684	2000	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	22	136	2	0	0	0						

Shanty Bay

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
6117684	2001	6	30	68	80	0	0	0	0	0	0	120	2	0	0	0	4	8	0	0	0	0	320	34	0	0	0	0	0	0	0	158	0	
6117684	2001	7	16	0	0	50	0	0	4	0	0	0	0	0	0	0	74	2	0	0	0	80	60	0	0	0	0	0	0	0	2	0	0	
6117684	2001	8	0	2	0	0	0	0	0	0	0	0	0	0	0	14	12	0	186	294	0	0	0	0	0	0	100	208	0	0	0	14	0	
6117684	2001	9	0	0	144	0	0	0	124	0	50	48	0	88	0	0	0	14	0	114	24	66	8	18	4	102	56	4	0	0	0	0	0	
6117684	2001	10	0	0	0	74	272	24	0	0	0	0	32	50	0	96	4	236	30	0	0	4	10	26	92	172	8	68	0	0	0	66		
6117684	2001	11	42	60	4	2	0	0	14	60	0	0	0	0	16	0	0	0	0	0	50	0	0	0	0	120	4	0	54	46	132	26	0	
6117684	2001	12	10	0	0	10	16	0	0	0	0	0	0	76	0	0	0	16	50	80	112	0	0	6	16	0	0	0	0	0	0	0	0	
6117684	2002	1	0	0	0	0	0	0	0	6	4	10	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	36	
6117684	2002	2	28	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	0	122	58	14	0	0	0	84	82	0	0	0	108	18	0
6117684	2002	3	0	40	2	0	0	0	0	10	62	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	2002	4	2	8	0	0	0	0	120	160	6	0	0	70	0	8	0	168	16	0	0	0	0	0	0	26	0	0	46	180	8	0	0	
6117684	2002	5	94	40	0	0	0	20	0	0	110	0	52	56	142	86	16	94	0	0	0	0	0	0	0	0	10	0	0	0	298	328	50	
6117684	2002	6	12	0	0	2	0	0	0	8	0	0	172	0	0	328	214	16	0	0	0	0	0	0	4	0	18	2	0	0	0	0		
6117684	2002	7	0	0	0	0	0	0	44	0	0	0	0	0	0	0	0	0	0	0	0	18	434	0	0	0	38	0	32	100	0	16		
6117684	2002	8	10	0	0	20	0	0	0	0	0	0	0	2	324	0	378	6	0	64	0	38	200	0	0	0	0	0	0	0	0	0	0	
6117684	2002	9	0	0	0	0	0	0	0	0	70	0	0	0	142	0	0	0	0	34	108	0	16	0	0	0	86	0	2	78	0	0		
6117684	2002	10	2	18	2	66	2	10	42	4	0	0	38	20	0	0	0	108	92	8	30	42	0	0	114	4	16	0	0	0	0	22		
6117684	2002	11	0	0	7	4	0	48	0	0	4	170	8	0	0	44	0	0	0	4	0	0	0	2	0	0	0	0	0	34	0	0		
6117684	2002	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	70	0	0	0	0	0	0	0	0	0	0	10	0		
6117684	2003	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	2003	2	0	0	162	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	2003	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	84	22	4	0	12	22	0	20	102	8	0	0		
6117684	2003	4	0	12	0	0	0	0	0	0	0	0	0	0	0	0	64	0	62	0	14	40	36	0	0	0	0	0	0	0	60	0	0	
6117684	2003	5	12	0	0	0	94	0	0	0	42	114	50	0	0	8	72	0	0	0	64	0	0	148	108	0	0	0	0	0	16	2		
6117684	2003	6	0	0	0	102	2	4	12	200	4	22	0	18	28	0	0	0	12	0	0	0	0	0	0	0	0	40	0	10	0	0		
6117684	2003	7	0	0	18	80	0	0	10	0	0	54	42	0	0	216	0	0	0	0	20	0	136	0	0	0	28	16	0	0	0	0		
6117684	2003	8	0	68	4	192	8	0	0	4	14	0	152	0	0	132	0	0	0	0	0	12	0	0	0	90	0	0	0	12	0	0	0	
6117684	2003	9	0	0	26	6	0	0	0	0	0	0	0	0	0	72	0	0	10	164	0	150	4	78	0	72	40	0	0	30	0	0		
6117684	2003	10	4	0	64	50	74	0	0	0	0	0	0	0	334	62	32	26	108	0	10	24	0	0	50	84	58	40	16	0	0	0		
6117684	2003	11	74	120	92	72	0	0	0	0	46	6	50	0	4	2	38	0	86	64	0	0	0	10	0	0	0	96	80	0	0	0		
6117684	2003	12	0	0	0	0	0	0	0	0	50	0	0	0	0	0	4	0	0	0	0	2	122	0	0	0	0	4	212	0	0	0		
6117684	2004	1	0	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	2004	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	2004	3	36	0	4	110	136	0	0	0	0	0	0	0	4	0	0	0	0	58	0	0	0	0	28	16	74	0	0	112	172	18		
6117684	2004	4	18	2	24	0	10	0	8	0	0	0	0	4	0	0	40	94	16	2	14	0	0	0	40	64	0	22	0	0	0	0		
6117684	2004	5	234	112	0	24	0	66	0	0	28	0	56	0	84	0	0	14	0	12	0	194	0	0	26	10	0	0	0	0	0	172		
6117684	2004	6	2	0	0	0	0	0	2	6	0	0	0	0	114	32	0	0	0	0	0	158	0	86	24	0	0	8	4	4	0	0		
6117684	2004	7	18	0	0	118	0	174	544	2	8	0	0	0	70	12	14	0	0	106	0	88	8	0	0	0	4	0	0	0	80	2		
6117684	2004	8	0	142	0	22	0	0	0	0	0	62	0	0	2	2	0	0	6	12	0	0	0	0	0	0	66	22	144	0	0	0		
6117684	2004	9	0	0	0	0	82	84	104	40	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	2004	10	0	76	0	48	0	0	50	20	0	0	0	0	6	60	14	124	2	0	16	0	10	6	0	8	12	0	70	84	10	0		
6117684	2004	11	96	18	0	184	6	0	2	0	0	4	0	0	0	0	0	38	2	14	22	2	0	2	0	14	68	2	0	96	0	0		
6117684	2004	12	0	0	0	14	0	150	30	0	12	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	2	0	22	0	0		
6117684	2005	1	24	96	0	0	0	0	0	0	0	0	2	56	118	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	2005	2	0	0	0	0	6	80	2	0	0	0	0	0	20	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6117684	2005	3	0	0	0	0	8	78	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4		
6117684	2005	4	40	40	0	0	0	38	0	0	0	0	0	0	0	0	0	0	0	100	0	60	262	12	6	140	94	0	0	2	0	0		
6117684	2005	5	70	64	0	0	0	0	0	0	34	6	0	74	36	2	2	0	0	0	0	0	0	8	0	0	6	0	14	0	0	0		
6117684	2005	6	0	0	0	0	0	0	4	646	0	202	0	186	218	68	70	0	2	0	0	28	0	0	0	0	0	0	0	0	0	0		
6117684	2005	7	0	0	0	86	0	0	26	0	0	0	60	24	0	34	126	0	0	0	0	0	16	0	88	0	0	0	0	0	44	0		
6117684	2005	8	0	0	182	0	0	0	0	0	22	0	34	0	6	0	0	10	30	4	20	0	0	0	0	104	0	182	58	0	0	0		
6117684	2005	9	0	0	0	0	0	30	0	0	0	0	0	4	0	30	0	0	0	0	0	20	0	60	302	40	0	250	70	0	0	0		
6117684	2005	10	0	0	0	0	0	0	0	0	8	0	6	4	6	156	0	12	0	2	30	0	94	70	14	2	0	4	0	0	20	0		
6117684	2005	11	34	0	0	0	34	56	36	4	42	0	0	0	28	720	0	0	0	0	12	0	0	0	0	22	112	110						

Shanty Bay

Verified Daily Rainfall arranged per Hydrological Year

Rainfall Data in 0.1mm

Station	Y	M	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
6117684	2007	2	10	0	0	0	0	0	0	0	0	0	0	0	0	45	405	130	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
6117684	2007	3	5	0	0	0	0	0	0	0	1	1	0	2	1	2	0	0	0	0	2	0	52	24	1	10	2	16	0	0	0	1	4	
6117684	2007	4	34	2	352	28	0	0	0	0	0	0	4	33	1	0	2	22	1	0	0	0	0	0	58	0	0	34	74	0	16	0	0	
6117684	2007	5	25	0	0	0	0	0	0	0	83	2	0	0	0	100	138	38	0	0	10	1	0	1	0	0	0	64	44	0	0	0	0	
6117684	2007	6	1	6	56	24	40	1	0	5.25	0	0	0	0	0	0	0	1	0	2	8	10	0	0	0	0	0	0	0	0	0	0	0	
6117684	2007	7	0	0	2	30	0	0	0	306	0	98	0	1	0	18	4	1	3	88	276	34	0	0.25	0	0	0	0	0	2	0	0	0	0
6117684	2007	8	0	0	0	0	0	0	1	1	0	0	0	28	0	0	0	1	0	3	1	0	2	52	52	244	76	0	0	0	28	0	0	
6117684	2007	9	0	0	0	63	26	0	5	0	1	306	42	16	0	60	6	0	0	0	0	0	0	0	0	0	37	1	1	22	0	0	0	
6117684	2007	10	0	1	1	0	2	440	194	54.5	20.75	14	28	1	142	1	6	18	0	3	2	28	0	34	74	2	0	32	134	26	0	0	26	
6117684	2007	11	42	0	0	0	54	29	0	0	10	0	2	78	0	4	28	0	0	0	89	61	32	0	0	0	0	2	0	2	42	0	0	
6117684	2007	12	0	247	0	0	0	0	0	0	0	1	17	0	1	0	0	0	0	0	6	0	0	17	84	1	0	0	0	26	0	0	0	
6117684	2008	1	0	0	0	0	0	4	84	308	0	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	22	26	0	0	
6117684	2008	2	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	88	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
6117684	2008	3	0	24	30	0	0	0	0	0	0	0	10.5	0	0	0	0	0	0	144	6	0	0	0	0	0	1	0	0	0	0	30	181	
6117684	2008	4	22	0	4	2	0	0	0	1	18	40	83	36	0	0	0	0	0	0	0	0	1	16	0	1	30	138	23	0	0	0	0	
6117684	2008	5	127	96	208	0	1	0	56	0	0	0	8	0	0	28	0	4	18	110	4	6	56	2	0	0	4	33	0	0	0	248	11	
6117684	2008	6	1	0	10	0	152	2	0	19	14	74	1	4	42	2	82	20	1	0	1	1	32	26	1	0	0	1	214	4	26	0	0	
6117684	2008	7	0	54	0	0	0	0	0	87	0	60	0	64	0	14	58	1	18	17	72	168	52	106	6	0	1	76	62	0	0	99	0	
6117684	2008	8	0	64	0	0	170	0	8	20	86	106	0	12	74	10	1	0	0	72	0	0	0	0	0	0	0	0	0	11	147	0	0	
6117684	2008	9	0	0	1	0	18	0	68	104	2	0	44	1	157	410	1	0	0	0	0	0	0	0	0	0	0	0	96	0	34	114	0	
6117684	2008	10	11	54	46	5	3	0	0	44	0	0	0	0	0	18	25	0	0	0	0	90	1	0	0	20	22	70	5	0	0	0	0	
6117684	2008	11	0	46	38	0	0	0	56	10	2	18	0	80	69	94	192	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
6117684	2008	12	0	7	12	15	0	0	0	0	36	0	0	0	0	21	1	0	0	0	0	0	0	0	0	48	0	2	132	16	0	0	0	
6117684	2009	1	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	
6117684	2009	2	0	0	0	0	0	0	0	0	2	12	270	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38	38	0	0	0	
6117684	2009	3	0	0	0	0	0	0	100	20	0	108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	1	1	50	102	0	1	
6117684	2009	4	24	58	360	0	1	0	0	0	0	0	0	0	0	0	0	0	16	2	50	6	38	1	19	156	26	40	52	0	202	0	0	
6117684	2009	5	0	2	0	0	0	52	44	48	172	0	0	0	24	30	82	2	0	0	0	0	0	0	17	0	0	10	138	108	15	43	0	
6117684	2009	6	15	0	0	0	0	10	8	188	0	0	0	0	0	2	0	0	26	1	208	116	0	0	0	0	1	0	1	90	150	134	0	0
6117684	2009	7	48	151	4	4	0	24	12	1	0	0	12	0	0	0	2	0	82	1	0	0	1	26	340	120	126	184	52	50	8	0	0	
6117684	2009	8	0	0	1	1	0	0	0	19	70	44	1	0	0	0	0	0	20	2	1	270	1	10	1	0	26	0	0	89	17	14	0	0
6117684	2009	9	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	35	6	40	0	0	1	21	312	3	0	0	
6117684	2009	10	1	60	22	58	49	70	24	26	144	1	2	14	34	0	0	0	0	0	0	0	100	39	72	4	1	2	10	0	0	124	3	
6117684	2009	11	18	24	32	13	32	0	0	0	0	0	0	0	0	0	0	0	7	0	99	3	0	0	2	5	62	2	18	14	56	0	0	
6117684	2009	12	1	122	2	0	0	0	0	0	14	0	0	0	1	44	0	0	0	0	0	0	0	0	0	0	84	28	0	0	0	0	0	
6117684	2010	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	86	18	0	0	0	0	0	0	
6117684	2010	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	2010	3	0	0	0	0	0	0	0	0	0	10	0	10	106	7	0	0	0	0	0	0	0	0	0	45	25	0	0	0	102	0	0	0
6117684	2010	4	0	0	2	1	38	4	49	66	0	6	0	0	0	0	2	78	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6117684	2010	5	74	241	26	21	112	0	210	52	0	0	1	0	254	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Station	Year	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
6119055	1990	6	0	260	50	0	42	0	0	20	2	43	0	52	0	138	0	0	12	0	0	8	160	50	43	3	0	12	0	80	80	23	0
6119055	1990	7	42	0	0	0	0	0	0	98	0	0	0	0	0	123	30	6	0	0	162	38	0	112	0	0	0	0	0	0	0	74	0
6119055	1990	8	0	0	0	0	54	20	0	0	0	0	0	139	30	0	0	0	102	0	0	0	0	0	0	0	0	0	24	0	0	0	
6119055	1990	9	8	0	0	0	380	6	2	0	0	74	0	0	0	287	12	0	0	0	40	0	28	20	28	0	0	0	0	22	0	305	0
6119055	1990	10	32	0	61	138	10	0	8	275	104	67	4	166	4	4	0	72	12	42	8	0	0	0	0	22	0	0	58	10	0	0	
6119055	1990	11	0	0	0	0	80	78	120	22	0	0	0	0	0	0	0	20	0	0	0	110	72	20	8	0	64	30	5	0	0	0	
6119055	1990	12	0	0	0	40	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0	74	24	0	0	0	0	0	155	220	0	0	
6119055	1991	1	0	0	0	0	0	0	0	0	0	0	0	0	0	10	40	76	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6119055	1991	2	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0	0	19	46	0	0	0	0	0	0	0	0	0	0	0	0	
6119055	1991	3	60	60	10	10	0	78	0	0	0	0	0	0	0	0	0	0	0	0	58	27	67	8	0	44	246	0	0	0	0	0	
6119055	1991	4	0	0	0	33	0	3	60	243	223	6	0	4	0	48	78	52	0	0	120	58	232	96	6	0	0	0	0	6	2	0	0
6119055	1991	5	70	6	0	0	40	24	4	22	2	0	0	0	0	0	0	28	86	0	0	0	0	0	68	8	64	0	0	0	52	6	
6119055	1991	6	0	4	2	0	0	0	0	0	0	6	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	290	0	
6119055	1991	7	40	0	0	70	126	101	64	0	0	0	0	0	0	0	0	86	0	0	2	0	34	8	0	0	0	0	0	0	118	0	0
6119055	1991	8	0	100	14	182	0	0	0	0	0	82	8	0	0	0	119	68	78	0	0	102	0	26	0	0	0	0	0	0	0	0	0
6119055	1991	9	0	0	24	0	0	0	0	0	0	48	16	0	0	0	142	52	38	0	0	0	160	0	0	0	0	10	6	2	56	0	
6119055	1991	10	12	283	0	56	24	10	0	0	25	0	20	52	0	34	4	0	0	40	0	0	0	0	22	42	28	25	0	0	0	0	0
6119055	1991	11	0	0	0	0	0	0	0	0	0	0	0	26	0	72	30	0	0	8	78	28	0	0	60	0	0	0	18	0	120	8	
6119055	1991	12	0	0	0	0	0	20	0	2	0	0	0	20	0	0	0	0	0	0	8	0	0	0	0	0	0	0	30	36	0	0	
6119055	1992	1	0	0	0	10	0	0	0	0	10	0	0	12	2	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0
6119055	1992	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	10	62	0	0	0	0	0	0	0	0	0	0	0	
6119055	1992	3	0	0	0	0	64	18	0	0	60	40	0	0	0	0	0	0	0	0	0	0	0	0	0	18	32	20	0	0	0	0	
6119055	1992	4	0	0	0	0	0	0	28	0	0	58	20	0	0	0	0	274	0	0	0	0	52	14	86	14	0	0	0	0	34	0	0
6119055	1992	5	48	84	0	0	12	0	0	94	62	0	0	0	18	0	0	0	102	0	0	0	0	42	0	0	0	0	0	0	0	22	18
6119055	1992	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40	58	20	58	46	0	0	34	0	68	0	0	0	0	0	0
6119055	1992	7	0	68	52	6	0	0	0	20	0	72	0	116	76	28	0	18	0	102	0	0	0	18	0	22	0	0	0	18	0	150	0
6119055	1992	8	0	354	58	0	0	0	138	8	104	0	8	10	0	0	20	0	30	0	0	0	0	0	0	0	0	0	466	122	10	0	0
6119055	1992	9	0	134	4	0	0	0	11	42	30	0	0	0	8	40	222	214	0	0	142	8	0	0	0	0	18	0	20	2	4	0	0
6119055	1992	10	0	0	0	0	0	0	0	50	0	40	6	46	0	50	130	110	8	20	0	30	0	0	0	0	24	0	0	0	0	0	0
6119055	1992	11	42	80	0	48	30	0	0	0	114	0	180	5	0	0	0	0	0	0	0	10	150	56	30	0	0	8	0	0	0	0	0
6119055	1992	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	122	0	
6119055	1993	1	0	0	86	230	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	42	3	14	0	0	0	0	0	0	0	22	0
6119055	1993	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6119055	1993	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40	0
6119055	1993	4	15	0	0	0	0	0	0	12	70	40	0	0	0	4	22	0	16	0	162	38	0	0	0	40	102	0	0	40	0	178	42
6119055	1993	5	0	0	0	48	118	0	0	0	0	0	0	0	0	58	0	0	0	40	8	0	0	62	78	2	6	10	0	0	0	0	0
6119055	1993	6	4	0	0	0	98	20	0	180	58	0	0	0	48	0	0	0	10	122	196	70	0	0	0	90	0	78	0	0	0	0	0
6119055	1993	7	0	0	0	0	174	4	0	124	0	10	0	0	6	0	0	0	112	4	0	0	0	0	0	2	0	0	186	42	0	0	0
6119055	1993	8	24	2	102	0	92	0	0	0	220	2	0	0	0	112	0	8	0	44	0	0	0	0	0	0	120	0	0	72	20	0	0
6119055	1993	9	0	148	128	0	18	2	0	10	0	0	20	0	94	3	4	0	0	0	0	40	4	0	0	114	140	32	2	0	0	0	0
6119055	1993	10	102	4	6	70	6	0	10	90	0	0	20	0	0	110	116	0	0	52	0	4	0	0	0	0	0	0	0	0	8	0	0
6119055	1993	11	0	0	22	124	40	0	0	0	8	0	16	10	70	0	0	12	0	14	0	0	0	0	0	0	294	0	0	0	0	0	0
6119055	1993	12	0	20	0	42	0	10	0	0	42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6119055	1994	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40	130	0	0	0	
6119055	1994	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6119055	1994	3	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0	68	0	0	10	0	0	20	0	0	0	0	0	0
6119055	1994	4	0	48	0	0	8	0	0	0	0	0	0	90	52	0	32	32	0	4	0	0	0	0	0	264	44	0	22	0	86	0	0
6119055	1994	5	18	0	0	0	40	0	10	0	178	0	198	0	0	106	58	34	0	0	0	0	0	0	0	118	192	0	22	18	0	100	0
6119055	1994	6	0	0	0	0	0	40	0	0	0	16	8	0	0	0	4	0	0	0	0	0	0	160	50	10	0	0	10	10	0	0	0
6119055	1994	7	60	0	0	0	80	0	10	0	90	0	4	0	0	138	0	0	0	0	0	290	64	4	0	102	22	0	0	66	20	6	0
6119055	1994	8	18	0	0	201	0	0	0	12	0	0	0	18	4	0	0	0	0	0	18	0	0	0	0	0	8	16	0	0	38	100	0
6119055	1994	9	6	0	0	0	0	8	20	0	0	0	0	0	0	18	8	0	0	0	0	0	0	0	110	40	22	0	208	32	0	0	0
6119055	1994	10	0	0	0	0	0	0	0	50	12	0	0	0	0	0	0	10	133	72	12	0	0	20	18	2	20	0	16	0	42	0	0
6																																	

25

[illegible]

Station	Year	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	 	 
---------	------	---	---	---	---	---	---	---	---	---	----	 	-----	 	------	 	---

Appendix C

Verified Daily Rainfall Arranged Per Month

Barrie WPCC

Average Daily Rainfall per month

Year/Month	Total Rainfall (mm)											
	1	2	3	4	5	6	7	8	9	10	11	12
1972												
1973												
1974												
1975												
1976												
1977												
1978						66.70	29.60	113.50	87.40	73.30	32.30	11.40
1979	4.00	2.30	38.20	60.40	75.20	72.10	25.40	81.50	41.40	145.00	90.10	49.30
1980	6.00	0.00	38.30	86.20	29.70	92.40	166.30	39.40	77.10	87.60	32.60	34.60
1981	0.00	20.10	19.20	49.90	94.50	71.60	57.70	126.30	76.70	73.90	68.10	5.00
1982	11.80	0.00	30.00	42.30	46.80	119.80	68.70	98.30	68.10	41.60	97.90	82.80
1983	17.60	4.00	31.40	75.80	97.00	26.00	61.20	59.60	76.90	80.80	70.10	8.80
1984	0.00	12.20	28.20	51.90	95.30	44.80	40.80	83.60	117.70	43.10	61.40	39.60
1985	3.00	43.20	35.40	42.50	86.90	44.30	92.80	159.10	62.90	74.80	81.20	5.80
1986	11.70	0.50	30.50	59.90	92.80	97.00	76.10	124.90	303.00	76.80	21.00	13.00
1987	0.00	6.00	45.40	40.40	59.20	126.60	145.00	80.20	67.00	86.60	64.00	15.40
1988	29.00	3.00	16.80	60.00	73.00	27.40	87.30	91.80	126.60	104.80	67.80	16.00
1989	24.00	0.00	16.00	28.60	115.20	89.20	2.80	96.40	75.10	90.30	77.20	0.00
1990	16.00	19.00	54.20	49.80	87.80	81.20	66.40	35.00	105.20	108.40	81.20	33.20
1991	0.00	4.00	58.40	124.80	70.40	35.00	114.00	36.00	58.20	65.60	43.00	7.00
1992	9.60	8.00	25.00	50.10	55.30	32.60	86.30	106.50	95.70	44.90	115.60	13.80
1993	22.40	0.00	0.00	67.20	80.20	93.30	71.20	76.60	122.80	61.30	53.20	16.70
1994	18.40	0.00	15.80	55.80	105.00	59.00	48.60	74.00	88.80	57.80	57.00	20.00
1995	55.80	1.60	21.00	74.70	57.20	132.00	113.30	158.00	63.70	130.90	76.00	3.00
1996	24.20	29.20	3.40	111.20	76.80	102.20	117.60	68.20	187.40	88.40	27.00	44.50
1997	12.50	54.80	31.60	31.80	83.00	93.10	28.40	91.60	56.00	48.20	39.10	7.00
1998	52.80	31.40	70.00	50.40	38.50	89.10	28.00	162.20	91.70	32.80	55.70	38.00
1999	10.00	13.00	1.00	23.80	60.40	146.90	105.70	68.80	97.90	75.80	73.40	23.70
2000	20.80	18.00	47.80	48.00	133.00	219.50	53.80	97.20	94.90	27.50	66.90	10.60
2001	5.20	34.60	10.00	35.40	100.10	85.60	41.70	61.40	85.60	154.60	64.70	51.50
2002	5.40	35.90	29.20	82.20	127.80	73.00	64.20	83.40	53.20	66.40	29.00	8.50
2003	0.00	0.00	29.50	35.50	81.30	61.30	90.70	170.60	76.60	103.60	112.40	47.80
2004	8.00	0.00	72.50	37.90	147.40	43.30	151.80	39.80	39.40	56.20	60.50	20.00
2005	30.00	8.40	8.80	77.50	34.30	124.40	60.20	49.90	81.80	38.20	87.10	27.87
2006	45.00	15.00	35.20	63.40	55.20							
2007												
2008												
2009												
Average	15.83	13.01	30.10	57.76	80.69	83.91	74.84	90.49	92.10	76.40	64.48	23.39

Coldwater Warminster

Verified Daily Rainfall arranged per month

Year/Month	Total Rainfall (mm)											
	1	2	3	4	5	6	7	8	9	10	11	12
1972						71.60	50.10	56.00	73.00	90.50	54.50	65.10
1973	13.20	14.00	62.50	53.80	80.20	95.10	66.70	46.70	52.30	102.70	75.50	13.70
1974	25.70	14.30	31.90	105.80	89.70	77.70	122.30	94.00	68.60	61.00	70.80	10.20
1975	25.70	43.70	19.60	37.10	41.90	24.60	52.90	102.00	87.80	33.70	31.80	20.90
1976	2.30	21.90	44.40	19.20	66.10	103.40	73.40	85.90	124.00	44.00	18.00	0.50
1977	0.00	15.10	47.50	30.30	15.00	83.40	58.20	108.40	116.40	83.50	85.10	2.10
1978	25.40	0.00	22.20	37.90	67.20	82.40	60.80	85.80	114.60	82.80	40.40	28.80
1979	6.00	11.00	45.80	78.00	64.00	78.10	76.80	103.00	51.40	155.00	84.40	48.40
1980	12.40	0.00	42.60	88.80	70.40	131.40	130.90	91.20	113.80	119.40	51.70	40.50
1981	3.80	31.80	27.80	65.40	96.80	125.80	123.80	132.20	113.80	71.60	43.60	7.20
1982	8.60	0.00	19.00	54.00	47.80	106.00	76.10	116.80	76.40	53.80	97.80	98.90
1983	26.40	23.20	34.40	79.80	123.20	45.20	79.20	66.60	95.20	113.40	49.60	4.80
1984	0.00	36.40	41.40	57.20	107.40	68.20	71.40	77.40	107.20	75.60	65.00	51.80
1985	2.00	54.40	43.80	41.60	82.00	40.40	74.20	150.25	135.30	95.40	77.10	8.80
1986	19.20	3.60	34.60	50.40	86.80	83.00	157.20	103.20	207.60	76.00	22.60	17.80
1987	2.20	4.80	42.40	29.40	52.60	80.00	103.20	60.80	67.20	95.60	68.80	26.80
1988	29.00	6.20	22.60	57.80	40.00	35.60	68.20	136.80	95.60	106.80	81.00	7.60
1989	21.90	0.10	35.40	19.40	90.40	89.20	3.00	152.50	92.00	97.20	99.60	5.20
1990	25.80	28.40	39.00	59.20	85.00	95.20	57.80	34.00	102.40	98.40	80.00	38.60
1991	1.40	6.60	75.80	127.00	77.00	15.60	80.60	63.60	104.40	108.60	31.00	10.80
1992	26.00	12.60	31.00	31.00	53.40	32.00	100.20	139.20	88.40	49.80	127.20	17.60
1993	49.60	0.00	3.80	66.40	76.80	113.40	74.60	105.80	124.20	75.00	59.80	9.40
1994	26.80	0.00	18.40	68.00	113.00	89.20	73.40	80.60	75.80	63.20	60.60	18.60
1995	54.80	0.80	28.40	81.60	58.00	61.40	101.20	91.80	60.60	146.20	66.20	6.60
1996	32.20	29.00	9.00	89.60	87.40	134.80	88.80	85.13	132.80	95.60	31.40	44.80
1997	31.00	59.90	26.60	31.40	75.20	94.80	41.80	89.20	53.60	47.80	18.83	5.40
1998	79.40	83.43	69.20	37.40	61.80	146.40	66.80	159.20	76.00	44.40	39.37	27.00
1999	27.20	10.60	0.80	33.40	83.80	137.20	179.20	48.60	99.20	78.80	63.20	24.80
2000	26.40	13.67	23.80	48.80	105.80	131.00	129.40	71.00	123.30	28.80	69.60	10.20
2001	10.20	47.13	11.27	20.60	118.20	83.20	23.00	63.60	90.00	139.80	65.60	39.40
2002	29.83	47.60	36.00	63.40	112.60	61.40	70.80	65.20	57.40	76.60	36.20	11.80
2003	0.40	3.13	32.80	39.60	89.00	82.20	61.60	90.40	88.20	123.80	98.00	44.40
2004	12.40	0.40	50.53	40.00	204.80	52.00	72.80	82.00	42.60	66.40	46.20	25.00
2005	37.80	23.00	9.87	81.40	44.20	67.40	33.80	38.40	86.00	44.60	96.80	27.00
2006	36.37	26.03	10.40	68.00	66.60	49.40	78.60	15.53	79.43	151.20	48.80	27.00
2007	22.40	40.05	270.40	68.80	68.60	40.05	174.35	27.20	90.40	121.50	37.90	29.65
2008	93.06	12.15	60.45	24.90	125.00	89.40	110.75	48.40	88.40	50.60	67.70	32.40
2009	2.00	37.00	43.20	122.40	60.20	90.60	43.70	75.60	69.95	113.80	45.40	24.40
2010	13.20	5.65	18.70	21.60	107.60							
Average	22.69	20.20	39.14	56.06	81.46	81.26	81.88	85.37	92.77	86.39	60.71	24.58

Shanty Bay

Verified Daily Rainfall arranged per month

Year/Month	Total Rainfall (mm)											
	1	2	3	4	5	6	7	8	9	10	11	12
1972												
1973						76.30	87.80	39.30	38.90	113.60	79.00	14.40
1974	23.60	14.40	31.60	94.90	98.90	96.70	55.30	161.20	47.70	66.30	75.70	7.60
1975	10.40	39.60	28.90	41.40	42.10	31.60	71.70	111.90	79.80	44.00	39.70	33.60
1976	1.30	17.30	45.20	44.50	71.40	92.00	123.50	67.10	173.30	52.30	14.30	5.30
1977	0.00	8.40	49.20	29.60	35.20	88.90	63.50	140.20	133.00	70.20	71.40	16.20
1978	23.40	0.00	36.60	38.20	60.00	62.60	32.80	87.00	93.40	61.80	30.80	23.20
1979	8.60	6.80	36.00	58.20	66.80	70.30	36.00	83.40	39.80	135.20	83.40	51.80
1980	7.20	2.00	37.60	86.60	36.80	103.20	171.60	51.20	99.20	86.00	43.40	39.60
1981	2.40	27.60	22.60	46.00	97.60	71.80	58.60	159.80	80.40	66.00	47.80	5.00
1982	8.80	0.20	25.20	42.80	50.20	123.20	78.00	103.40	62.80	44.60	109.20	85.00
1983	18.20	32.40	29.80	70.40	93.80	28.20	62.80	63.60	84.40	82.40	62.60	6.40
1984	0.00	32.00	35.80	60.20	89.40	49.80	52.20	91.00	106.80	51.80	63.40	35.60
1985	1.60	55.00	42.00	25.80	88.40	33.20	83.40	144.20	89.40	78.80	76.40	7.60
1986	15.20	11.40	34.80	54.80	92.60	105.00	70.00	128.00	263.20	66.80	15.60	25.40
1987	1.40	5.40	39.60	29.60	52.00	134.00	111.60	66.00	78.20	76.80	60.80	25.00
1988	24.60	4.20	15.80	49.80	54.40	48.80	68.60	99.80	113.00	85.80	75.00	13.60
1989	19.80	0.20	20.00	21.20	89.40	102.60	12.20	69.90	72.40	94.20	106.60	5.60
1990	15.60	28.60	56.60	43.40	87.20	106.00	62.80	20.80	99.20	104.00	71.20	41.60
1991	1.40	5.20	61.60	129.20	72.40	38.60	107.40	43.40	56.00	66.20	44.40	8.20
1992	14.80	15.40	27.40	45.00	58.20	28.80	87.00	100.20	93.80	58.00	106.00	15.00
1993	33.80	0.20	0.60	69.80	76.40	99.00	75.80	75.40	121.00	72.40	65.80	5.60
1994	19.40	0.00	13.00	58.00	103.20	53.60	53.60	70.20	89.40	58.40	48.40	16.20
1995	53.00	1.00	25.20	72.20	58.00	128.60	115.80	133.80	71.60	127.20	61.20	4.20
1996	36.00	28.40	6.80	99.60	79.80	144.40	108.20	86.80	152.80	88.20	32.60	42.40
1997	18.40	61.00	16.80	24.40	74.00	97.40	25.00	87.40	44.60	42.20	30.80	14.40
1998	77.20	19.40	66.60	47.00	35.00	134.80	45.20	136.60	94.40	35.20	38.60	32.80
1999	26.60	15.40	1.20	26.00	55.40	118.80	92.40	65.20	94.80	62.80	83.20	26.40
2000	22.40	16.00	29.60	46.40	117.40	179.00	54.40	99.40	108.40	24.80	68.40	9.60
2001	10.40	40.20	9.20	31.20	100.40	82.40	29.20	87.40	86.20	126.40	63.00	39.20
2002	5.80	37.80	24.80	81.40	139.60	77.60	68.20	104.20	53.60	64.00	32.00	8.20
2003	0.00	16.20	32.20	28.80	73.00	45.40	61.00	68.80	65.20	103.60	84.00	39.40
2004	10.60	0.00	76.80	35.80	148.40	44.00	124.80	48.00	37.40	61.60	57.00	28.00
2005	29.60	16.00	9.00	73.40	26.80	142.40	50.40	65.20	78.60	44.00	81.00	28.40
2006	44.00	22.80	55.80	80.60	52.20	85.80	143.80	22.20	100.20	129.20	91.60	39.20
2007	18.70	59.10	12.40	66.10	50.60	15.43	86.33	48.90	58.40	128.63	47.50	40.00
2008	48.00	13.70	42.65	41.50	102.00	73.00	101.50	78.10	105.00	41.40	60.60	29.00
2009	0.60	36.10	38.90	105.10	78.70	95.00	124.80	58.70	42.10	86.00	38.70	29.60
2010	10.50	0.10	30.50	25.70	99.20							
Average	17.93	18.64	31.58	54.72	75.86	84.01	77.22	85.61	89.42	75.70	61.11	24.28

Udora

Verified Daily Rainfall arranged per month

Year/Month	Total Rainfall (mm)											
	1	2	3	4	5	6	7	8	9	10	11	12
1990						108.8	68.5	36.9	36.9	109.7	62.9	53.3
1991	12.6	9.4	70.8	127	48	35.1	64.1	77.9	77.9	67.7	44.8	11.6
1992	7.4	9.7	25.3	53	50.2	43.6	81.6	131.6	131.6	52	75.3	14.2
1993	39.7	0	4	56.1	65	95.4	66.4	81.8	81.8	59.8	61	11.4
1994	15	0	11.8	68.2	124.2	30.8	95.6	43.3	43.3	40.7	44.4	22.8
1995	89.3	1	17.2	63.8	69.4	114.5	124.4	99.6	99.6	138.7	103.5	3.6
1996	45.9	24	4.8	78	65.2	132.8	100.2	100.4	100.4	57	19.4	47.4
1997	18.8	66.3	23.1	22.8	74.6	111	40.8	74.7	74.7	51	43.1	9
1998	70.6	31.6	58.3	60.6	32	194.7	60.4	117.6	117.6	36.2	28	32.8
1999	23.4	17	3.4	34.6	79.8	135.2	105.8	62.6	62.6	77.8	101.4	24.8
2000	21.2	7	22.6	35.4	138.3	254.9	46.6	83.6	83.6	24.8	69.4	7.6
2001	4	30.8	14.6	27.4	68	66	47.8	50.9	50.9	146.4	85.6	39.6
2002	1	22.7	31.2	89.3	202.8	137.2	101.6	55.4	55.4	61.6	41.4	2
2003	0	11.2	30.6	36.8	89.4	106.4	49.4	106.6	106.6	78.8	103.4	48.4
2004	4.8	0	50.2	54.4	111.4	53.2	179.6	40.4	40.4	58.2	62	37.6
2005	15.8	15.8	4	71.2	18.8	123	41.4	63.5	63.5	44	69.6	28.4
2006	41	32.6	41.8	67.4	91.6	69.2	195	30.2	30.2	108.3	65.4	46.3
2007	23.2	2.5	10.6	46.6	54	53.8	40.5	40	40	87.3	47.6	17.6
2008	24.4	16.4	31.8	36.4	107.4	125.2	105.6	140.6	140.6	35.2	55	48.2
2009	0	42.3	44.8	115.2	96.2	76.2	94	82.6	82.6	69.4	46.6	20.2
2010	15.2	0	50	26.8	85.8							
Average	23.67	17.02	27.55	58.55	83.61	103.35	85.47	76.01	76.01	70.23	61.49	26.34

Appendix D

Verified Daily Rainfall Arranged Per Season

Barrie

Verified Daily Rainfall arranged per Season

YEAR	Total Rainfall (mm)			
	Winter (Dec, Jan, Feb)	Spring (Mar, Apr, May)	Summer (Jun, Jul, Aug)	Fall (Sep, Oct, Nov)
1972-1973				
1973 - 1974				
1974 - 1975				
1975 - 1976				
1976 - 1977				
1977 - 1978			209.8	193.0
1978 - 1979	17.7	173.8	179.0	276.5
1979 - 1980	55.3	154.2	298.1	197.3
1980 - 1981	54.7	163.6	255.6	218.7
1981 - 1982	16.8	119.1	286.8	207.6
1982 - 1983	104.4	204.2	146.8	227.8
1983 - 1984	21.0	175.4	169.2	222.2
1984 - 1985	85.8	164.8	296.2	218.9
1985 - 1986	18.0	183.2	298.0	400.8
1986 - 1987	19.0	145.0	351.8	217.6
1987 - 1988	47.4	149.8	206.5	299.2
1988 - 1989	40.0	159.8	188.4	242.6
1989 - 1990	35.0	191.8	182.6	294.8
1990 - 1991	37.2	253.6	185.0	166.8
1991 - 1992	24.6	130.4	225.4	256.2
1992 - 1993	36.2	147.4	241.1	237.3
1993 - 1994	35.1	176.6	181.6	203.6
1994 - 1995	77.4	152.9	403.3	270.6
1995 - 1996	56.4	191.4	288.0	302.8
1996 - 1997	111.8	146.4	213.1	143.3
1997 - 1998	91.2	158.9	279.3	180.2
1998 - 1999	61.0	85.2	321.4	247.1
1999 - 2000	62.5	228.8	370.5	189.3
2000 - 2001	50.4	145.5	188.7	304.9
2001 - 2002	92.8	239.2	220.6	148.6
2002 - 2003	8.5	146.3	322.6	292.6
2003 - 2004	55.8	257.8	234.9	156.1
2004 - 2005	58.4	120.6	234.5	207.1
2005 - 2006	87.9	153.8		
2006 - 2007				
2007 - 2008				
2008 - 2009				
2009 - 2010				
Average All	52.2	168.6	249.2	233.0

Coldwater Warminster

Verified Daily Rainfall arranged per Season

YEAR	Total Rainfall (mm)			
	Winter (Dec, Jan, Feb)	Spring (Mar, Apr, May)	Summer (Jun, Jul, Aug)	Fall (Sep, Oct, Nov)
1972			177.7	218
1972-1973	92.3	196.5	208.5	230.5
1973 - 1974	53.7	227.4	294.0	200.4
1974 - 1975	79.6	98.6	179.5	153.3
1975 - 1976	45.1	129.7	262.7	186.0
1976 - 1977	15.6	92.8	250.0	285.0
1977 - 1978	27.5	127.3	229.0	237.8
1978 - 1979	45.8	187.8	257.9	290.8
1979 - 1980	60.8	201.8	353.5	284.9
1980 - 1981	76.1	190.0	381.8	229.0
1981 - 1982	15.8	120.8	298.9	228.0
1982 - 1983	148.5	237.4	191.0	258.2
1983 - 1984	41.2	206.0	217.0	247.8
1984 - 1985	108.2	167.4	264.9	307.8
1985 - 1986	31.6	171.8	343.4	306.2
1986 - 1987	24.8	124.4	244.0	231.6
1987 - 1988	62.0	120.4	240.6	283.4
1988 - 1989	29.6	145.2	244.7	288.8
1989 - 1990	59.4	183.2	187.0	280.8
1990 - 1991	46.6	279.8	159.8	244.0
1991 - 1992	49.4	115.4	271.4	265.4
1992 - 1993	67.2	147.0	293.8	259.0
1993 - 1994	36.2	199.4	243.2	199.6
1994 - 1995	74.2	168.0	254.4	273.0
1995 - 1996	67.8	186.0	308.7	259.8
1996 - 1997	135.7	133.2	225.8	120.2
1997 - 1998	168.2	168.4	372.4	159.8
1998 - 1999	64.8	118.0	365.0	241.2
1999 - 2000	64.9	178.4	331.4	221.7
2000 - 2001	67.5	150.1	169.8	295.4
2001 - 2002	116.8	212.0	197.4	170.2
2002 - 2003	15.3	161.4	234.2	310.0
2003 - 2004	57.2	295.3	206.8	155.2
2004 - 2005	85.8	135.5	139.6	227.4
2005 - 2006	89.4	145.0	143.5	279.4
2006 - 2007	89.5	407.8	241.6	249.8
2007 - 2008	134.9	210.4	248.6	206.7
2008 - 2009	71.4	225.8	209.9	229.2
2009 - 2010	43.3	147.9		
Average All	67.5	176.7	248.5	239.9

Shanty Bay

Verified Daily Rainfall arranged per Season

YEAR	Total Rainfall (mm)			
	Winter (Dec, Jan, Feb)	Spring (Mar, Apr, May)	Summer (Jun, Jul, Aug)	Fall (Sep, Oct, Nov)
1972-1973			203.4	166.0
1973 - 1974	52.4	225.4	313.2	189.7
1974 - 1975	57.6	112.4	215.2	163.5
1975 - 1976	52.2	161.1	282.6	239.9
1976 - 1977	13.7	114.0	292.6	274.6
1977 - 1978	39.6	134.8	182.4	186.0
1978 - 1979	38.6	161.0	189.7	258.4
1979 - 1980	61.0	161.0	326.0	228.6
1980 - 1981	69.6	166.2	290.2	194.2
1981 - 1982	14.0	118.2	304.6	216.6
1982 - 1983	135.6	194.0	154.6	229.4
1983 - 1984	38.4	185.4	193.0	222.0
1984 - 1985	92.2	156.2	260.8	244.6
1985 - 1986	34.2	182.2	303.0	345.6
1986 - 1987	32.2	121.2	311.6	215.8
1987 - 1988	53.8	120.0	217.2	273.8
1988 - 1989	33.6	130.6	184.7	273.2
1989 - 1990	49.8	187.2	189.6	274.4
1990 - 1991	48.2	263.2	189.4	166.6
1991 - 1992	38.4	130.6	216.0	257.8
1992 - 1993	49.0	146.8	250.2	259.2
1993 - 1994	25.0	174.2	177.4	196.2
1994 - 1995	70.2	155.4	378.2	260.0
1995 - 1996	68.6	186.2	339.4	273.6
1996 - 1997	121.8	115.2	209.8	117.6
1997 - 1998	111.0	148.6	316.6	168.2
1998 - 1999	74.8	82.6	276.4	240.8
1999 - 2000	64.8	193.4	332.8	201.6
2000 - 2001	60.2	140.8	199.0	275.6
2001 - 2002	82.8	245.8	250.0	149.6
2002 - 2003	24.4	134.0	175.2	252.8
2003 - 2004	50.0	261.0	216.8	156.0
2004 - 2005	73.6	109.2	258.0	203.6
2005 - 2006	95.2	188.6	251.8	321.0
2006 - 2007	117.0	129.1	150.7	234.5
2007 - 2008	101.7	186.2	252.6	207.0
2008 - 2009	65.7	222.7	278.5	166.8
2009 - 2010	40.2	155.4		
Average All	60.8	162.2	246.8	224.5

Udora

Verified Daily Rainfall arranged per Season

YEAR	Total Rainfall (mm)			
	Winter (Dec, Jan, Feb)	Spring (Mar, Apr, May)	Summer (Jun, Jul, Aug)	Fall (Sep, Oct, Nov)
1972-1973				
1973 - 1974				
1974 - 1975				
1975 - 1976				
1976 - 1977				
1977 - 1978				
1978 - 1979				
1979 - 1980				
1980 - 1981				
1981 - 1982				
1982 - 1983				
1983 - 1984				
1984 - 1985				
1985 - 1986				
1986 - 1987				
1987 - 1988				
1988 - 1989				
1989 - 1990			214.2	209.5
1990 - 1991	75.3	245.8	177.1	190.4
1991 - 1992	28.7	128.5	256.8	258.9
1992 - 1993	53.9	125.1	243.6	202.6
1993 - 1994	26.4	204.2	169.7	128.4
1994 - 1995	113.1	150.4	338.5	341.8
1995 - 1996	73.5	148.0	333.4	176.8
1996 - 1997	132.5	120.5	226.5	168.8
1997 - 1998	111.2	150.9	372.7	181.8
1998 - 1999	73.2	117.8	303.6	241.8
1999 - 2000	53.0	196.3	385.1	177.8
2000 - 2001	42.4	110.0	164.7	282.9
2001 - 2002	63.3	323.3	294.2	158.4
2002 - 2003	13.2	156.8	262.4	288.8
2003 - 2004	53.2	216.0	273.2	160.6
2004 - 2005	69.2	94.0	227.9	177.1
2005 - 2006	102.0	200.8	294.4	203.9
2006 - 2007	72.0	111.2	134.3	174.9
2007 - 2008	58.4	175.6	371.4	230.8
2008 - 2009	90.5	256.2	252.8	198.6
2009 - 2010	35.4	162.6		
Average All	67.0	169.7	264.8	207.7

References

1. Lake Simcoe Region Conservation Authority (2009) *Report on Phosphorous Loads to Lake Simcoe 2004-2007*.
2. Natural Resources Canada website
<http://atlas.nrcan.gc.ca/site/english/maps/climatechange/1>
3. IPCC Fourth Assessment Report (2007) *Working Group I Report "The Physical Science Basis"* <http://www.ipcc.ch/ipccreports/ar4-wg1.htm>
4. Ontario Ministry of Natural Resources, Applied Research and Development Branch (2007) *Climate change projections for Ontario: practical information for policymakers and planners*.
http://www.mnr.gov.on.ca/stdprodconsume/groups/lr/@mnr/@ofri/documents/document/mnr_e005587.pdf
5. C. J. Wiesner (1970) *Hydrometeorology* Chapman and Hall Ltd.
6. National Meteorological Library and Archive, Met Office UK (2007) *Fact Sheet 3 Water in the Atmosphere*
7. A.T. Hjelmfelt, Jr. and J.J. Cassidy (1975) *Hydrology for Engineers and Planners* (1st edition) Iowa State University Press
8. Barry J Adams (2000) *Urban Stormwater Management Planning with Analytical Probabilistic Models* John Wiley and Sons Inc.
9. Greater Moncton Sewerage Commission (2003) *Integrated Long term sustainable wastewater management strategy, combined Sewer Overflow Strategy Report*
10. Richard H. McCuen (1998) *Hydrologic Analysis and Design* (2nd Edition) Prentice Hall International
11. http://www.nicholas.duke.edu/people/faculty/katul/ENV234_Lecture_3.pdf
12. Ramesh S.V. Teegavarapua, V. Chandramouli (2005) Improved weighting methods, deterministic and stochastic data-driven models for estimation of missing precipitation records *Journal of Hydrology* 312 pages 191–206
13. <http://www.kriging.com/whatiskriging.html>
14. http://www.geog.ucsb.edu/~tal76/g176b/lab5/kriging_spatial_analyst.pdf
15. R. Romero, J.A. Guijarro, C. Ramis, S. Alonso (1998) A 30 year (1964-1993) Daily Rainfall Database for the Spanish Mediterranean Regions: First Exploratory Study *International Journal of Climatology* volume 18 pages 541-560

16. Andy Y. Kwarteng, Atsu S. Dorvlo, G.T. Vijay Kumar (2009) Analysis of a 27-year rainfall data (1997-2003) in the Sultanate of Oman *International Journal of Climatology* volume 29 pages 605-617
17. B. Wouter, R. Celleri, P. Williams, B.D.Bievre, G. Wyseure (2006) Spatial and temporal rainfall variability in mountainous areas: A case study from south Ecuadorian Andes *Journal of Hydrology* volume 329 pages 413-421
18. A. S. Bazaraa, S. Ahmed (1991) Rainfall Characterization in arid areas *Engineering Journal of Qatar University* volume 4, pages 35-50
19. N. Welner (2009) Rainfall trends in the KwaZulu-Natal Drakensberg region of South Africa during the twentieth Century *International Journal of Climatology* volume 29 pages 1634-1641
20. J. Olsson, J. Niemczynowicz (1996) Multifractal analysis of daily spatial rainfall distributions *Journal of Hydrology* volume 187 pages 29-43
21. M. Cislighi, C. De Michele, A. Ghezzi, R. Rosso (2005) Statistical assessment of trends and oscillations in rainfall dynamics: Analysis of long daily Italian series *Atmospheric Research* volume 77 pages 188-202
22. R. L. Presti, E. Barca, G. Passarella (2010) A methodology for treating missing data applied to daily rainfall data in the Candelaro River Basin (Italy) *Environ Monit Assess* volume 160 pages 1-22
23. <http://www.srh.noaa.gov/images/sjt/events/1936Rainfallmap.jpg>
24. Finnish Meteorological Institute, Air Quality Report No. 31 (2002) Detecting Trends of Annual Values of Atmospheric Pollutants by the Mann-Kendall Test and Sen's Slope Estimates – An Excel Template Applications MAKESENS ilmatieteenlaitos.fi/kuvat/MAKESENS_MANUAL.pdf
25. U.S. Army Corps of Engineers (2005) OU-1 Annual Groundwater Monitoring Report- Former Ford Ord, California
http://dubaobien.vn/dhkhtrn/stores/files/0907_Tailieu_CuaLo/TLTK/MANN-KENDALL%20ANALYSIS.pdf

2/ 6-10-21